



PRODUCT-DETAILS

A300.-1CEx-C5P600-C5P600-AxxMx-DSxxx-
XXX

A300.-1CEx-C5P600-C5P600-AxxMx-DSxxx-
xxx
A300 S1 CE 300kW, 5m CCS2 P-600A, CCS2
P-600A, RFIDm, MID, Dyn, 1md, STD



General Information	
Extended Product Type:	A300.-1CEx-C5P600-C5P600-AxxMx-DSxxx-xxx
Product ID:	6AGC133364
Alternative Product Reference:	YAC.A0862.0
Catalog Description:	A300.-1CEx-C5P600-C5P600-AxxMx-DSxxx-xxx A300 S1 CE 300kW, 5m CCS2 P-600A, CCS2 P-600A, RFIDm, MID, Dyn, 1md, STD
Long Description:	A300 series 1 All-in-One Charger for European market, CE certified. 300kW, 4.8 meter CCS2 ABB P-series-600A, CCS2 ABB P-series-600A, Mifare RFID reader, MID compliant metering, Dynamic: 3 input power modules of 100 kW, the DC output dynamically switches over 2 outlets, depending on EV demand, in the following steps: 0-300 kW, 50-250 kW, 100-200 kW, 150-150 kW, 200-100 kW, 250-50 kW, 300-0 kW, Single Modem connectivity, Standard
Display Name:	A300.-1CEx-C5P600-C5P600-AxxMx-DSxxx-xxx

Technical	
Screen Size:	32 in

Dimensions	
Product Net Width:	0.790 m
Product Net Depth / Length:	0.810 m
Product Net Height:	2.30 m
Product Net Weight:	645 kg
Package Level 1 Units:	pallet (lift) 1 piece
Package Level 1 Width:	1.150 m
Package Level 1 Height:	2.47 m
Package Level 1 Depth / Length:	1.25 m
Package Level 1 Gross Weight:	755 kg

Ordering	
Country or Territory of Origin:	Italy
Customs Tariff Number:	85044060
Selling Unit of Measure:	piece
Minimum Order Quantity:	1 piece
Order Multiple:	1 piece

Additional Information	
Declaration of Conformity - CE:	9AKK108470A0009
RoHS Information:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Declaration:	UL
WEEE Category:	4. Large Equipment (Any External Dimension More Than 50 cm)

Categories	
Products > Electric Vehicle Charging > DC Charging Products > All-In-One DC Chargers 60-400 kW, CE (Terra 60, 180, 360, 400)	
Products > Electric Vehicle Charging > DC Charging Products > All-in-One DC Chargers 60-400 kW, NA (Terra 60, 180, 360, 400)	

