



Main

Range	Thorsman
Product or component type	Digital detector
Supply	Battery 9 V 6F22

Complementary

Display type	LCD and sound signal
Type of setting	Manual
Device composition	Detector Pencil slider Pencil hole 2 m measure tape
Local signalling	Edge of object detection by icon indicator Object detection by spotlight
Control type	Button mark dots on the wall surface Button selection mode
Maximum detection depth	AC mode: <50 mm for 90...250 V at 50...60 Hz Stud mode: wood stud detection of 30 x 30 mm <14 mm Metal mode: iron pipe detection of 20 mm <25 mm
Language	Spanish French Portuguese Hungarian Polish
Height	180 mm
Width	73 mm
Depth	32 mm
Net weight	213 g with battery

Offer Sustainability

EU RoHS Directive	Under investigation
-------------------	---------------------

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.