



PHILIPS

Decorative Collection. Vol. 1

PHILIPS

Home lighting

Collection 2015–2016

Decorative Collection

Vol. 1



Enhancing life
with light

Decorative Collection

Vol. 1

Home Lighting Collection

Content

Philips Collection	001
Massive Collection	227
Lirio Collection	329
Index	383



Philips Collection





Enhancing life
with light

At Philips Consumer Lighting, we're leading the way with innovative lighting solutions that inspire people to create the perfect atmosphere around the home.

Our investment in research and design places us at the heart of the LED revolution. We're powering the transition from traditional bulbs to luminaires, new solutions and applications – and showing people ways to enjoy light in a whole new way.

We use light to help families make every area of their living space do more – in ways that save energy and safeguard

the environment. Our lighting choices give people countless ways to express their own style, and create their own solutions with different ways to control light and use contemporary effects, colors and shades.

We also want every one of our customers to have the information and confidence they need to find the right product every time.



“For us, the perfect light and atmosphere is what turns a good home into a beautiful one.”

PHILIPS

Decorate your home with light



You've created your own home, and furnished it lovingly to make it your own. But no home is complete until the lights come on and bathe your world in a warm and welcoming glow.

That's why Philips now offers a range of decorative luminaires designed for every type of living space.

These new ideas from Philips do more than light up your living space. They bring every area of the home to life, helping you to work, entertain, relax or rest – and they make a stylish statement

about who you are. From stunning looks to ease of use, Philips lighting is all about you.

To simplify things, we have classified our collections around the home decor spectrum - Modern, Contemporary and Heritage for your convenience.



PHILIPS




Click!FIX

It's easy and quick!



No more worries or frustrations when mounting your new spot lights. Philips introduces click!FIX – a new way to mount your lights in 4 easy steps.



Unique dimming


technology



Philips is the first to introduce LED spots that work with all dimmers. Simply use your current dimmer, or any dimmer you want!



It's amazing what Philips LED lighting
can do for you



Powerful, warm and energy saving,
 Philips LED is a lighting revolution
 for your home

Today's LED technology is ready to take centre stage in your home as the main source of light. Powerful, warm and even, LED light is beautiful to view and a wonder to experience. It's innovative too – many Philips LEDs have special optics that allow you to create stunning new light effects. Whether you want to define a wall or feature with a directional beam of light, or illuminate a room evenly, Philips LED lighting lets you do it all.

With LED, variety means there's always a light effect or luminaire design to get the most out of your home. LED technology allows ground-breaking designs of inspiring purity and beauty, and Philips offers the widest range available. LED provides incredible energy efficiency too, all without sacrificing light quality, power output or choice. No doubt about it – there's a bright future for LED technology, and Philips is leading the revolution bringing it to your home.

Discover the benefits of the latest
 Philips high-power LEDs

Eco Halogen



-20%

Eco Lamp



-80%

LED



-80%

Warm ambiance



Warm white light for a comfortable atmosphere



Dimmable light for the perfect ambiance (depending on articles)



Brings out vivid colors in your home



Light turns on in an instant

Eco-efficient



Long lifetime



Low energy costs

Content



Introduction	02
<hr/>	
Living Room	13
<hr/>	
Decorative	21
Modern	22
Contemporary	24
Heritage	52
Wall & Ceiling	55
Contemporary	56
Heritage	76
Spots	79
Modern	80
Contemporary	90
Heritage	112
<hr/>	
Kids Room	115

EyeCare	131
<hr/>	
Bathroom	135
<hr/>	
Kitchen	153
<hr/>	
Accent lighting	161
<hr/>	
MoodLighting	175
LivingColors	176
Candles	186
<hr/>	
Outdoor	189
myGarden	190
Sensor lights	218
Orientation lights	222



Living room

The living room is
the heart of any home

A place where families gather and relax and guests socialise. Lighting for this area has to be flexible and easy to adjust to its different uses throughout the day. Careful placement of different light sources and playing with light layering helps create the feeling of space and to give the room a warm and welcoming feel.

myLiving Modern



Highlights



59

Nio



80

Phase

Tip

“The lighting scheme in the living room should cater to different needs during the day. General lighting allows for everyday tasks like cleaning, or simply lounging around. Task lighting helps with reading or task orientated activities. Accent lighting such as spot lights bring a cosy atmosphere into play while entertaining.”



Decorate your home with light

Enjoying your home is about feeling in control and creating a soothing atmosphere in which you can unwind and be yourself. Philips myLiving Modern is designed to help you do just that. Every piece expresses functionality, clean lines and purity. Meanwhile, the careful application of exquisite finishes like gloss and chrome provides unmistakable flair and style to complement your home. Even the colours are simple and bold, while carefully chosen materials bring depth and rich texture. The pièce de résistance is a uniform light of the highest quality that bathes your whole room. Truly a new dimension of home lighting to catch the eye.

Concept **benefits**



Superior light quality with Philips lamps included



Dimmable to create ambiance at home (on selected articles)




Warm white light – based on various light technologies

myLiving Contemporary



Highlights



37
Fair



98
Star

Tip

“For a dramatic effect on your objet d’art, use a pair of directional spots over it. At the correct distance from the wall, these spots cast a flattering wash of light over it and add drama to your display.”



Everything you need to save in style

Current, understated yet distinctly stylish, Philips myLiving Contemporary collection spans from floor, table, wall and ceiling lights. Designed around the latest tastes, trends and lifestyles, they blend effortlessly into your décor and bring out the best in your home.

Whether it’s a cosy corner to curl up with a book or an open area to entertain friends and family, you can now set the theme for any area of your home using hue and textures to define that localised ambiance that you have always desired.

Concept **benefits**



Superior light quality with Philips lamps included



Dimmable to create ambiance at home (on selected articles)



Warm white light – based on various light technologies



myLiving Heritage

Highlights



113

Toscane

Tip

“To decide the placement of light sources, one must first determine the purpose of the room – study, rest, sleep, work or play. These functions should be clear before the process of lighting.”



Timeless class and crafted elegance

Philips myLiving Heritage exudes timeless class and crafted elegance. With their subdued and modest forms, myLiving Heritage are particularly suited for those that seek harmony in timeless interiors. The lamps are sturdy and well-made, with crafted fabrics, metals and glass that enhance the feeling of quality. To help diffuse the light and create a softer ambience, they also have textured finishes, carvings and other embellishments; while a tasteful color palette of natural hues helps complete the effect. A perfect way to create that cozy and homely feel, with a timeless look.

Concept **benefits**




Superior light quality with Philips lamps included



Dimmable to create ambience at home (on selected articles)



Warm white light – based on various light technologies



myLiving Decorative

Decorate your home
with light

myLiving Decorative collection is stunning and evocative, with a focus on premium design and high-quality materials. Each piece offers clean lines and a harmonious use of materials like glass, metal and fabrics that complement any room or style. Together, they offer inspiring interior solutions and a quality of light that brings out the best in any home.

For easy selection, Philips myLiving collection is classified around the home decor spectrum - Modern, Contemporary, Heritage and Expressive for your convenience.



Imagine with light



Rye
40907/31/16
I 1500 → 420 / 420
LED - 1x 4,5W incl. - 800 lm.
☐ - IP20
metal



Rye
40907/32/16
I 1500 → 420 / 420
LED - 1x 4,5W incl. - 430 lm
☐ - IP20
metal



Rye
40907/33/16
I 1500 → 420 / 420
LED - 1x 4,5W incl. - 800 lm
☐ - IP20
metal



Rye
40907/38/16
I 1500 → 420 / 420
LED - 1x 4,5W incl. - 800 lm
☐ - IP20
metal



Authentis
40341/31/16
I 2062 → 1175 / 55
G5 - 1x 28W incl. - 2900 lm
⊙ - IP20
metal - synthetics



Authentis
40341/48/16
I 2062 → 1175 / 55
G5 - 1x 28W incl. - 2900 lm
⊙ - IP20
metal - synthetics





Vienne
37361/56/16
1 1500 → 200 / 200
LED - 1x 4,5W incl. - 430 lm
☐ - IP20
glass




Vienne
37361/87/16
1 1500 → 200 / 200
LED - 1x 4,5W incl. - 430 lm
☐ - IP20
glass




Canto
40894/38/16
1 1500 → 232 / 232
LED - 1x 4,5W incl. - 430 lm
☐ - IP20
glass




Var
40895/38/16
1 1500 → 350 / 350
LED - 1x 4,5W incl. - 430 lm
☐ - IP20
metal




Var
40895/53/16
1 1500 → 350 / 350
LED - 1x 4,5W incl. - 430 lm
☐ - IP20
metal




Var
40895/87/16
1 1500 → 350 / 350
LED - 1x 4,5W incl. - 430 lm
☐ - IP20
metal



Fado
40898/33/16
1 1500 → 335 / 335
LED - 1x 4,5W incl. - 430 lm
☐ - IP20
metal



Fado
40898/38/16
1 1500 → 335 / 335
LED - 1x 4,5W incl. - 430 lm
☐ - IP20
metal



Fado
40898/87/16
1 1500 → 335 / 335
LED - 1x 4,5W incl. - 430 lm
☐ - IP20
metal





Italo
37266/33/16
 I 1500 → 199 / 173
 LED - 1x 4,5W incl. - 430 lm
 □ - IP20
 glass



Italo
37266/87/16
 I 1500 → 199 / 173
 LED - 1x 4,5W incl. - 430 lm
 □ - IP20
 glass



Tenuto
40904/35/16
 I 1500 → 219 / 219
 LED - 1x 4,5W incl. - 430 lm
 □ - IP20
 synthetics



Tenuto
40904/60/16
 I 1500 → 219 / 219
 LED - 1x 4,5W incl. - 430 lm
 □ - IP20
 synthetics



Tenuto
40904/87/16
 I 1500 → 219 / 219
 LED - 1x 4,5W incl. - 430 lm
 □ - IP20
 synthetics





Wolga
40921/11/16
 I 1500 → 179 / 178
 LED - 3x 3W incl. - 500 lm
 © - IP20
 metal




Wolga
40921/31/16
 I 1500 → 179 / 178
 LED - 3x 3W incl. - 500 lm
 © - IP20
 metal



Cypress
53223/11/16
 I 1500 → 260 / 260
 LED - 3x 3W incl. - 500 lm
 © - IP20
 glass - glass





Vaga
40972/48/16
 1 1500 → 430 / 464
 LED - 6x 2,5W incl. - 1100 lm
 ⊕ - IP20
 metal - synthetics



Vaga
40970/48/16
 1 48 → 374 / 362
 LED - 6x 2,5W incl. - 1100 lm
 ⊕ - IP20
 metal - synthetics




Nister
43133/30/16
 1 197 → 300 / 73
 LED - 1x 3W incl. - 270 lm
 ⊕ - IP20
 aluminium



Nister
43133/31/16
 1 197 → 300 / 73
 LED - 1x 3W incl. - 270 lm
 ⊕ - IP20
 aluminium



Nister
43133/48/16
 1 197 → 300 / 73
 LED - 1x 3W incl. - 270 lm
 ⊕ - IP20
 aluminium



Dun
37955/48/16
 1 1600 → 600 / 43
 LED - 2x 6,5W incl. - 420 lm
 ⊕ - IP20
 aluminium - glass





Balance
40235/31/16

1 1160 → 485 / 485
2GX13 - 1x 40W incl. - 3300 lm
⊕ - IP20
metal - glass



Balance
40235/17/16

1 1160 → 485 / 485
2GX13 - 1x 40W incl. - 3300 lm
⊕ - IP20
metal - glass



Glad
40399/31/16

1 1800 → 280 / 280
E27 - 1x 20W incl. - 1220 lm
⊕ - IP20
glass



Nehru
40695/11/16

1 1500 → 238 / 238
E27 - 1x 20W incl. - 1140 lm
⊕ - IP20
glass - metal



Nehru
40695/17/16

1 1500 → 238 / 238
E27 - 1x 20W incl. - 1140 lm
⊕ - IP20
glass - metal



Innery
40711/31/16

1 1500 → 87 / 87
E27 - 1x 12W incl. - 741 lm
⊕ - IP20
aluminium - glass



Innery
40712/11/16

1 1500 → 987 / 87
E27 - 3x 12W incl. - 3x 741 lm
⊕ - IP20
aluminium - glass



Honesty
40772/30/16

1 1800 → 345 / 345
E27 - 1x 20W incl. - 1220 lm
⊕ - IP20
glass - synthetics




Honesty
40772/35/16

1 1800 → 345 / 345
E27 - 1x 20W incl. - 1220 lm
⊕ - IP20
glass - synthetics




Energy saving solutions



**Amaze
40233/31/16**

I 1400 → 434 / 434
2GX13 - 1x 60W incl. - 5000 lm
© - IP20
metal - synthetics




**Amaze
40233/48/16**

I 1400 → 434 / 434
2GX13 - 1x 60W incl. - 5000 lm
© - IP20
aluminium - synthetics





Fair
40339/11/16
 1 1600 → 444 / 444
 2GX13 - 1x 55W incl. - 4200 lm
 Ⓢ - IP20
 metal - glass



Fair
40339/48/16
 1 1600 → 444 / 444
 2GX13 - 1x 55W incl. - 4200 lm
 Ⓢ - IP20
 metal - glass



Fair
40340/11/16
 1 99 → 444 / 444
 2GX13 - 1x 60W incl. - 5000 lm
 Ⓢ - IP20
 glass - metal



Fair
40340/48/16
 1 99 → 444 / 444
 2GX13 - 1x 60W incl. - 5000 lm
 Ⓢ - IP20
 glass - metal





Soft and balanced design




Friends 40760/31/16
 1 2050 → 300 / 300
 E27 - 1x 20W incl. - 1320 lm
 © - IP20
 synthetics




Friends 40760/38/16
 1 2050 → 300 / 300
 E27 - 1x 20W incl. - 1320 lm
 © - IP20
 synthetics



Friends 40760/53/16
 1 2050 → 300 / 300
 E27 - 1x 20W incl. - 1320 lm
 © - IP20
 synthetics



Friends 40761/31/16
 1 1750 → 475 / 475
 2GX13 - 1x 40W incl. - 3300 lm
 © - IP20
 synthetics



Friends 40761/38/16
 1 1750 → 475 / 475
 2GX13 - 1x 40W incl. - 3300 lm
 © - IP20
 synthetics





**Friends
40759/53/16**

1 2050 → 250 ↗ 250
E27 - 1x 15W incl. - 970 lm
⊕ - IP20
synthetics



**Friends
40759/30/16**

1 2050 → 250 ↗ 250
E27 - 1x 15W incl. - 970 lm
⊕ - IP20
synthetics



**Friends
40759/31/16**

1 2050 → 250 ↗ 250
E27 - 1x 15W incl. - 970 lm
⊕ - IP20
synthetics



**Friends
40759/38/16**

1 2050 → 250 ↗ 250
E27 - 1x 15W incl. - 970 lm
⊕ - IP20
synthetics






Moselle
40354/20/16
 1 1500 → 300 ↗ 300
 E27 - 1x 20W incl. - 1140 lm
 ☉ - IP20
 metal



Moselle
40354/34/16
 1 1500 → 300 ↗ 300
 E27 - 1x 20W incl. - 1140 lm
 ☉ - IP20
 metal



Moselle
40354/35/16
 1 1500 → 300 ↗ 300
 E27 - 1x 20W incl. - 1140 lm
 ☉ - IP20
 metal



Hever
40617/57/16
 1 1750 → 350 ↗ 350
 E27 - 1x 42W incl. - 630 lm
 ☉ - IP20
 metal



Hever
40617/31/16
 1 1750 → 350 ↗ 350
 E27 - 1x 42W incl. - 630 lm
 ☉ - IP20
 metal



Hever
40617/93/16
 1 1750 → 350 ↗ 350
 E27 - 1x 42W incl. - 630 lm
 ☉ - IP20
 metal





Spey
41045/87/16

1 1500 → 232 / 232
E27 - 1x 15W incl. - 970 lm
☐ - IP20
metal



Spey
41045/31/16

1 1500 → 232 / 232
E27 - 1x 15W incl. - 970 lm
☐ - IP20
metal



Assai
40245/53/16

1 1500 → 164 / 164
E27 - 1x 53W incl. - 850 lm
☐ - IP20
metal



Spey
41045/33/16

1 1500 → 232 / 232
E27 - 1x 15W incl. - 970 lm
☐ - IP20
metal



Assai
40245/31/16

1 1500 → 164 / 164
E27 - 1x 53W incl. - 850 lm
☐ - IP20
metal



Assai
40245/33/16

1 1500 → 164 / 164
E27 - 1x 53W incl. - 850 lm
☐ - IP20
metal





Contemporary lighting for your home

Enjoy the beauty of rounded shapes in a soft taupe color. This floor lamp in high end metal adds elegance to your home. It radiates a warm atmosphere and brightens up your living space. Just turn on the light for cozy gatherings.



Leod
42258/26/16

1 1650 → 355 / 355
E27 - 1x 23W incl. - 1570 lm
☐ - IP20
metal - textile



Leod
42258/38/16

1 1650 → 355 / 355
E27 - 1x 23W incl. - 1570 lm
☐ - IP20
metal - textile



Sella
42259/26/16

1 1500 → 905 / 320
E27 - 2x 23W incl. - 2x 1570 lm
☉ - IP20
metal - textile



Sella
42259/38/16

1 1500 → 905 / 320
E27 - 2x 23W incl. - 2x 1570 lm
☉ - IP20
metal - textile





Ely
36675/31/16
 I 1350 → 955 / 205
 E14 - 4x 42W incl. - 4x 630 lm
 ☉ - IP20
 metal - textile



Ely
36677/31/16
 I 190 → 162 / 195
 E14 - 1x 42W incl. - 630 lm
 ☉ - IP20
 metal - textile



Ely
36679/31/16
 I 389 → 160 / 160
 E14 - 1x 42W incl. - 630 lm
 ☉ - IP20
 metal - textile



Ely
36676/31/16
 I 1332 → 940 / 160
 E14 - 4x 42W incl. - 4x 630 lm
 ☉ - IP20
 metal - textile



Ely
36678/31/16
 I 1600 → 300 / 300
 E27 - 1x 70W incl. - 1200 lm
 ☉ - IP20
 metal - textile



Ely
36678/17/16
 I 1600 → 300 / 300
 E27 - 1x 70W incl. - 1200 lm
 ☉ - IP20
 metal - textile



Ely
36675/17/16
 I 1350 → 955 / 205
 E14 - 4x 42W incl. - 4x 630 lm
 ☉ - IP20
 metal - textile



Ely
36677/17/16
 I 190 → 162 / 195
 E14 - 1x 42W incl. - 630 lm
 ☉ - IP20
 metal - textile



Ely
36676/17/16
 I 1332 → 940 / 160
 E14 - 4x 42W incl. - 4x 630 lm
 ☉ - IP20
 metal - textile



Ely
36679/17/16
 I 389 → 160 / 160
 E14 - 1x 42W incl. - 630 lm
 ☉ - IP20
 metal - textile





Odet
36275/32/16
 I 1500 → 405 / 405
 E27 - 1x 53W incl. - 850 lm
 © - IP20
 textile - metal



Odet
36275/17/16
 I 1500 → 405 / 405
 E27 - 1x 53W incl. - 850 lm
 © - IP20
 textile - metal



Odet
36275/93/16
 I 1500 → 405 / 405
 E27 - 1x 53W incl. - 850 lm
 © - IP20
 textile - metal



Drin
42261/30/16
 I 1910 → 250 / 360
 E27 - 1x 23W incl. - 1570 lm
 ☐ - IP20
 metal




Drin
42261/33/16
 I 1910 → 250 / 360
 E27 - 1x 23W incl. - 1570 lm
 ☐ - IP20
 metal



Drin
42261/87/16
 I 1910 → 250 / 360
 E27 - 1x 23W incl. - 1570 lm
 ☐ - IP20
 metal





Hailton
40908/06/16
 1 1500 → 400 / 400
 LED - 1x 4,5W incl. - 800lm
 ☐ - IP20
 metal



Hailton
40908/93/16
 1 1500 → 400 / 400
 LED - 1x 4,5W incl. - 800lm
 ☐ - IP20
 metal



Elmore
37670/86/16
 1 1097 → 785 / 259
 E27 - 2x 53W incl. - 2x 850 lm
 ☉ - IP20
 textile - metal



Elmore
37671/86/16
 1 1007 → 623 / 623
 E14 - 5x 42W incl. - 5x 630 lm
 ☉ - IP20
 textile - metal



Elmore
37672/86/16
 1 263 → 213 / 400
 E14 - 1x 42W incl. - 630 lm
 ☉ - IP20
 textile - metal



Elmore
37673/86/16
 1 1584 → 260 / 448
 E27 - 1x 53W incl. - 850 lm
 ☐ - IP20
 textile - metal





myLiving Wall & Ceiling

Beautiful diffused warm
white light, flicker free

Philips myLiving Wall & Ceiling collection creates a beautiful warm white light that's bright and even for everyday illumination. The high-quality Philips light is powerful and versatile. Whether it is mounted on the ceiling or on the wall, this collection is well-suited to brighten up any room.



Suede
31801/31/16
1 85 → 280 / 280
LED - 4x 3W incl. - 1100 lm
⊕ - IP20
textile



Suede
31802/31/16
1 100 → 380 / 380
LED - 4x 6W incl. - 2350 lm
⊕ - IP20
textile



Suede
31803/31/16
1 110 → 500 / 500
LED - 4x 10W incl. - 3200 lm
⊕ - IP20
textile




Spruce
30942/17/16
1 60 → 244 / 244
LED - 1x 3W incl. - 270 lm
⊕ - IP20
metal - synthetics



Spruce
30943/17/16
1 60 → 354 / 354
LED - 1x 7,5W incl. - 620 lm
⊕ - IP20
metal - synthetics



Linen
31804/31/16
1 85 → 370 / 370
LED - 5x 5,5W incl. - 2350 lm
⊕ - IP20
textile



Hopsack
33311/17/16
1 140 → 100 / 90
LED - 1x 3W incl. - 170 lm
⊕ - IP20
metal



Hopsack
33311/31/16
1 140 → 100 / 90
LED - 1x 3W incl. - 170 lm
⊕ - IP20
metal



Imagine with light



Syon
32159/31/16
1 57 → 158 / 158
LED - 1x 6W incl. - 290 lm
⊕ - IP20
aluminium



Nio
31610/31/16
1 65 → 120 / 120
LED - 1x 6W incl. - 290 lm
⊕ - IP20
aluminium



Nio
31610/11/16
1 65 → 120 / 120
LED - 1x 6W incl. - 290 lm
⊕ - IP20
aluminium



Syon
32159/48/16
1 57 → 158 / 158
LED - 1x 6W incl. - 290 lm
⊕ - IP20
aluminium



Galax
45591/17/16
1 103 → 213 / 31
LED - 4x 2,5W incl. - 750 lm
⊕ - IP20
metal



Galax
45591/31/16
1 103 → 213 / 31
LED - 4x 2,5W incl. - 750 lm
⊕ - IP20
metal





Add depth and ambience to your wall



Milio
69085/31/16
I 65 → 131 / 131
LED - 2x 2W incl. - 210 lm
⊕ - IP20
synthetics



Denim
30941/11/16
I 66 → 353 / 353
LED 7,5W incl. - 620 lm
⊕ - IP20
synthetics



Denim
30941/31/16
I 66 → 353 / 353
LED 7,5W incl. - 620 lm
⊕ - IP20
synthetics




Milio
69085/87/16
I 65 → 131 / 131
LED - 2x 2W incl. - 210 lm
⊕ - IP20
synthetics



Denim
30940/11/16
I 63 → 243 / 243
LED - 1x 3W incl. - 270 lm
⊕ - IP20
synthetics



Denim
30940/31/16
I 63 → 243 / 243
LED - 1x 3W incl. - 270 lm
⊕ - IP20
synthetics



Temper
30188/11/16
I 60 → 404 / 404
2GX13 - 1x 40W incl. - 3300 lm
⊕ - IP20
metal - synthetics



Cross
32115/17/16
I 53 → 237 / 237
G9 - 1x 42W incl. - 630 lm
⊕ - IP20
metal - glass



Chintz
33006/17/16
I 75 → 180 / 180
E14 - 1x 12W incl. - 735 lm
⊕ - IP20
metal - glass



Cross
32116/17/16
I 68 → 370 / 370
R7S - 1x 80W incl. - 1415 lm
⊕ - IP20
metal - glass





Make a strong statement of style with a perfect harmony of glass and light. This white glass ceiling light with high quality brushed aluminum casts warm white light and looks stunning whether on or off.

Treat
30187/31/16
 1 64 → 310 / 310
 2GX13 - 1x 22W incl. - 1800 lm
 ☉ - IP20
 metal - synthetics



Rustic
32146/48/16
 1 86 → 400 / 400
 E27 - 2x 23W incl. - 2x 1570 lm
 ☉ - IP20
 glass - metal



Tides
32614/31/16
 1 77 → 315 / 315
 2GX13 - 1x 22W incl. - 1800 lm
 ☉ - IP20
 glass - metal



Tides
32615/31/16
 1 77 → 450 / 450
 2GX13 - 1x 40W incl. - 3300 lm
 ☉ - IP20
 glass - metal



Optimist
34103/48/16
 1 120 → 500 / 72
 E14 - 2x 12W incl. - 2x 735 lm
 ☉ - IP20
 glass - metal



Beautiful diffused warm white light, flicker free

Clean lines and gentle curves are the secret elements of this chrome wall light. It masters the contemporary look and adds character and life to your living space.

Experience the touch of warm energy saving light.

Peace
30185/11/16
1 60 → 286 / 98
2G7 - 1x 11W incl. - 900 lm
☐ - IP20
metal - synthetics



Peace
30185/31/16
1 60 → 286 / 98
2G7 - 1x 11W incl. - 900 lm
☐ - IP20
metal - synthetics



Peace
30422/11/16
1 60 → 510 / 98
2G11 - 1x 36W incl. - 2900 lm
☉ - IP20
aluminium - synthetics



Peace
30422/31/16
1 60 → 510 / 98
2G11 - 1x 36W incl. - 2900 lm
☉ - IP20
aluminium - synthetics



Peace
30423/11/16
1 79 → 286 / 76
2G7 - 1x 11W incl. - 900 lm
☉ - IP20
aluminium - synthetics



Peace
30423/31/16
1 79 → 286 / 76
2G7 - 1x 11W incl. - 900 lm
☉ - IP20
aluminium - synthetics



Peace
33422/31/16
1 79 → 486 / 75
2G11 - 1x 36W incl. - 2900 lm
☉ - IP20
aluminium - synthetics





Foulard
33206/31/16
 I 90 → 401 / 103
 E27 - 1x 23W incl. - 1430 lm
 Ⓢ - IP20
 metal



Foulard
33206/93/16
 I 90 → 401 / 103
 E27 - 1x 23W incl. - 1430 lm
 Ⓢ - IP20
 metal



Still
32613/48/16
 I 391 → 391 / 72
 2GX13 - 1x 40W incl. - 3300 lm
 Ⓢ - IP20
 metal - synthetics



Gainsboro
33246/31/16
 I 120 → 270 / 108
 E27 - 1x 23W incl. - 1430 lm
 Ⓢ - IP20
 metal



Arrow
34101/17/16
 I 120 → 355 / 107
 R7S - 1x 80W incl. - 1415 lm
 Ⓢ - IP20
 glass - metal



Still
34613/48/16
 I 310 → 310 / 73
 2GX13 - 1x 22W incl. - 1800 lm
 Ⓢ - IP20
 metal - synthetics



Octagon
30822/17/16
 I 62 → 310 / 310
 E14 - 2x 12W incl. - 2x 735 lm
 Ⓢ - IP20
 metal - glass



Pleased
34616/17/16
 I 110 → 110 / 60
 GX53 - 1x 8W incl. - 310 lm
 Ⓢ - IP20
 aluminium - glass



Gabardine
33012/17/16
 I 150 → 83 / 85
 GU10 - 2x 50W incl. - 2x 400 lm
 Ⓢ - IP20
 metal






Playful
33100/31/16

1 59 → 414 ↗ 287
2G7 - 2x 11W incl. - 2x 900 lm
☒ - IP20
synthetics



Being
32610/48/16

1 50 → 350 ↗ 350
2GX13 - 1x 40W incl. - 3300 lm
☒ - IP20
metal - synthetics





Velour
33200/30/16
 1 168 → 315 / 111
 E27 - 1x 23W incl. - 1430 lm
 ☉ - IP20
 textile



Circle
30050/17/16
 1 100 → 340 / 340
 E27 - 2x max. 75W excl.
 ☉ - IP20
 metal - glass



Canvas
77050/17/16
 1 85 → 265 / 265
 E27 - 1x max. 60W excl.
 ☉ - IP20
 metal - glass



Canvas
77050/31/16
 1 85 → 265 / 265
 E27 - 1x max. 60W excl.
 ☉ - IP20
 metal - glass



Velour
30175/30/16
 1 97 → 316 / 316
 E27 - 2x 23W incl. - 2x 1430 lm
 ☉ - IP20
 textile




Velour
30175/87/16
 1 97 → 316 / 316
 E27 - 2x 23W incl. - 2x 1430 lm
 ☉ - IP20
 textile



Velour
33200/87/16
 1 168 → 315 / 111
 E27 - 1x 23W incl. - 1430 lm
 ☉ - IP20
 textile





Superior
light
quality

Homroo
33178/17/16
1 80 → 80 / 100
G9 - 1x 42W incl. - 630 lm
⊕ - IP20
glass - metal



Ayan
34124/48/16
1 60 → 222 / 105
R7S - 1x 80W incl. - 1415 lm
⊕ - IP20
metal - glass



Lakeport
33232/17/16
1 80 → 301 / 83
E14 - 1x 12W incl. - 735lm
⊕ - IP20
metal - synthetics





Direct the light where needed



Langston
33087/06/16
 170 → 300 / 200
 G9 - 2x 28W incl. - 2x 370 lm
 ☐ - IP20
 metal



Langston
33087/17/16
 170 → 300 / 200
 G9 - 2x 28W incl. - 2x 370 lm
 ☐ - IP20
 metal



Fireside
33261/06/16
 125 → 100 / 478
 LED - 1x 6,5W incl. - 270 lm
 ◎ - IP20
 metal



Fireside
33261/17/16
 125 → 100 / 478
 LED - 1x 6,5W incl. - 270 lm
 ◎ - IP20
 metal





Denim
30941/06/16

1 66 → 353 / 353
LED - 1x 7,5W incl. - 740 lm
☐ - IP20
synthetics



Denim
30940/06/16

1 63 → 243 / 243
LED - 1x 4,5W incl. - 450 lm
☐ - IP20
synthetics



Bakersfield
30184/43/16

1 98 → 360 / 360
E27 - 1x 15W incl. - 970 lm
⊙ - IP20
glass - metal



Bakersfield
33204/43/16

1 320 → 200 / 111
E27 - 1x 15W incl. - 970 lm
⊙ - IP20
glass - metal



Lakeport
33232/74/16

1 80 → 301 / 83
E14 - 1x 12W incl. - 735 lm
⊙ - IP20
metal - synthetics





myLiving Spots

Give your lighting
a new direction

There's almost no end to what you can do with myLiving Spots. Use them for close-up reading or task work, or to create ambient lighting – or even to highlight your favourite pictures or objets d'art. myLiving Spots can do it all, and look great too. Give your lighting a new direction.



Phase
53300/30/16 A+
 1 80 → 102 / 102
 LED - 1x 4,5W incl. - 320 lm
 ☉ - IP20
 metal



Clockwork
53170/31/16 A+
 1 90 → 110 / 110
 LED - 1x 4W incl. - 280 lm
 ☉ - IP20
 metal



Clockwork
53170/48/16 A+
 1 90 → 110 / 110
 LED - 1x 4W incl. - 280 lm
 ☉ - IP20
 metal



Phase
53300/31/16 A+
 1 80 → 102 / 102
 LED - 1x 4,5W incl. - 320 lm
 ☉ - IP20
 metal



Clockwork
53172/31/16 A+
 1 90 → 255 / 93
 LED - 2x 4W incl. - 560 lm
 ☉ - IP20
 metal



Clockwork
53172/48/16 A+
 1 90 → 255 / 93
 LED - 2x 4W incl. - 560 lm
 ☉ - IP20
 metal



Phase
53302/31/16 A+
 1 80 → 192 / 102
 LED - 2x 4,5W incl. - 320 lm
 ☉ - IP20
 metal



Phase
53302/30/16 A+
 1 80 → 192 / 102
 LED - 2x 4,5W incl. - 320 lm
 ☉ - IP20
 metal



Clockwork
53174/31/16 A+
 1 90 → 628 / 93
 LED - 4x 4W incl. - 1120 lm
 ☉ - IP20
 metal



Clockwork
53174/48/16 A+
 1 90 → 628 / 93
 LED - 4x 4W incl. - 1120 lm
 ☉ - IP20
 metal





Zesta
56490/48/16
 1 101 → 120 / 120
 LED - 1x 6W incl. - 290 lm
 © - IP20
 metal



Zesta
56492/48/16
 1 94 → 237 / 67
 LED - 2x 6W incl. - 580 lm
 © - IP20
 metal



Zesta
56493/48/16
 1 94 → 212 / 212
 LED - 3x 6W incl. - 880 lm
 © - IP20
 metal



Zesta
56490/31/16
 1 101 → 120 / 120
 LED - 1x 6W incl. - 290 lm
 © - IP20
 metal



Zesta
56492/31/16
 1 94 → 237 / 67
 LED - 2x 6W incl. - 580 lm
 © - IP20
 metal



Zesta
56493/31/16
 1 94 → 212 / 212
 LED - 3x 6W incl. - 880 lm
 © - IP20
 metal



Zesta
56494/48/16
 1 94 → 527 / 67
 LED - 4x 6W incl. - 1170 lm
 © - IP20
 metal



Zesta
56494/31/16
 1 94 → 527 / 67
 LED - 4x 6W incl. - 1170 lm
 © - IP20
 metal





Accent
lighting

Fast
53069/48/16
I 1500 → 760 / 194
G9 - 3x 42W incl. - 3x 630 lm
© - IP20
metal



Fast
53060/48/16
I 190 → 162 / 97
G9 - 1x 42W incl. - 630 lm
© - IP20
metal



Fast
53062/48/16
I 343 → 162 / 126
G9 - 2x 42W incl. - 2x 630 lm
© - IP20
metal



Fast
53063/48/16
I 183 → 466 / 126
G9 - 3x 42W incl. - 3x 630 lm
© - IP20
metal



Fast
53064/48/16
I 183 → 618 / 126
G9 - 4x 42W incl. - 4x 630 lm
© - IP20
metal





Powerful
warm white
light



Runner
53090/48/16
1 107 → 110 / 90
GU10 - 1x 35W incl. - 270 lm
⊕ - IP20
metal



Runner
53092/48/16
1 109 → 305 / 90
GU10 - 2x 35W incl. - 2x 270 lm
⊕ - IP20
metal



Runner
53093/48/16
1 109 → 480 / 90
GU10 - 3x 35W incl. - 3x 270 lm
⊕ - IP20
metal



Runner
53090/31/16
1 107 → 110 / 90
GU10 - 1x 35W incl. - 270 lm
⊕ - IP20
metal



Runner
53092/31/16
1 109 → 305 / 90
GU10 - 2x 35W incl. - 2x 270 lm
⊕ - IP20
metal



Runner
53093/31/16
1 109 → 480 / 90
GU10 - 3x 35W incl. - 3x 270 lm
⊕ - IP20
metal



Runner
53094/48/16
1 109 → 240 / 240
GU10 - 4x 35W incl. - 4x 270 lm
⊕ - IP20
metal



Runner
53094/31/16
1 109 → 240 / 240
GU10 - 4x 35W incl. - 4x 270 lm
⊕ - IP20
metal





Forward
53130/48/16
 1 120 → 70 / 70
 GU10 - 1x 35W incl. - 270 lm
 © - IP20
 metal



Forward
53132/48/16
 1 120 → 160 / 70
 GU10 - 2x 35W incl. - 2x 270 lm
 © - IP20
 metal



Forward
53134/48/16
 1 120 → 520 / 70
 GU10 - 4x 35W incl. - 4x 270 lm
 © - IP20
 metal



Tempo
56230/48/16
 1 100 → 120 / 120
 GU10 - 1x 35W incl. - 270 lm
 © - IP20
 metal



Tempo
56232/48/16
 1 100 → 220 / 120
 GU10 - 2x 35W incl. - 2x 270 lm
 © - IP20
 metal



Tempo
56233/48/16
 1 100 → 325 / 120
 GU10 - 3x 35W incl. - 3x 270 lm
 © - IP20
 metal



Tempo
56234/48/16
 1 100 → 220 / 220
 GU10 - 4x 35W incl. - 4x 270 lm
 © - IP20
 metal



Finish
56440/11/16
 1 113 → 80 / 80
 GU10 - 1x 35W incl. - 270 lm
 © - IP20
 metal



Finish
56442/11/16
 1 113 → 306 / 80
 GU10 - 2x 35W incl. - 2x 270 lm
 © - IP20
 metal



Finish
56444/11/16
 1 112 → 525 / 80
 GU10 - 4x 35W incl. - 4x 270 lm
 © - IP20
 metal



Accent your home with light



Cypress
53220/11/16
 I 120 → 76 / 135
 LED - 1x 3W incl. - 170 lm
 © - IP20
 synthetics - glass



Toscane
53240/17/16
 I 110 → 74 / 138
 LED - 1x 3W incl. - 170 lm
 © - IP20
 metal - synthetics



Cypress
53224/11/16
 I 139 → 967 / 160
 LED - 4x 3W incl. - 670 lm
 © - IP20
 synthetics - glass



Toscane
53244/17/16
 I 133 → 976 / 160
 LED - 4x 3W incl. - 670 lm
 © - IP20
 metal - synthetics



Cypress
53222/11/16
 I 139 → 355 / 135
 LED - 2x 3W incl. - 330 lm
 © - IP20
 synthetics - glass



Cypress
53229/11/16
 I 139 → 325 / 323
 LED - 3x 3W incl. - 500 lm
 © - IP20
 synthetics - glass




Toscane
53249/17/16
 I 130 → 322 / 322
 LED - 3x 3W incl. - 500 lm
 © - IP20
 metal - synthetics



Toscane
53242/17/16
 I 110 → 244 / 74
 LED - 2x 3W incl. - 330 lm
 © - IP20
 metal - synthetics






Toile
53260/67/16
 I 120 → 113 / 115
 LED - 3W incl. - 170 lm
 Ⓢ - IP20
 metal - glass
  



Sepia
57170/17/16
 I 110 → 135 / 79
 LED - 1x 3W incl. - 170 lm
 Ⓢ - IP20
 aluminium
  






Sepia
57172/17/16
 I 131 → 369 / 120
 LED - 2x 3W incl. - 330 lm
 Ⓢ - IP20
 aluminium
  





Toile
53262/67/16
 I 120 → 240 / 70
 LED - 2x 3W incl. - 330 lm
 Ⓢ - IP20
 metal - glass
  




Sepia
57174/17/16
 I 131 → 979 / 150
 LED - 4x 3W incl. - 670 lm
 Ⓢ - IP20
 aluminium
  






Toile
53264/67/16
 I 140 → 1023 / 160
 LED - 4x 3W incl. - 670 lm
 Ⓢ - IP20
 metal - glass
  






Toile
53269/67/16
 I 120 → 243 / 243
 LED - 4x 3W incl. - 670 lm
 Ⓢ - IP20
 metal - glass
  



Sepia
57179/17/16
 I 131 → 300 / 300
 LED - 3x 3W incl. - 500 lm
 Ⓢ - IP20
 aluminium
  



Sepia
57170/31/16
 I 110 → 135 / 79
 LED - 1x 3W incl. - 170 lm
 ⊕ - IP20
 aluminium
  






Sepia
57174/44/16
 I 131 → 979 / 150
 LED - 4x 3W incl. - 670 lm
 ⊕ - IP20
 aluminium
  



Sepia
57170/44/16
 I 110 → 135 / 79
 LED - 1x 3W incl. - 170 lm
 ⊕ - IP20
 aluminium
  






Sepia
57172/31/16
 I 131 → 369 / 120
 LED - 2x 3W incl. - 330 lm
 ⊕ - IP20
 aluminium
  






Sepia
57172/44/16
 I 131 → 369 / 120
 LED - 2x 3W incl. - 330 lm
 ⊕ - IP20
 aluminium
  



Sepia
57174/31/16
 I 131 → 979 / 150
 LED - 4x 3W incl. - 670 lm
 ⊕ - IP20
 aluminium
  



Sepia
57179/31/16
 I 131 → 300 / 300
 LED - 3x 3W incl. - 500 lm
 ⊕ - IP20
 aluminium
  



Sepia
57179/44/16
 I 131 → 300 / 300
 LED - 3x 3W incl. - 500 lm
 ⊕ - IP20
 aluminium
  



Afzelia
53200/31/16

180 → 90 ↘ 90
LED - 1x 3W incl. - 170 lm
⊙ - IP20
metal



Afzelia
53200/48/16

180 → 90 ↘ 90
LED - 1x 3W incl. - 170 lm
⊙ - IP20
metal



Afzelia
53202/31/16

180 → 176 ↘ 90
LED - 2x 3W incl. - 330 lm
⊙ - IP20
metal



Afzelia
53202/48/16

180 → 176 ↘ 90
LED - 2x 3W incl. - 330 lm
⊙ - IP20
metal





Star
56240/48/16
 1 82 → 118 / 60
 LED - 1x 3W incl. - 170 lm
 © - IP20
 aluminium



Star
56240/31/16
 1 82 → 118 / 60
 LED - 1x 3W incl. - 170 lm
 © - IP20
 aluminium



Star
56242/48/16
 1 82 → 198 / 60
 LED - 2x 3W incl. - 330 lm
 © - IP20
 aluminium



Star
56242/31/16
 1 82 → 198 / 60
 LED - 2x 3W incl. - 330 lm
 © - IP20
 aluminium



Star
56244/48/16
 1 82 → 560 / 60
 LED - 4x 3W incl. - 670 lm
 © - IP20
 aluminium



Star
56243/48/16
 1 82 → 198 / 198
 LED - 3x 3W incl. - 500 lm
 © - IP20
 aluminium



Star
56243/31/16
 1 82 → 198 / 198
 LED - 3x 3W incl. - 500 lm
 © - IP20
 aluminium



Star
56244/31/16
 1 82 → 560 / 60
 LED - 4x 3W incl. - 670 lm
 © - IP20
 aluminium



Decorate your home with light



Rimus
53270/48/16
112 → 70 / 137
LED - 1x 3W incl. - 170 lm
⊙ - IP20
metal



Rimus
53272/48/16
195 → 243 / 70
LED - 2x 3W incl. - 330 lm
⊙ - IP20
metal



Rimus
53270/31/16
112 → 70 / 137
LED - 1x 3W incl. - 170 lm
⊙ - IP20
metal



Rimus
53272/31/16
195 → 243 / 70
LED - 2x 3W incl. - 330 lm
⊙ - IP20
metal



Rimus
53279/31/16
195 → 199 / 199
LED - 3x 3W incl. - 500 lm
⊙ - IP20
metal



Rimus
53279/48/16
195 → 199 / 199
LED - 3x 3W incl. - 500 lm
⊙ - IP20
metal



Rimus
53274/48/16
195 → 633 / 70
LED - 4x 3W incl. - 670 lm
⊙ - IP20
metal



Rimus
53274/31/16
195 → 633 / 70
LED - 4x 3W incl. - 670 lm
⊙ - IP20
metal





Dyna
53230/31/16
I 119 → 96 / 96
LED - 1x 3W incl. - 180 lm
□ - IP20
synthetics



Dyna
53231/31/16
I 148 → 83 / 116
LED - 1x 3W incl. - 180 lm
□ - IP20
synthetics



Dyna
53232/31/16
I 120 → 203 / 80
LED - 2x 3W incl. - 360 lm
□ - IP20
synthetics



Dyna
53230/30/16
I 119 → 96 / 96
LED - 1x 3W incl. - 180 lm
□ - IP20
synthetics



Dyna
53233/30/16
I 113 → 195 / 195
LED - 3x 3W incl. - 540 lm
□ - IP20
synthetics



Dyna
53232/30/16
I 120 → 203 / 80
LED - 2x 3W incl. - 360 lm
□ - IP20
synthetics



Dyna
53233/31/16
I 113 → 195 / 195
LED - 3x 3W incl. - 540 lm
□ - IP20
synthetics



Dyna
53234/30/16
I 120 → 460 / 80
LED - 4x 3W incl. - 720 lm
□ - IP20
synthetics



Dyna
67413/30/16
I 269 → 130 / 163
LED - 1x 3W incl. - 180 lm
□ - IP20
synthetics



Dyna
67413/31/16
I 269 → 130 / 163
LED - 1x 3W incl. - 180 lm
□ - IP20
synthetics



Dyna
53234/31/16
I 120 → 460 / 80
LED - 4x 3W incl. - 720 lm
□ - IP20
synthetics



Dyna
53231/30/16
I 148 → 83 / 116
LED - 1x 3W incl. - 180 lm
□ - IP20
synthetics





Dyna
53231/32/16
I 148 → 83 / 116
LED - 1x 3W incl. - 180 lm
IP20
synthetics



Dyna
53231/33/16
I 148 → 83 / 116
LED - 1x 3W incl. - 180 lm
IP20
synthetics



Dyna
53231/35/16
I 148 → 83 / 116
LED - 1x 3W incl. - 180 lm
IP20
synthetics



Dyna
67413/30/16
I 269 → 130 / 163
LED - 1x 3W incl. - 180 lm
IP20
synthetics



Dyna
67413/31/16
I 269 → 130 / 163
LED - 1x 3W incl. - 180 lm
IP20
synthetics



Dyna
67413/32/16
I 269 → 130 / 163
LED - 1x 3W incl. - 180 lm
IP20
synthetics



Decorate your home with light



Dyna
53231/99/16
I 148 → 83 / 116
LED - 1x 3W incl. - 180 lm
IP20
synthetics



Dyna
67413/33/16
I 269 → 130 / 163
LED - 1x 3W incl. - 180 lm
IP20
synthetics



Dyna
67413/35/16
I 269 → 130 / 163
LED - 1x 3W incl. - 180 lm
IP20
synthetics



Dyna
67413/99/16
I 269 → 130 / 163
LED - 1x 3W incl. - 180 lm
IP20
synthetics





Alpha
69225/28/16
1 350 → 135 / 330
E27 - 1x 11W incl. - 600 lm
□ - IP20
synthetics



Alpha
69225/31/16
1 350 → 135 / 330
E27 - 1x 11W incl. - 600 lm
□ - IP20
synthetics



Cap
70023/30/16
1 370 → 155 / 260
LED - 1x 4,5W incl. - 190 lm
□ - IP20
synthetics



Alpha
69225/35/16
1 350 → 135 / 330
E27 - 1x 11W incl. - 600 lm
□ - IP20
synthetics



Alpha
69225/87/16
1 350 → 135 / 330
E27 - 1x 11W incl. - 600 lm
□ - IP20
synthetics



Cap
70023/31/16
1 370 → 155 / 260
LED - 1x 4,5W incl. - 190 lm
□ - IP20
synthetics



Confident
57950/31/16
1 62 → 126 / 126
GX53 - 1x 8W incl. - 310 lm
⊙ - IP20
aluminium



Confident
57952/31/16
1 62 → 245 / 126
GX53 - 2x 8W incl. - 2x 310 lm
⊙ - IP20
aluminium





Pillar
56330/30/16
1 120 → 103 / 103
GU10 - 1x 35W incl. - 270 lm
⊞ - IP20
metal



Pillar
56332/30/16
1 120 → 193 / 103
GU10 - 2x 35W incl. - 2x 270 lm
⊞ - IP20
metal



Pillar
56333/30/16
1 120 → 203 / 190
GU10 - 3x 35W incl. - 3x 270 lm
⊞ - IP20
metal



Pillar
56330/31/16
1 120 → 103 / 103
GU10 - 1x 35W incl. - 270 lm
⊞ - IP20
metal



Pillar
56332/31/16
1 120 → 193 / 103
GU10 - 2x 35W incl. - 2x 270 lm
⊞ - IP20
metal



Pillar
56333/31/16
1 120 → 203 / 190
GU10 - 3x 35W incl. - 3x 270 lm
⊞ - IP20
metal



Catalpa
56320/31/16
1 122 → 80 / 80
GU10 - 1x 75W incl. - 680 lm
⊞ - IP20
metal



Catalpa
56322/31/16
1 122 → 305 / 80
GU10 - 2x 75W incl. - 2x 680 lm
⊞ - IP20
metal



Catalpa
56324/31/16
1 122 → 243 / 243
GU10 - 4x 75W incl. - 4x 680 lm
⊞ - IP20
metal



Catalpa
56323/31/16
1 122 → 525 / 80
GU10 - 3x 75W incl. - 3x 680 lm
⊞ - IP20
metal



Accent your home with light



Balsa
56480/31/16
1 126 → 80 / 80
GU10 - 1x 35W incl. - 270 lm
⊕ - IP20
metal



Balsa
56482/31/16
1 126 → 288 / 68
GU10 - 2x 35W incl. - 2x 270 lm
⊕ - IP20
metal



Balsa
56483/31/16
1 126 → 194 / 194
GU10 - 3x 35W incl. - 3x 270 lm
⊕ - IP20
metal



Balsa
56480/43/16
1 127 → 88 / 81
GU10 - 1x 35W incl. - 270 lm
⊕ - IP20
metal



Balsa
56482/43/16
1 128 → 289 / 70
GU10 - 2x 35W incl. - 2x 270 lm
⊕ - IP20
metal



Balsa
56483/43/16
1 130 → 200 / 200
GU10 - 3x 35W incl. - 3x 270 lm
⊕ - IP20
metal



Balsa
56484/43/16
1 150 → 845 / 110
GU10 - 4x 35W incl. - 4x 270 lm
⊕ - IP20
metal



Balsa
56484/31/16
1 148 → 845 / 110
GU10 - 4x 35W incl. - 4x 270 lm
⊕ - IP20
metal





Add depth
to your
wall



Idyllic
53250/26/16
1 115 → 74 / 139
LED - 1x 3W incl. - 170 lm
⊕ - IP20
metal



Idyllic
53250/29/16
1 115 → 74 / 139
LED - 1x 3W incl. - 170 lm
⊕ - IP20
metal



Toscane
53242/06/16
1 110 → 244 / 74
LED - 2x 3W incl. - 330 lm
⊕ - IP20
metal - synthetics



Toscane
53240/06/16
1 110 → 74 / 138
LED - 1x 3W incl. - 170 lm
⊕ - IP20
metal - synthetics



Toscane
53249/06/16
1 130 → 322 / 322
LED - 3x 3W incl. - 500 lm
⊕ - IP20
metal - synthetics



Toscane
53244/06/16
1 133 → 976 / 160
LED - 4x 3W incl. - 670 lm
⊕ - IP20
metal - synthetics





Kids room

We love our children

There's no denying it – we love our children and we only want the best for them. We will do anything to ensure that their well-being is taken care of. To do this, we start by providing our child a friendly sanctuary within the house – their own bedroom. This sanctuary will be a source of comfort, an area of inspiration and a place that they call their own.

myKidsRoom



Highlights



174

Planes



167

Zoo



185

Amanita

Tip

"Help children learn about day and night in a fun way by using lamps that use playful symbols to let them know when its time to sleep and time to get up."



A fun world of colour and creativity for kids

Philips myKidsRoom is a range of lamps designed for kids. Available in a variety of colourful and exciting designs, they help create a world that encourages children to do what they enjoy most – have fun and be creative. All of the lamps have a diffused warm white light that is comforting and cosy – not to mention ideal for magical bedtime stories. Explore the collection and see how light can make a big difference for your little people.

Concept **benefits**



Superior light quality with Philips lamps included



Warm white light – based on various light technologies



Energy saving




Designed for kids

myBuddy tells your child
**when it's okay
 to get up**



myBuddy
44503/35/16

I 174 → 161 / 147
 LED - 1x 1,5W incl. - 60 lm LED
 ◆ - IP20
 synthetics



myBuddy
44504/19/16

I 184 → 161 / 147
 LED - 1x 1,5W incl. - 60 lm LED
 ◆ - IP20
 synthetics



myBuddy
44505/33/16

I 178 → 161 / 147
 LED - 1x 1,5W incl. - 60 lm LED
 ◆ - IP20
 synthetics





Buddy Swing
41070/35/16

I 1000 → 244 / 178
E27 - 1x 15W incl. - 970 lm
⊕ - IP20
synthetics

ⓐ ⓐⓔ ⓐⓓ



Buddy Moon
41072/35/16

I 2000 → 180 / 253
E27 - 1x 20W incl. - 130 lm
1320 lm LED - 1x 2W incl.
⊕ - IP20
synthetics

ⓐⓔ ⓐⓓ ⓐ



Buddy Home
45631/19/16

I 279 → 267 / 146
E27 - 1x 15W incl. - 970 lm
⊕ - IP20
synthetics

ⓐ ⓐⓔ ⓐⓓ

Buddy Train
45630/35/16

I 266 → 267 / 146
E27 - 1x 15W incl. - 970 lm
⊕ - IP20
synthetics

ⓐ ⓐⓔ ⓐⓓ



Cloudy
30841/31/16

I 106 → 300 / 259
E27 - 1x 15W incl. - 970 lm
⊕ - IP20
synthetics

ⓐ ⓐⓔ ⓐⓓ

Buddy Sun
41074/34/16

I 1500 → 334 / 214
E27 - 1x 20W incl. - 1320 lm
⊕ - IP20
synthetics

ⓐ ⓐⓔ ⓐⓓ

Buddy Space
41069/48/16

I 1000 → 242 / 300
E27 - 1x 20W incl. - 1320 lm
⊕ - IP20
synthetics

ⓐ ⓐⓔ ⓐⓓ



Littlebro
44510/35/16

I 154 → 94 / 88
LED - 1x 1W incl. - 5 lm
◆ - IP20
synthetics



Bollie
44511/19/16

I 101 → 111 / 102
LED - 1x 1W incl. - 5 lm
◆ - IP20
synthetics



Drago
44512/33/16

I 129 → 118 / 91
LED - 1x 1W incl. - 5 lm
◆ - IP20
synthetics



Sky
30110/55/16

I 135 → 300 / 300
E27 - 1x 14W incl. - 810 lm
⊕ - IP20
glass - metal



Monty
30112/55/16

I 356 → 400 / 400
E27 - 2x 18W incl. - 2x 1100 lm
⊕ - IP20
glass - metal



Lunardo
30268/55/16

I 141 → 320 / 349
E27 - 1x 12W incl. - 600 lm
⊕ - IP20
wood



Lunardo
40092/34/16

I 1050 → 340 / 150
E27 - 1x 12W incl. - 600 lm
⊕ - IP20
wood



Avigo
40153/55/16

I 430 → 400 / 400
E27 - 1x 15W incl. - 970 lm
⊕ - IP20
wood - glass



A fun world of colour and
creativity
for kids



Calco
30500/31/16
I 151 → 332 / 332
E27 - 1x 15W incl. - 970 lm
☐ - IP20
wood - glass



Climbo
45502/55/16
I 500 → 125 / 140
E27 - 1x 12W incl. - 600 lm
◎ - IP20
wood



Rocky
40204/55/16
I 1200 → 267 / 267
E27 - 1x 20W incl. - 1140 lm
☐ - IP20
metal - wood



Monkey
40591/55/16
I 676 → 155 / 155
E27 - 1x 20W incl. - 1140 lm
☐ - IP20
metal



Giraf
40590/55/16
I 676 → 114 / 114
E27 - 1x 20W incl. - 1140 lm
☐ - IP20
metal



Zoo
40594/55/16
I 660 → 300 / 300
E27 - 3x 12W incl. - 3x 600 lm
◎ - IP20
metal





Birdey
56310/55/16
1 161 → 101 / 145
GU10 - 1x 35W incl. - 270 lm
⊕ - IP20
metal



Birdey
56313/55/16
1 338 → 224 / 224
GU10 - 3x 35W incl. - 3x 270 lm
⊕ - IP20
metal



Ruby
40093/55/16
1 1250 → 470 / 130
E27 - 1x 20W incl. - 1140 lm
⊕ - IP20
wood



Drakey
40229/55/16
1 1500 → 320 / 270
E27 - 1x 12W incl. - 600 lm
⊕ - IP20
wood



Cheezzz...
40281/34/16
1 1500 → 186 / 186
E27 - 1x 20W incl. - 1320 lm
⊕ - IP20
metal



Birdey
56314/55/16
1 162 → 814 / 134
GU10 - 4x 35W incl. - 4x 270 lm
⊕ - IP20
metal



Boletu
41017/32/16
1 1500 → 196 / 196
E27 - 1x 20W incl. - 1140 lm
⊕ - IP20
metal



Boletu
43274/32/16
1 208 → 195 / 195
LED - 1x 3W incl. - 270 lm
⊕ - IP20
metal



A fun world of colour and
creativity
for kids



Princess
41594/28/16

I 1200 → 466 / 466
E14 - 3x 28W incl. - 3x 370 lm
⊕ - IP20
metal - textile



Meria
40096/28/16

I 450 → 385 / 385
E27 - 1x 15W incl. - 970 lm
⊕ - IP20
wood - glass



Meria
40096/34/16

I 450 → 385 / 385
E27 - 1x 15W incl. - 970 lm
⊕ - IP20
wood - glass



Maripo
40427/34/16

I 1500 → 350 / 350
E27 - 1x 20W incl. - 1320 lm
⊕ - IP20
synthetics - textile



Maripo
40426/35/16

I 1500 → 350 / 350
E27 - 1x 20W incl. - 1320 lm
⊕ - IP20
synthetics - textile



Iridia
40178/55/16

I 1300 → 420 / 420
E27 - 1x 20W incl. - 1320 lm
⊕ - IP20
wood - metal



Fairy
40279/55/16

I 1500 → 185 / 234
E27 - 1x 20W incl. - 1140 lm
⊕ - IP20
metal





Eyecare

Easy on your eyes
helps you stay focused

Philips EyeCare is a new range of LED desk lamps that takes care of your eyes. It uses the latest developments in lighting and eye comfort to reduce the eye strain caused by working long hours, and help increase work efficiency. High quality LED light and optics provide ideal clarity and illumination levels, while reducing glare, eyestrain and fatigue. State-of-the-art ergonomic design ensures daily use that's comfortable and convenient.



Pivot
67421/87/16
 1 416 → 353 / 120
 LED - 1x 5,5W incl. - 300 lm
 ☐ - IP20
 synthetics



Robot
67426/31/16
 1 355 → 543 / 148
 LED - 1x 10W incl. - 300 lm
 ☐ - IP20
 synthetics



Robot
67426/87/16
 1 355 → 543 / 148
 LED - 1x 10W incl. - 300 lm
 ☐ - IP20
 synthetics



Blade
67422/87/16
 1 356 → 392 / 126
 LED - 1x 6W incl. - 250 lm
 ☐ - IP20
 synthetics



Lamina
67424/30/16
 1 310 → 410 / 160
 LED - 1x 3W incl. - 150 lm
 ☐ - IP20
 synthetics



Lamina
67424/31/16
 1 310 → 410 / 160
 LED - 1x 3W incl. - 150 lm
 ☐ - IP20
 synthetics



Mallet
67420/30/16
 1 464 → 490 / 200
 LED - 1x 5,5W incl. - 300 lm
 ☐ - IP20
 synthetics



Mallet
67420/31/16
 1 464 → 490 / 200
 LED - 1x 5,5W incl. - 300 lm
 ☐ - IP20
 synthetics



Spoon
67423/30/16
 1 438 → 408 / 184
 LED - 1x 10W incl. - 250 lm
 ☐ - IP20
 synthetics



Spoon
67423/31/16
 1 438 → 408 / 184
 LED - 1x 10W incl. - 250 lm
 ☐ - IP20
 synthetics





Bathroom

An oasis of serenity

The bathroom is the place we begin and end our day. We start our morning task-oriented activities like brushing our teeth, shaving, styling our hair and ensuring that our make-up is done to perfection. In the evening, the bathroom transforms into a place of comfort as we wind down and soak in a hot bath, before retiring to bed. It's an oasis of serenity in each household, and disconnecting it with the night light will only ensure that you have an extremely enjoyable start and end to your day.


myBathroom



Sealed tight

Sealed tight to keep out moisture for a completely safe and well-lit bathroom

Sealed extra tight to a rating of IP44* or IP65* and certified water resistant, each myBathroom luminaire is suited perfectly for humid environments – even near a shower, sink or bath. The fully-sealed premium body is sleek and smooth, which looks great too.



* The IP rate identifies the Ingress Protection against humidity and dust. The IP level is described by two figures: the first one refers to the protection level against dust, the second against water.

Tip

“For perfect lighting on the face, light a mirror from the top and side, using overhead and side lights. This eliminates shadow and creates a focal point at the mirror’s center from the converging light beams.”



Freshen up with beautiful natural light

MyBathroom’s high-quality light sources provide the right kind of light for every bathroom need, supporting your daily grooming activities and giving you complete confidence in the results. There’s a wide choice of wall and ceiling luminaires. The collection offers large ceiling fixtures that light your whole bathroom in a comfortable and pleasant way. In addition, there are wall lights that provide bright, shadow-free light for precision tasks at the mirror, such as shaving, applying make-up and putting in contact lenses.

Concept benefits



True skin color with high quality light



Superior light quality with Philips lamps included





Perfectly suitable for humid environments



Energy saving

True skin color

with high quality light



Skin
34024/11/16
 I 69 → 280 / 110
 LED - 2x 3W incl. - 540 lm
 □ - IP44
 synthetics



Silk
34046/11/16
 I 65 → 120 / 143
 LED - 2x 2,5W incl. - 370 lm
 □ - IP44
 aluminium - glass



Silk
34047/11/16
 I 65 → 352 / 143
 LED - 4x 2,5W incl. - 730 lm
 □ - IP44
 aluminium - glass



Hotstone
34049/11/16
 I 67 → 146 / 147
 LED - 2x 2,5W incl. - 370 lm
 □ - IP44
 aluminium - synthetics



Hotstone
34050/11/16
 I 59 → 346 / 144
 LED - 4x 2,5W incl. - 730 lm
 □ - IP44
 aluminium - glass





Aloe
32015/11/16
 I 140 → 285 / 285
 E14 - 3x 42W incl. - 3x 630 lm
 ☉ - IP21
 metal - glass



Aloe
34021/11/16
 I 165 → 420 / 100
 E14 - 2x 42W incl. - 2x 630 lm
 ☉ - IP21
 metal - glass



Aloe
34022/11/16
 I 165 → 585 / 100
 E14 - 3x 42W incl. - 3x 630 lm
 ☉ - IP21
 metal - glass



Aloe
34020/11/16
 I 165 → 80 / 100
 E14 - 1x 42W incl. - 630 lm
 ☉ - IP21
 metal - glass



Hydrate
34081/11/16
 I 135 → 165 / 127
 G9 - 1x 28W incl. - 370 lm
 ☉ - IP21
 metal - glass



Hydrate
34082/11/16
 I 135 → 370 / 127
 G9 - 2x 28W incl. - 2x 370 lm
 ☉ - IP21
 metal - glass



Hydrate
34083/11/16
 I 135 → 650 / 127
 G9 - 3x 28W incl. - 3x 370 lm
 ☉ - IP21
 metal - glass



Trickle
34131/11/16
 I 51 → 183 / 146
 GX53 - 1x 8W incl. - 310 lm
 ☉ - IP44
 metal - synthetics



Trickle
34312/11/16
 I 51 → 370 / 146
 GX53 - 2x 8W incl. - 2x 310 lm
 ☉ - IP44
 metal - synthetics





Drops
34053/11/16
 1 100 → 100 / 127
 G9 - 1x 42W incl. - 630 lm
 ☉ - IP21
 glass - metal



Drops
34054/11/16
 1 100 → 125 / 133
 G9 - 1x 42W incl. - 630 lm
 ☉ - IP21
 glass - metal



Swim
34144/11/16
 1 196 → 73 / 84
 E14 - 1x 12W incl. - 735 lm
 ☒ - IP44
 synthetics



Marina
34110/11/16
 1 273 → 140 / 173
 E14 - 1x 12W incl. - 735 lm
 ☉ - IP44
 synthetics - metal



Beauty
34143/11/16
 1 143 → 57 / 102
 E14 - 1x 12W incl. - 735 lm
 ☒ - IP21
 glass - metal



Freshen up with beautiful natural light



Drops
34055/11/16
 1 100 → 559 / 133
 G9 - 3x 42W incl. - 3x 630 lm
 ☉ - IP21
 glass - metal



Swim
34144/31/16
 1 196 → 73 / 84
 E14 - 1x 12W incl. - 735 lm
 ☒ - IP44
 synthetics



Silvery
34086/11/16
 1 175 → 100 / 185
 G9 - 1x 42W incl. - 630 lm
 ☉ - IP44
 metal - glass



Incense
34145/11/16
 1 158 → 67 / 112
 E14 - 1x 12W incl. - 735 lm
 ☉ - IP44
 aluminium - synthetics





Vitalise
34093/11/16
 I 60 → 388 / 77
 G5 - 1x 8W incl. - 470 lm
 □ - IP44
 glass - metal



Fit
34058/11/16
 I 63 → 333 / 64
 LED - 2x 2,5W incl. - 370 lm
 □ - IP44
 metal



Vitalise
34094/11/16
 I 60 → 616 / 77
 G5 - 1x 13W incl. - 1000 lm
 □ - IP44
 glass - metal



Fit
34059/11/16
 I 63 → 483 / 67
 LED - 3x 2,5W incl. - 560 lm
 □ - IP44
 metal



Stim
34084/11/16
 I 249 → 60 / 70
 G9 - 1x 42W incl. - 630 lm
 ⊙ - IP44
 metal - glass




Seru
32065/31/16
 I 66 → 364 / 340
 LED - 3x 4,5W incl. - 1030 lm
 □ - IP44
 synthetics




True skin color
 with high quality light




Baume
32053/31/16 A+
 171 → 262 / 262
 LED - 3x 2,5W incl. - 550 lm
 □ - IP44
 synthetics
 



Beach
32070/17/16 A
 155 → 360 / 360
 2GX13 - 1x 40W incl. - 3300 lm
 ☉ - IP44
 synthetics - metal





Spa
32005/31/16 A
 1120 → 260 / 260
 E27 - 1x 20W incl. - 1320 lm
 □ - IP44
 glass




Fountain
32020/67/16 A
 195 → 350 / 350
 E27 - 1x 20W incl. - 1320 lm
 ☉ - IP21
 glass - metal





Cool
32063/31/16 A+
 178 → 352 / 352
 LED - 3x 3W incl. - 800 lm
 □ - IP44
 metal - synthetics





Mist
32067/31/16 A
 1120 → 400 / 400
 E27 - 2x 15W incl. - 2x 970 lm
 □ - IP44
 glass





Mist
32066/31/16 A
 1110 → 320 / 320
 E27 - 1x 20W incl. - 1320 lm
 □ - IP44
 glass




Pool
32081/31/16 A
 1110 → 270 / 270
 E27 - 1x 20W incl. - 1320 lm
 □ - IP44
 glass





Dew
32054/11/16 A
 103 → 318 / 318
 E27 - 1x 20W incl. - 1320 lm
 □ - IP44
 synthetics




Celestial
32017/31/16 D
 1127 → 287 / 287
 E27 - 1x 53W incl. - 850 lm
 ☉ - IP21
 aluminium - glass




Elements
34018/31/16 A+
 172 → 124 / 124
 LED - 1x 3W incl. - 270 lm
 □ - IP44
 synthetics


Freshen up with beautiful
natural light



**Salts
32010/17/16**

1 100 → 315 / 315
E27 - 1x 20W incl. - 1320 lm
© - IP44
metal - glass



**Treats
32009/11/16**

1 45 → 185 / 185
G9 - 1x 28W incl. - 370 lm
© - IP44
metal - glass



**Treats
32009/17/16**

1 45 → 185 / 185
G9 - 1x 28W incl. - 370 lm
© - IP44
metal - glass




**Salts
32010/11/16**

1 100 → 315 / 315
E27 - 1x 20W incl. - 1320 lm
© - IP44
metal - glass





Wash
59905/11/16
 → 105 / 105 ± 150 @ 90 x90
 GU10 - 1x 35W incl. - 200 lm
 □ - IP44
 metal - glass
 




Wash
59905/17/16
 → 105 / 105 ± 150 @ 90 x90
 GU10 - 1x 35W incl. - 200 lm
 □ - IP44
 metal - glass
 




Thermal
59910/17/16
 → 105 / 105 ± 150 @ 90 x90
 GU10 - 1x 35W incl. - 200 lm
 □ - IP44
 metal - glass
 





Thermal
59910/11/16
 → 105 / 105 ± 150 @ 90 x90
 GU10 - 1x 35W incl. - 200 lm
 □ - IP44
 metal - glass
 





Tub
59925/17/16
 → 92 / 92 ± 57 @ 80 x80
 LED - 1x 6W incl. - 290 lm
 ◇ - IP65
 glass - aluminium
  



Roots
59902/31/16
 → 100 / 100 ± 110 @ 80 x80
 GU10 - 3x 35W incl. - 3x 200 lm
 □ - IP23
 metal
 



Roots
59902/11/16
 → 100 / 100 ± 110 @ 80 x80
 GU10 - 3x 35W incl. - 3x 200 lm
 □ - IP23
 metal
 





Kitchen

The very perfection
that a cook demands

Nothing says you're home more than the kitchen – a place where we nourish our bodies and soul as we cook, eat or simply spend time with our loved ones preparing food together. Good lighting can help make your kitchen welcoming, and feels cheerful and energising. It also presents your food in their true colours while at the same time provides the necessary brightness for safety while preparing your food – the very perfection that a cook demands.

myKitchen



Highlights



159

Finesse



159

Finesse



159

Finesse

Tip

"To eliminate shadows, place spots on the top of your cabinets so they bounce off the ceiling and walls."



Make light your essential ingredient

Whether you're a cordon bleu chef or a master of quick meals, Philips myKitchen will help you to get the most from cooking. Using LED and energy saving lights, it keeps kitchens bright and shadow-free. It's a pleasure to cook by, and creates a safe environment for tasks like mixing and handling sharp knives. The true-colour light makes your ingredients and meals look as fresh and delicious as they taste. Easy to install and clean, and built to last, Philips myKitchen is also a practical lighting system. From discrete modular systems to under-cabinet spots and battens, there's a wide range to choose from. Whatever your kitchen looks like, you'll find Philips myKitchen has the recipe for perfect lighting.

Concept benefits



Maximum precision with powerful warm white light



Connectable systems



Accurate colour with high quality light




Energy saving




Under cabinet lighting




Finesse
33452/17/16
 I 60 → 600 / 150
 G4 - 2x 20W incl. - 2x 255 lm
 © - IP20
 metal



Finesse
33462/31/16
 I 30 → 2000 / 30
 synthetics



Finesse
33450/17/16
 I 60 → 600 / 150
 G5 - 1x 14W incl. - 1350 lm
 © - IP20
 metal




Finesse
33451/17/16
 I 60 → 300 / 150
 G4 - 1x 20W incl. - 255 lm
 © - IP20
 metal



Finesse
33465/17/16
 I 60 → 150 / 150
 metal



Finesse
33801/17/16
 I 55 → 601 / 158
 LED - 3x 2W incl. - 290 lm
 © - IP20
 metal






Lovely
33809/31/16
 1 480 → 28 / 34
 LED - 1x 6W incl. - 330 lm
 □ - IP20
 synthetics



Lovely
33810/31/16
 1 740 → 28 / 34
 LED - 1x 9W incl. - 590 lm
 □ - IP20
 synthetics



Lovely
33811/31/16
 1 879 → 28 / 34
 LED - 1x 11W incl. - 730 lm
 □ - IP20
 synthetics



Exquisite
33470/17/16
 1 37 → 600 / 100
 G5 - 1x 14W incl. - 1350 lm
 □ - IP20
 metal



Sensation
59700/17/16
 1 30 → 75 / 75
 G4 - 2x 14W incl. - 2x 205 lm
 ◇ - IP20
 metal



Delicious
59701/17/16
 1 54 → 90 / 143
 G4 - 2x 20W incl. - 2x 255 lm
 ◇ - IP20
 metal





Accent lighting

Do the right accent

Accent lighting ensures all areas of your home are well lit and safe, as well as pleasant to experience. Philips functional lighting is designed to blend in with your home decor and brighten up your living, storage and in-between spaces. It casts a clear, warm glow throughout your home.

SmartSpot



Highlights



166

Yed



171

Canis



169

Porrima

Tip

“Recessed spots can be set within a niche in a wall to provide strong, reflective rays of light to illuminate every part of the display object in the niche. A single, wider and dispersed beam of light will reflect well off each surface of the niche.”



Accent your home

with light

Philips SmartSpot is a range of superb minimalist recessed spotlights designed to blend with your interior decor. It lets you be bold in the way you use spotlighting in your home. Distinctive without being overstated, each spotlight is designed to complement its surroundings. Install spotlights in walls, ceilings or features such as bookcases or cabinets while still maintaining the look you want. Best of all, this range of powerful luminaires uses the very latest energy-efficient halogen, energy saver and LED light sources. Beautifully brilliant yet wonderfully warm, the light is every bit as appealing and cosy as that of conventional bulbs. Energy saving too, it ensures a warm glow inside to match the warm glow of light.

Concept benefits



Accent lighting, perfect for emphasising special features in the room



Superior light quality with Philips lamps included





Warm white light based on various light technologies



Energy saving

The smart combination of light and design



Probos 57965/31/16



→ 123 / 123 ± 105 Ø 110 x110
 LED - 1x 6W incl. - 290 lm
 ◆ - IP23
 aluminium



Yed 57996/31/16



→ 216 / 216 ± 72 Ø 200 x200
 LED - 1x 13W incl. - 350 lm
 ◆ - IP20
 aluminium



Syrma 57993/31/16



→ 86 / 86 ± 77 Ø 73 x73
 LED - 1x 2W incl. - 110 lm
 □ - IP20
 aluminium



Syrma 57993/48/16



→ 86 / 86 ± 77 Ø 73 x73
 LED - 1x 2W incl. - 110 lm
 □ - IP20
 aluminium





**Stardust
57971/31/16**

→ 78 / 78 ± 77 Ø 67 x 67
LED - 1x 6W incl. - 290 lm
◇ - IP23
aluminium



**Stardust
57971/48/16**

→ 78 / 78 ± 77 Ø 67 x 67
LED - 1x 6W incl. - 290 lm
◇ - IP23
aluminium



**Porrima
59193/17/16**

→ 100 / 100 ± 37 Ø 92 x 92
LED - 3x 4,5W incl. - 320 lm
◇ - IP20
metal



**Porrima
59190/17/16**

→ 100 / 100 ± 37 Ø 92 x 92
LED - 1x 4,5W incl. - 320 lm
◇ - IP20
metal





Ellipse
59030/11/16
→ 91 / 91 ± 39 Ø 74 x74
LED - 3x 3W incl. - 500 lm
◆ - IP20
aluminium



Ellipse
59031/11/16
→ 91 / 91 ± 39 Ø 74 x74
LED - 1x 3W incl. - 170 lm
◆ - IP20
aluminium



Galileo
59080/31/16
→ 91 / 91 ± 39 Ø 74 x74
LED - 3x 3W incl. - 500 lm
◆ - IP20
aluminium




Galileo
59080/11/16
→ 91 / 91 ± 39 Ø 74 x74
LED - 3x 3W incl. - 500 lm
◆ - IP20
aluminium



Ellipse
59030/31/16
→ 91 / 91 ± 39 Ø 74 x74
LED - 3x 3W incl. - 500 lm
◆ - IP20
aluminium



Ellipse
59031/31/16
→ 100 / 100 ± 39 Ø 74 x74
LED - 1x 3W incl. - 170 lm
◆ - IP20
aluminium



Canis
59712/31/16
I 65 → 221 / 221
LED - 1x 13W incl. - 1280 lm
⊙ - IP20
metal - synthetics



Galactic
59711/17/16
I 65 → 232 / 232
LED - 1x 13W incl. - 1280 lm
⊙ - IP20
metal - synthetics



Galactic
59711/31/16
I 65 → 232 / 232
LED - 1x 13W incl. - 1280 lm
⊙ - IP20
metal - synthetics



Canis
59712/17/16
I 65 → 221 / 221
LED - 1x 13W incl. - 1280 lm
⊙ - IP20
metal - synthetics





**Sceptrum
59100/17/16**



→ 95 / 95 ± 60 @ 74 x74
LED - 3x 3W incl. - 3X180 lm
☐ - IP20
synthetics



**Sceptrum
59100/11/16**



→ 95 / 95 ± 60 @ 74 x74
LED - 3x 3W incl. - 3X180 lm
☐ - IP20
synthetics



**Sceptrum
59100/31/16**



→ 95 / 95 ± 60 @ 74 x74
LED - 3x 3W incl. - 3X180 lm
☐ - IP20
synthetics



**Sceptrum
59100/87/16**



→ 95 / 95 ± 60 @ 74 x74
LED - 3x 3W incl. - 3X180 lm
☐ - IP20
synthetics



Accent lighting at its best



Ara
59515/60/16
→ 90 / 90 ± 150 Ø 65 x 65
GU10 - 1x 35W incl. - 270 lm
⊠ - IP23
glass



Acamar
59300/17/16
→ 100 / 100 ± 150 Ø 92 x 92
GU10 - 1x 35W incl. - 270 lm
⊠ - IP23
metal



Ara
59515/67/16
→ 90 / 90 ± 150 Ø 65 x 65
GU10 - 1x 35W incl. - 270 lm
⊠ - IP23
glass



Virgo
59463/17/16
→ 66 / 66 ± 110 Ø 55 x 55
GU10 - 3x 30W incl. - 3x 155 lm
⊠ - IP23
metal





MoodLighting

Everything you need to
set the perfect scene

Sometimes it's all about capturing the moment. Philips offers lighting solutions to match your mood and help you create great moments. Choose from a variety of ways to set the right atmosphere by using light & colour in your home. LivingColors, Candles & LightStrips are everything you need to set the perfect scene. Elegant designs combined with LED based technology make you enjoy lighting that really fits your mood. How will you colour your world with light?

LivingColors



Colour your world **with light**

Imagine creating a bright sunshine yellow to warm your soul, or romance in shades of red – all in the comfort of your own home. Choose a colour and take your living space to a whole new level. Make dinner parties feel extra glamorous, get ready for a night out, or simply unwind after a hard day's work. From vibrant electric blue to pale leaf green, LivingColors' advanced LED technology lets you select from a spectrum of 16 million colours that reflect every kind of mood.

Concept **benefits**



Vary your ambience
with coloured light



Let the colours blend
naturally into your interior



Just the right amount
of light impact

LivingColors Iris



Iris Black 70999/30/PH

I 200 → 185 / 188
LED - 1x 10W incl.
IP20
synthetics



LivingColors Iris. A timeless and distinctive design to complement your home interior. Just take the remote control, select one of the 16 million colours and enjoy.



Iris Clear 70999/60/PH

I 200 → 185 / 188
LED - 1x 10W incl.
IP20
synthetics



LivingColors Aura



Aura White 70998/60/PH

1150 → 165 / 222
LED - 1x 8W incl.
□ - IP20
synthetics



LivingColors Aura. A stylish and pure design. Experience the light from every angle. Just take the remote control, select one of the 16 million colours and enjoy.



Aura Black 70998/30/PH

1150 → 165 / 222
LED - 1x 8W incl.
□ - IP20
synthetics



LivingColors Bloom



Bloom White 70997/60/PH

1101 → 126 / 130
LED - 1x 8W incl.
IP20
synthetics



Bloom Black 70997/30/PH

1101 → 126 / 130
LED - 1x 8W incl.
IP20
synthetics



LivingColors Bloom. Expressive and different. Placed in the back or front row, smoothly blends in with your interior. Just take the remote control, select one of the 16 million colours and enjoy.



LivingColors Micro



LivingColors Micro. Playful and funny. Sometimes the small ones have all the luck! Just turn it on, select one of the 64 colours and enjoy.



Micro 70018/30/PH

110 → 120 / 100
LED - 1x 4,7W incl.
◆ - IP20
synthetics



Micro 70018/31/PH

110 → 120 / 100
LED - 1x 4,7W incl.
◆ - IP20
synthetics



LivingColors Mini



Mini 70019/31/PH

142 → 150 / 150
LED - 1x 5W incl.
◆ - IP20
synthetics



Mini 70019/30/PH

142 → 150 / 150
LED - 1x 5W incl.
◆ - IP20
synthetics



LivingColors Mini. Minimal design, cute and easy to use. Just turn it on, select one of the 256 colours and enjoy.



Candles

Color your world with light

No open flame,
hot wax or
smoke

Elegant
and timeless
design

Candlelight
effect

Stylish, flame-free and rechargeable, Philips CandleLights and TeaLights use LED technology to add warmth and elegance to any situation safely and easily. Designed to create the perfect backdrop, you can use these lights to enjoy a romantic meal for two, celebrate with friends, take it easy alone, or give a new look to a familiar space. Natural in light and appearance, CandleLights and TeaLights look just like a real candle. Except, of course, you'll never need to worry about finding the matches again.



Candlelights 3L Set 69108/60/PH

1 125 → 55 / 55
LED - 6W incl.
☐ - IP20
glass



Candlelights 12L Set 69133/60/PH

1 125 → 55 / 55
LED - 12W incl.
☐ - IP20
glass






Outdoor

Light up your
outdoor life



myGarden

Highlights



197
Hills



212
Creek



202
Veranda

Tip

"Different lamps give different qualities of light. EcoHalogen sparkles and invigorates, EcoClassic warms and comforts, while LED light brings out the vivid colors in your garden. All Philips Energy Saving lamps give a warm diffuse light that's even and pleasant."



Enjoy a beautiful garden with light

Outdoor lighting can improve the look of your garden or outside space, illuminating eye-catching features, lighting pathways with style or creating the perfect ambience for those memorable evenings with friends and family. That's why Philips has created myGarden, a range of beautiful decorative outdoor luminaires with the flair and functionality to help you make the most of your outdoor space in your own style.

Concept benefits



High quality light with Philips lamps included



Multiple applications to match your needs



Resistant high quality material, built to last



Energy saving

This award-winning Philips Ledino anthracite wall light looks great by day and night. It has a contemporary look and it casts powerful warm white LED light. Dim the light to create a stunning ambiance for a late night drink outdoors.



Dunetop
16253/93/16
1 359 → 60 / 156
LED - 1x 6,5W incl. - 210 lm
Ⓜ - IP44
aluminium



Dunetop
16253/87/16
1 359 → 60 / 156
LED - 1x 6,5W incl. - 210 lm
Ⓜ - IP44
aluminium



Dunetop
16254/87/16
1 800 → 60 / 163
LED - 1x 6,5W incl. - 210 lm
Ⓜ - IP44
aluminium



Dunetop
16254/93/16
1 800 → 60 / 163
LED - 1x 6,5W incl. - 210 lm
Ⓜ - IP44
aluminium



Riverside
16321/93/16
1 793 → 120 / 105
LED - 3x 1W incl. - 300 lm
Ⓜ - IP44
aluminium - synthetics



Riverside
16320/93/16
1 114 → 124 / 82
LED - 3x 1W incl. - 300 lm
Ⓜ - IP44
aluminium - synthetics



Enjoy long summer nights



Tranquility
16820/93/16

1 213 → 213 / 68
LED - 2x 6,5W incl. - 420 lm
© - IP44
aluminium




Watermill
17254/47/16

1 107 → 174 / 67
LED - 2x 2W incl. - 200 lm
© - IP44
aluminium - stainless steel




Watermill
17254/93/16

1 107 → 174 / 67
LED - 2x 2W incl. - 200 lm
© - IP44
aluminium




Hills
17247/06/16

1 252 → 128 / 123
LED - 2x 1W incl. - 200 lm
© - IP44
aluminium



Hills
17247/47/16

1 252 → 128 / 123
LED - 2x 1W incl. - 200 lm
© - IP44
aluminium - stainless steel



Hills
17247/93/16

1 252 → 128 / 123
LED - 2x 1W incl. - 200 lm
© - IP44
aluminium



Bring out the best in your garden

Enjoy lazy evenings in the garden with this elegant anthracite wall light. It welcomes you with warm white light, ideal for general lighting in the garden. Create a stunning atmosphere while making an architectural statement.



Bridge
16353/93/16
1 402 → 121 / 121
E27 - 1x 14W incl. -
⊕ - IP44
aluminium - synthetics



Bridge
16354/93/16
1 802 → 121 / 121
E27 - 1x 14W incl. -
⊕ - IP44
aluminium - synthetics



Add some outdoor magic



Orchard
16902/47/16
1 320 → 320 / 85
2GX13 - 1x 22W incl. - 1800 lm
⊕ - IP44
synthetics - stainless steel



Orchard
16903/47/16
1 320 → 320 / 69
2GX13 - 1x 22W incl. - 1800 lm
⊕ - IP44
synthetics - stainless steel



Oriole
17185/47/16
1 141 → 322 / 96
E14 - 2x 11W incl. - 2x 600 lm
⊕ - IP44
synthetics - stainless steel





Skies
17183/93/16
 I 213 → 161 / 132
 E27 - 1x 14W incl. - 810 lm
 □ - IP44
 synthetics - aluminium



Skies
17183/87/16
 I 213 → 161 / 132
 E27 - 1x 14W incl. - 810 lm
 □ - IP44
 synthetics - aluminium



High quality light
 with Philips lamps
 included

Multiple
 applications
 to match
 all your needs



Skies
17184/87/16
 I 81 → 260 / 260
 E27 - 2x 14W incl. - 2x 810 lm
 □ - IP44
 synthetics - aluminium



Skies
17184/93/16
 I 81 → 260 / 260
 E27 - 2x 14W incl. - 2x 810 lm
 □ - IP44
 synthetics - aluminium



This elegant light grey Philips Ecomoods ceiling light invites you to settle with a good book in the shine of the light. It casts warm white energy saving light and it makes your garden or terrace immediately look more appealing.

Enjoy long summer nights

A unique design for unique moments outdoor. This elegant light grey or anthracite Philips wall light casts warm white energy saving light. The beautiful bi-directional light effects invite you to settle down and relax in your garden.



June
16245/93/16
 I 195 → 195 / 135
 E27 - 1x 12W incl. - 741 lm
 □ - IP44
 aluminium - synthetics



June
16245/87/16
 I 195 → 195 / 135
 E27 - 1x 12W incl. - 741 lm
 □ - IP44
 aluminium - synthetics



Foliage
16937/93/16
 I 253 → 169 / 150
 E27 - 1x 20W incl. - 1320 lm
 □ - IP44
 synthetics - aluminium



Make the most of your outdoor space



Seasonal
17283/47/16
1 126 → 276 / 111
E27 - 1x 20W incl. - 1320 lm
☉ - IP44
synthetics - stainless steel



Patch
17130/87/16
1 175 → 356 / 93
E27 - 1x 18W incl. - 1100 lm
☉ - IP44
aluminium - synthetics



Dandelion
17279/47/16
1 338 → 218 / 118
E27 - 2x 20W incl. - 2x 1320 lm
☉ - IP43
synthetics - stainless steel



Patch
17130/93/16
1 175 → 356 / 93
E27 - 1x 18W incl. - 1100 lm
☉ - IP44
aluminium - synthetics



Dandelion
17278/47/16
1 338 → 218 / 118
E27 - 2x 20W incl. - 2x 1320 lm
☉ - IP44
synthetics - stainless steel



Saves energy

Resistant high quality material, built to last

Veranda
16413/47/16
1 800 → 100 / 100
E27 - 1x 20W incl. - 1320 lm
☉ - IP44
stainless steel - synthetics



Veranda
16414/47/16
1 400 → 100 / 100
E27 - 1x 20W incl. - 1320 lm
☉ - IP44
stainless steel - synthetics



Veranda
16411/47/16
1 180 → 102 / 125
E27 - 1x 20W incl. - 1320 lm
☉ - IP44
synthetics - stainless steel



Veranda
16412/47/16
1 180 → 102 / 125
E27 - 1x 20W incl. - 1320 lm
☉ - IP44
synthetics - stainless steel





**Nightingale
17102/47/16**
 1 160 → 97 / 82
 GU10 - 2x 35W incl. - 2x
 ☉ - IP44
 stainless steel - synthetics



**Nightingale
17102/86/16**
 1 160 → 80 / 96
 GU10 - 2x 35W incl. - 2x 270 lm
 ☉ - IP44
 aluminium - glass



**Seedling
17166/47/16**
 1 150 → 309 / 108
 E27 - 1x 23W incl. - 1430 lm
 ☉ - IP44
 synthetics - stainless steel



A warm welcome home



**Woods
17226/31/16**
 1 213 → 136 / 123
 E27 - 1x 15W incl. - 970 lm
 ☉ - IP44
 synthetics - aluminium



**Woods
17226/47/16**
 1 213 → 136 / 123
 E27 - 1x 15W incl. - 970 lm
 ☉ - IP44
 synthetics - stainless steel



**Woods
17226/93/16**
 1 213 → 136 / 123
 E27 - 1x 15W incl. - 970 lm
 ☉ - IP44
 synthetics - aluminium



Make the most of your **outdoor space**



Eden 17211/86/16

I 209 → 200 / 270
LED - 1x 6W incl. - 380 lm
⊕ - IP44
aluminium - synthetics



Silence 17210/42/16

I 133 → 260 / 328
LED - 1x 6W incl. - 290 lm
⊕ - IP44
aluminium - synthetics



Pasture 16270/86/16

I 303 → 300 / 355
E27 - 1x 53W incl. - 850 lm
⊕ - IP44
aluminium - glass



Pasture 16271/86/16

I 663 → 300 / 300
E27 - 1x 53W incl. - 850 lm
⊕ - IP44
aluminium - glass



This authentic Philips myGarden wall light in black and silver adds a beautiful light glow to your garden. It casts powerful warm white LED light and you can dim the light to create a cozy atmosphere for a late night drink outdoors.

Create light forms of inspiring beauty

Saves energy

Resistant high quality material, built to last



Robin 15471/30/16
 I 230 → 174 / 200
 LED - 1x 4,5W incl. - 430 lm
 ☉ - IP44
 aluminium - synthetics



Robin 15470/30/16
 I 240 → 174 / 200
 LED - 1x 4,5W incl. - 430 lm
 ☉ - IP44
 aluminium - synthetics



Robin 15479/30/16
 I 260 → 174 / 228
 LED - 1x 4,5W incl. - 430 lm
 ☉ - IP44
 aluminium - synthetics



Robin 15472/30/16
 I 335 → 174 / 174
 LED - 1x 4,5W incl. - 430 lm
 ☉ - IP44
 aluminium - synthetics



Robin 15473/30/16
 I 855 → 174 / 174
 LED - 1x 4,5W incl. - 430 lm
 ☉ - IP44
 aluminium - synthetics



Robin 15475/30/16
 I 1917 → 477 / 432
 LED - 3x 4,5W incl. - 1290 lm
 ☉ - IP44
 aluminium - synthetics



Robin 15476/30/16
 I 872 → 174 / 174
 LED - 1x 4,5W incl. - 430 lm
 ☉ - IP44
 aluminium - synthetics





Robyn
15475/31/16
 I 1917 → 477 / 432
 LED - 3x 4,5W incl. - 1290 lm
 ☉ - IP44
 aluminium - synthetics



Robyn
15476/31/16
 I 872 → 174 / 174
 LED - 1x 4,5W incl. - 430 lm
 ☉ - IP44
 aluminium - synthetics



Resistant
high quality
 material,
 built to last



Robyn
15473/31/16
 I 855 → 174 / 174
 LED - 1x 4,5W incl. - 430 lm
 ☉ - IP44
 aluminium - synthetics



Robyn
15470/31/16
 I 240 → 174 / 200
 LED - 1x 4,5W incl. - 430 lm
 ☉ - IP44
 aluminium - synthetics



Robyn
15479/31/16
 I 260 → 174 / 228
 LED - 1x 4,5W incl. - 430 lm
 ☉ - IP44
 aluminium - synthetics



Robyn
15471/31/16
 I 230 → 174 / 200
 LED - 1x 4,5W incl. - 430 lm
 ☉ - IP44
 aluminium - synthetics



Robyn
15472/31/16
 I 335 → 174 / 174
 LED - 1x 4,5W incl. - 430 lm
 ☉ - IP44
 aluminium - synthetics





Creek
15385/30/16
 I 1840 → 480 / 450
 E27 - 3x max. 60W excl.
 ☉ - IP44
 aluminium - synthetics



Creek
15383/30/16
 I 995 → 175 / 175
 E27 - 1x max. 60W excl.
 ☉ - IP44
 aluminium - synthetics



Creek
15380/30/16
 I 235 → 175 / 200
 E27 - 1x max. 60W excl.
 ☉ - IP44
 aluminium - synthetics



Creek
15381/30/16
 I 240 → 175 / 200
 E27 - 1x max. 60W excl.
 ☉ - IP44
 aluminium - synthetics



Creek
15382/30/16
 I 300 → 175 / 175
 E27 - 1x max. 60W excl.
 ☉ - IP44
 aluminium - synthetics



Creek
15388/30/16
 I 285 → 175 / 200
 E27 - 1x max. 60W excl.
 ☉ - IP44
 aluminium - synthetics



Creek
15387/30/16
 I 195 → 180 / 130
 E27 - 1x max. 60W excl.
 ☐ - IP44
 aluminium - synthetics



Creek
15386/30/16
 I 820 → 175 / 175
 E27 - 1x max. 60W excl.
 ☐ - IP44
 aluminium - synthetics





Creek
15385/31/16
 I 1840 → 480 / 450
 E27 - 3x max. 60W excl.
 ☉ - IP44
 aluminium - synthetics



Creek
15383/31/16
 I 995 → 175 / 175
 E27 - 1x max. 60W excl.
 ☉ - IP44
 aluminium - synthetics



Creek
15380/31/16
 I 235 → 175 / 200
 E27 - 1x max. 60W excl.
 ☉ - IP44
 aluminium - synthetics



Creek
15381/31/16
 I 240 → 175 / 200
 E27 - 1x max. 60W excl.
 ☉ - IP44
 aluminium - synthetics



Creek
15382/31/16
 I 300 → 175 / 175
 E27 - 1x max. 60W excl.
 ☉ - IP44
 aluminium - synthetics



Creek
15388/31/16
 I 285 → 175 / 200
 E27 - 1x max. 60W excl.
 ☉ - IP44
 aluminium - synthetics



Creek
15387/31/16
 I 195 → 180 / 130
 E27 - 1x max. 60W excl.
 ☐ - IP44
 aluminium - synthetics



Creek
15386/31/16
 I 820 → 175 / 175
 E27 - 1x max. 60W excl.
 ☐ - IP44
 aluminium - synthetics





Provence
15213/42/16
I 1247 → 320 / 463
E27 - 1x 23W incl. - 1570 lm
⊕ - IP44
aluminium - synthetics



Hedge
15403/86/16
I 1195 → 180 / 180
E27 - 1x 53W incl. - 850 lm
⊕ - IP44
aluminium - synthetics



Provence
15215/42/16
I 2025 → 780 / 780
E27 - 3x 23W incl. - 3x 1570 lm
⊕ - IP44
aluminium - synthetics



Hedge
15406/86/16
I 865 → 180 / 180
E27 - 1x 53W incl. - 850 lm
⊕ - IP44
aluminium - synthetics



Provence
15211/42/16
I 306 → 320 / 382
E27 - 1x 23W incl. - 1570 lm
⊕ - IP44
aluminium - synthetics



Provence
15216/42/16
I 658 → 320 / 320
E27 - 1x 23W incl. - 1570 lm
⊕ - IP44
aluminium - synthetics



Hedge
15401/86/16
I 360 → 180 / 230
E27 - 1x 53W incl. - 850 lm
⊕ - IP44
aluminium - synthetics



Hedge
15402/86/16
I 350 → 180 / 180
E27 - 1x 53W incl. - 850 lm
⊕ - IP44
aluminium - synthetics





Cedar
17207/87/16
 I 200 → 250 / 300
 E27 - 1x 15W incl. - 970 lm
 ☉ - IP44
 aluminium - synthetics



Cedar
17207/93/16
 I 200 → 250 / 300
 E27 - 1x 15W incl. - 970 lm
 ☉ - IP44
 aluminium - synthetics



Fowl
17258/42/16
 I 330 → 255 / 350
 E27 - 1x 20W incl. - 1320 lm
 ☉ - IP44
 aluminium - synthetics



Fowl
17258/45/16
 I 330 → 255 / 350
 E27 - 1x 20W incl. - 1320 lm
 ☉ - IP44
 aluminium - synthetics



Fig
17259/06/16
 I 215 → 235 / 280
 E27 - 1x 15W incl. - 970 lm
 ☉ - IP44
 aluminium - synthetics



Fig
17259/42/16
 I 215 → 235 / 280
 E27 - 1x 15W incl. - 970 lm
 ☉ - IP44
 aluminium - synthetics




Nectar
17249/06/16
 I 266 → 146 / 98
 E27 - 1x 20W incl. - 1320 lm
 ☉ - IP44
 aluminium - synthetics



Nectar
17249/42/16
 I 266 → 146 / 98
 E27 - 1x 20W incl. - 1320 lm
 ☉ - IP44
 aluminium - synthetics



Sensor lights



Highlights




223

Veranda

Tip

"Mount a standalone sensor on one of the corners of your house to detect movement in the widest possible angle and to switch on several light points at the same time."



Always light when you **come home**

Philips sensor lights give you a warm welcome every time you come home, and helps to keep you safe at night with the comfort of well-lit walkways, driveways and front areas. They are equipped with infrared motion sensors. These detect movement and switch the light on automatically when you or anyone else visits your home (and switch off again afterwards).

Concept **benefits**



High quality light with Philips lamps included



Easy motion sensor set-up



Smart motion sensor for automatic light switch



Energy saving



Make the most of your outdoor space



Veranda
16411/47/16
 I 180 → 102 / 125
 E27 - 1x 20W incl. - 1320 lm
 ☐ - IP44
 synthetics - stainless steel

100° / 0-10m



Creek
15388/30/16
 I 285 → 175 / 200
 E27 - 1x max. 60W excl.
 ☉ - IP44
 aluminium - synthetics



Creek
15388/31/16
 I 285 → 175 / 200
 E27 - 1x max. 60W excl.
 ☉ - IP44
 aluminium - synthetics





Orientation lights

Highlights



226
Timber



226
Geo



227
Botanic

Tip

“Some lights are water resistant up to IP67, making them suitable for the hardest applications, such as placement in the driveway or amongst garden foliage.”



Illuminate your garden at night

Outdoor lighting can improve the look of your garden or outside space, illuminating eye-catching features, lighting pathways with style or creating the perfect ambience for those memorable evenings with friends and family. That's why Philips has created myGarden, a range of beautiful decorative outdoor luminaires with the flair and functionality to help you make the most of your outdoor space in your own style.

Concept **benefits**



High quality light with Philips lamps included



Up to IP67, suitable for use on path and driveways



Accent lighting, to create your preferred light scenery



Energy saving

Add some outdoor magic

Keep your attention to your garden activities with this functional outdoor Philips myGarden wall light. It casts powerful warm white light and it's made from high quality materials. Don't let darkness limit the possibilities outdoor.

Up to
IP67,
suitable for use
on paths and
driveways

Decorative
light effects
to enhance your
home façade




Timber
17074/47/16
→ 105 / 105 ± 222 Ø 105 x105
GU10 - 1x 35W incl.
⊕ - IP67
synthetics - stainless steel



Geo
17265/47/16
→ 101 / 116 ± 150 Ø 101 x101
LED - 1x 2W incl. - 130 lm
⊕ - IP67
synthetics - stainless steel



Rock Side-earthing
17108/47/16
1 230 → 70 / 70
⊕ - IP44
stainless steel



Botanic
17515/87/16
1 402 → 166 / 98
E27 - 2x 23W incl. - 2x 1430 lm
⊕ - IP44
aluminium - glass



A modern interior scene featuring a glowing spherical pendant light, a black office chair, and a wooden table with fruit bowls.

Home lighting at
your convenience

massive



Massive lighting

Welcome home to Massive – Massive offers style, quality and ease of use at prices that suit your pocket for lighting you will love!



From warm and inviting decorative lighting to clear and safe functional lighting, Massive offers plenty of choice for your home and garden.

Quality and peace-of-mind is assured thanks to European styling and build that meets all safety regulations and standards. And don't forget that many Massive lamps include high quality Philips light bulbs, for long-lasting light that brings atmosphere and warmth to your home. Massive makes everything

super easy too. On-pack diagrams explain how and where to use each lamp, helping you pick the perfect product, while simple step-by-step instructions make installation as easy as 1-2-3. At popular prices that suit your pocket, Massive is the home and garden lighting brand you can rely on every day for great quality, choice and value for money.

Stylish, easy and affordable – that's the promise of Massive home lighting!





Massive lifestyle in lighting

INTERIOR COLLECTION

The different rooms in your home require different types of lighting. Massive has them all, with a wide choice and careful attention to detail that means you'll always find exactly what you need. There are ceiling and wall lights for general and decorative illumination, spotlights for highlighting details, recessed lights that blend beautifully with your décor, and a range of matching table and floor lamps. Massive offers different lighting types too, including energy saver, fluorescent, powerful LED, and brilliant halogen. All have Massive's promise of European styling and quality, and many include high quality Philips light bulbs, for reliable lighting that brings atmosphere and warmth to your home. Massive's big mix of luminaires and lighting types makes a Massive lamp the right choice every time!

Content









Introduction	229
Living Room	232
Decorative	233
Wall & Ceiling	255
Spots	269
Recessed Spots	282
Outdoor collection	289
Outdoor	289



Decorative







Callas

-  **38050/11/10**
-  **PHILIPS** 28W INCL.
- 5x G9 | max. 40W | 230V | ☉
- Y | T 155 | ↔ 485 | ↗ 485 |
-    
-  






Callas

-  **38053/11/10**
-  **PHILIPS** 28W INCL.
- 3x G9 | max. 40W | 230V | ☐
- Y | T 1540 | ↔ 260 | ↗ 270 |
-    
-  






Callas

-  **38051/11/10**
-  **PHILIPS** 28W INCL.
- 4x G9 | max. 40W | 230V | ☉
- Y | T 1200 | ↔ 930 | ↗ 123 |
-   
-  



Callas

-  **38052/11/10**
-  **PHILIPS** 28W INCL.
- 1x G9 | max. 40W | 230V | ☉
- Y | T 160 | ↔ 160 | ↗ 150 |
-   
-  



Ohm

■ 36235/17/10

1x E27 | max. 75W | 230V | ⊕

Y | | 1350 | ↔ 170 | ↗ 170 |



Dosel

■ 36230/17/10

1x E27 | max. 75W | 230V | ⊕

Y | | 1300 | ↔ 215 | ↗ 215 |



Dosel

■ 36231/17/10

1x E27 | max. 75W | 230V | ⊕

Y | | 1350 | ↔ 300 | ↗ 300 |



Dosel

■ 40194/17/10

3x E27 | max. 75W | 230V | ⊕

Y | | 1500 | ↔ 945 | ↗ 210 |




Remero

■ 5977/01/17

1x E27 | max. 75W | 230V | ⊕

Y | | 1300 | ↔ 400 | ↗ 400 |



Amala

■ 40085/17/10

3x E14 | max. 40W | 230V | ⊕

Y | | 1500 | ↔ 560 | ↗ 560 |



Claus

■ 40842/17/10

3x E14 | max. 40W | 230V | ⊕


Y | | 1045 | ↔ 435 | ↗ 435 |





Halley

- 38281/31/10
- 1x E27 | max. 60W | 230V | ⊕
- Y | 1 930 | → 380 | ↗ 380 |
-
-



Halley

- 38280/30/10
- 1x E27 | max. 60W | 230V | ⊕
- Y | 1 1240 | → 375 | ↗ 375 |
-
-



Halley

- 38280/31/10
- 1x E27 | max. 60W | 230V | ⊕
- Y | 1 1240 | → 375 | ↗ 375 |
-
-



Flaubo

- 41766/30/10
- 5x E14 | max. 60W | 230V | ⊕
- Y | 1 1260 | → 565 | ↗ 565 |
-
-
-




Flaubo


- 41766/31/10
- 5x E14 | max. 60W | 230V | ⊕
- Y | 1 1260 | → 565 | ↗ 565 |
-
-
-



Madison

- 41814/31/10
- 5x E14 | max. 60W | 230V | ⊕
- Y | 1 1000 | → 460 | ↗ 460 |
-
-
-





Nostri

■ 41633/11/10

PHILIPS 28W INCL.

7x G9 | max. 28W | 230V | ☉

Y | 1500 | 830 | 200 |



Flo

■ 41816/60/10

1x E27 | max. 100W | 230V | ☉

Y | 795 | 150 | 150 |





Kandi

■ 36975/30/10

PHILIPS 28W INCL.

6x G9 | max. 40W | 230V | ⊕

Y | 11500 | → 465 | ↗ 465 |



Kandi

■ 36976/30/10

PHILIPS 28W INCL.

6x G9 | max. 40W | 230V | ⊕

Y | T 370 | → 465 | ↗ 465 |



Neyo

■ 37315/11/10

6x E14 | max. 40W | 230V | ⊕

Y | 11170 | → 650 | ↗ 650 |



Neyo

■ 37317/11/10

2x E14 | max. 40W | 230V | ⊕

Y | 11320 | → 350 | ↗ 230 |



Ernest

■ 40271/43/10

PHILIPS 28W INCL.

4x G9 | max. 40W | 230V | ⊕

Y | 11550 | → 602 | ↗ 602 |





Baptiste

■ 41788/18/10
1x E27 | max. 100W | 230V | ⊕
Y | | 1 940 | ← 330 | ↗ 330 |
MET
A E



Baptiste

■ 41788/43/10
1x E27 | max. 100W | 230V | ⊕
Y | | 1 940 | ← 330 | ↗ 330 |
MET
A E



Cassius

■ 41047/48/10
1x E27 | max. 60W | 230V | ⊕
Y | | 1 870 | ← 360 | ↗ 360 |
MET
A E



Amalia

■ 40097/17/10
5x E14 | max. 60W | 230V | ⊕
Y | | 1 1350 | ← 550 | ↗ 550 |
MET
A E



Amalia

■ 40097/06/10
5x E14 | max. 60W | 230V | ⊕
Y | | 1 1350 | ← 550 | ↗ 550 |
MET
A E



Kanto

■ 36996/43/10

3x E14 | max. 60W | 230V | ⊕

Y | 1 850 | ↔ 465 | ↗ 465 |



Kanto

■ 36996/17/10

3x E14 | max. 60W | 230V | ⊕

Y | 1 850 | ↔ 465 | ↗ 465 |



Justina

■ 36502/06/10

1x E14 | max. 40W | 230V | ⊕

Y | 1 190 | ↔ 125 | ↗ 260 |



Justina

■ 36504/06/10

1x E14 | max. 40W | 230V | ⊕

Y | 1 375 | ↔ 142 | ↗ 220 |



Kanto

■ 36995/17/10

5x E14 | max. 60W | 230V | ⊕

Y | 1 850 | ↔ 550 | ↗ 550 |



Kanto

■ 36995/43/10

5x E14 | max. 60W | 230V | ⊕

Y | 1 850 | ↔ 550 | ↗ 550 |



Kanto

■ 36999/17/10

1x E14 | max. 60W | 230V | ⊕

Y | 1 345 | ↔ 135 | ↗ 235 |



Justina

■ 36500/06/10

5x E14 | max. 40W | 230V | ⊕

Y | 1 1400 | ↔ 520 | ↗ 520 |



Justina

■ 36500/17/10

5x E14 | max. 40W | 230V | ⊕

Y | 1 1400 | ↔ 520 | ↗ 520 |





Docu

■ 36376/43/10

5x E14 | max. 40W | 230V | ⊕

Y | 11090 | ← 670 | ↗ 670 |



Lambo

■ 39010/29/10

5x E14 | max. 60W | 230V | ⊕

Y | 11600 | ← 560 | ↗ 560 |



Docu

■ 36377/43/10

1x E14 | max. 40W | 230V | ⊕

Y | 11150 | ← 170 | ↗ 230 |



Docu

■ 36379/43/10

1x E14 | max. 40W | 230V | ⊕

Y | 11450 | ← 170 | ↗ 250 |



Bourbon

□ 40860/31/10

1x E27 | max. 60W | 230V | ⊕

Y | 11070 | ← 390 | ↗ 390 |



Bourbon

■ 40860/14/10

1x E27 | max. 60W | 230V | ⊕

Y | 11070 | ← 390 | ↗ 390 |



Cantré

■ 40859/87/10

1x E27 | max. 60W | 230V | ⊕

Y | 11850 | ← 345 | ↗ 345 |



Cantré

■ 40859/18/10

1x E27 | max. 60W | 230V | ⊕

Y | 11850 | ← 345 | ↗ 345 |



Cantré

■ 40859/18/10

1x E27 | max. 60W | 230V | ⊕

Y | 11850 | ← 345 | ↗ 345 |



Cantré

■ 40859/18/10

1x E27 | max. 60W | 230V | ⊕

Y | 11850 | ← 345 | ↗ 345 |





Aki

■ 37666/86/10

💡 PHILIPS 14W INCL.

💡 2x E27 | max. 40W | 230V | ☺

⚡ | 11270 | ↔ 1078 | ↙ 400 |



Aki

■ 37665/86/10

💡 PHILIPS 14W INCL.

💡 1x E27 | max. 40W | 230V | ☺

⚡ | 11800 | ↔ 400 | ↙ 400 |



Dunlo

■ 37411/43/10

💡 3x E27 | max. 75W | 230V | ☺

⚡ | 11380 | ↔ 972 | ↙ 172 |



Lyndo

■ 41783/86/10

💡 1x E27 | max. 100W | 230V | ☺

⚡ | 11010 | ↔ 275 | ↙ 275 |



Flandrina

■ 41757/43/10

💡 1x E27 | max. 100W | 230V | ☺

⚡ | 11865 | ↔ 235 | ↙ 235 |





Junius

36412/06/10

1x E27 | max. 60W | 230V | ⊕

Y | 1 260 | ← 85 | ↗ 370 |



Junius

36412/17/10

1x E27 | max. 60W | 230V | ⊕

Y | 1 260 | ← 85 | ↗ 370 |



Medi

79097/22/17

PHILIPS 240W INCL.

1x R7S 118 | max. 240W | 230V | ⊕

PHILIPS 28W INCL.

1x G9 | max. 28W | 230V |

Y | 1 1810 | ← 290 | ↗ 290 |



Medi

79097/22/06

PHILIPS 240W INCL.

1x R7S 118 | max. 240W | 230V | ⊕

PHILIPS 28W INCL.

1x G9 | max. 28W | 230V |

Y | 1 1810 | ← 290 | ↗ 290 |



Miert

42003/43/10

1x E14 | max. 40W | 230V | ⊕

1x E27 | max. 150W | 230V |

Y | 1 1780 | ← 350 | ↗ 610 |





Wall & Ceiling



Quadros

■ 30012/17/10

1x E27 | max. 100W | 230V | ☉

Y | T 85 | ↔ 360 | ↗ 360 |




Judy

■ 30081/17/10

1x E27 | max. 60W | 230V | ☉

Y | T 80 | ↔ 300 | ↗ 300 |



Quadro

■ 30010/67/10

1x E27 | max. 100W | 230V | ☉

Y | T 95 | ↔ 290 | ↗ 290 |



Annika

■ 70670/01/11


1x E27 | max. 60W | 230V | ☉

Y | T 75 | ↔ 255 | ↗ 255 |







Caroline

□ 30023/31/10
1x E27 | max. 40W | 230V | 

Y | T 170 | ← 150 | ↗ 150 |




Cleo

■ 33132/17/10
 PHILIPS 50W INCL.
2x GU10 | max. 50W | 230V | 

Y | T 166 | ← 60 | ↗ 100 |




Colleen

■ 33286/86/10
1x E27 | max. 60W | 230V | 

Y | T 158 | ← 308 | ↗ 103 |



Colleen

■ 30495/86/10
1x E27 | max. 60W | 230V | 

Y | T 111 | ← 300 | ↗ 300 |



Giselle

33210/86/10

PHILIPS 12W INCL.

1x E14 | max. 12W | 230V | ⊕

| 1558 | ← 107 | ↗ 158 |



Evita

30200/86/10

PHILIPS 18W INCL.

2x E27 | max. 18W | 230V | ⊕

| T 94 | ← 400 | ↗ 400 |



Fergie

70368/01/53

1x E27 | max. 60W | 230V | ⊕

| T 90 | ← 310 | ↗ 310 |



Fergie

81531/01/70

1x E27 | max. 60W | 230V | ⊕

| 1165 | ← 315 | ↗ 80 |





Madison

70708/02/06
 2x E27 | max. 40W | 230V | ⊕
 | T 120 | → 305 | ↗ 305 |
 MET I A/B



Fay

30280/67/10
 2x E27 | max. 60W | 230V | ⊕
 | T 135 | → 400 | ↗ 400 |
 MET I A/B




Isla

31914/31/10
 1x E27 | max. 60W | 230V | ⊕
 | T 80 | → 300 | ↗ 300 |
 MET I A/B



Fay

30279/67/10
 1x E27 | max. 60W | 230V | ⊕
 | T 111 | → 300 | ↗ 300 |
 MET I A/B



Rinoa

■ 30193/14/10
 1x E27 | max. 100W | 230V | ☺
 Y | T 96 | ↔ 413 | ↗ 413 |
 MET | ♻️ | ♻️
 A E




Zara

■ 70748/01/47
 1x E27 | max. 60W | 230V | ☺
 Y | T 80 | ↔ 300 | ↗ 300 |
 MET | ♻️ | ♻️
 A E



Leanne

■ 31991/62/10
 1x E27 | max. 60W | 230V | ☺
 Y | T 85 | ↔ 300 | ↗ 300 |
 MET | ♻️ | ♻️
 A E



Jessica

■ 34951/47/10
 1x E27 | max. 60W | 230V | ☺
 Y | T 150 | ↔ 300 | ↗ 150 |
 MET | ♻️ | ♻️
 A E



Leanne

■ 31992/62/10
 2x E27 | max. 60W | 230V | ☺
 Y | T 115 | ↔ 400 | ↗ 400 |
 MET | ♻️ | ♻️
 A E



Nicole

33065/06/10

PHILIPS 80W INCL.

1x R7S 78 | max. 80W | 230V | ☉

| 1100 | → 165 | ↗ 105 |



Cézanne

33084/17/10

4x E14 | max. 15W | 230V | ☐

| 180 | → 465 | ↗ 200 |



Cézanne

33084/06/10

4x E14 | max. 15W | 230V | ☐

| 180 | → 465 | ↗ 200 |



Nicole


33065/17/10

33065/17/17

PHILIPS 80W INCL.

1x R7S 78 | max. 80W | 230V | ☉

| 1100 | → 165 | ↗ 105 |



Lynne

33081/48/10

PHILIPS 8W INCL.

1x G5 | max. 8W | 230V | ☉

| 151 | → 329 | ↗ 221 |



Lynne

33080/48/10

PHILIPS 13W INCL.

1x G5 | max. 13W | 230V | ☉

| T 51 | → 555 | ↗ 222 |





Spots



Zinna

- 55829/17/10
- 💡 PHILIPS 28W INCL.
- 3x G9 | max. 40W | 230V | ☉
- Y | T 155 | ↔ 375 | ↗ 375 |
- MEY | 🍷 | 🌱
- D | CE



Zinna

- 55822/17/10
- 💡 PHILIPS 28W INCL.
- 2x G9 | max. 40W | 230V | ☉
- Y | T 155 | ↔ 390 | ↗ 115 |
- MEY | 🍷 | 🌱
- D | CE



Zinna

- 55820/17/10
- 💡 PHILIPS 28W INCL.
- 1x G9 | max. 40W | 230V | ☉
- Y | T 145 | ↔ 115 | ↗ 115 |
- MEY | 🍷 | 🌱
- D | CE



Zinna

- 55825/17/10
- 💡 PHILIPS 28W INCL.
- 5x G9 | max. 40W | 230V | ☉
- Y | T 165 | ↔ 880 | ↗ 320 |
- MEY | 🍷 | 🌱
- D | CE







Zinna

- 55824/17/10
- 💡 PHILIPS 28W INCL.
- 4x G9 | max. 40W | 230V | ☉
- Y | T 165 | ↔ 880 | ↗ 115 |
- MEY | 🍷 | 🌱 | ⌚
- D | CE







Hosta

- 55810/11/10
- PHILIPS 28W INCL.
- 1x G9 | max. 28W | 230V | ☉
- Y | T 120 | ↔ 80 | ↗ 80 |
- MET  
-  







Hosta

- 55812/11/10
- PHILIPS 28W INCL.
- 2x G9 | max. 28W | 230V | ☉
- Y | T 137 | ↔ 360 | ↗ 107 |
- MET  
-  







Hosta

- 55819/11/10
- PHILIPS 28W INCL.
- 3x G9 | max. 28W | 230V | ☉
- Y | T 130 | ↔ 300 | ↗ 300 |
- MET  
-  






Hosta

- 55814/11/10
- PHILIPS 28W INCL.
- 4x G9 | max. 28W | 230V | ☉
- Y | T 145 | ↔ 850 | ↗ 103 |
- MET  
-  






Hosta

- 55815/11/10
- PHILIPS 28W INCL.
- 5x G9 | max. 28W | 230V | ☉
- Y | T 165 | ↔ 560 | ↗ 560 |
- MET  
-  

Save energy 






Marcos

■ 51158/17/10
 PHILIPS 8W INCL.
 4x E14 | max. 8W | 230V | ☉
 Y | T 122 | ↔ 803 | ↗ 122 |
  
 








Aura

■ 52033/17/10
 3x E14 | max. 40W | 230V | ☉
 Y | T 117 | ↔ 680 | ↗ 95 |
 










Marcos

■ 51157/17/10
 PHILIPS 8W INCL.
 4x E14 | max. 8W | 230V | ☉
 Y | T 1500 | ↔ 807 | ↗ 120 |
  
 







Marcos

■ 51156/17/10
 PHILIPS 8W INCL.
 6x E14 | max. 8W | 230V | ☉
 Y | T 128 | ↔ 1956 | ↗ 135 |
   
 







Aura

■ 52030/17/10
 1x E14 | max. 40W | 230V | ☉
 Y | T 90 | ↔ 80 | ↗ 80 |
  








Aura

■ 52038/17/10
 4x E14 | max. 40W | 230V | ☉
 Y | T 117 | ↔ 1320 | ↗ 110 |
  




Aura

■ 52031/17/10
 1x E14 | max. 12W | 230V | ☐
 Y | T 280 | ↔ 82 | ↗ 320 |
  




Hosta

- 55819/43/10
- PHILIPS 28W INCL.
- 3x G9 | max. 28W | 230V | ☺
- | T 130 | ↔ 300 | ↗ 300 |
- MEY I
- D CE



Hosta

- 55810/43/10
- PHILIPS 28W INCL.
- 1x G9 | max. 28W | 230V | ☺
- | T 120 | ↔ 80 | ↗ 80 |
- MEY I
- D CE



Hosta

- 55812/43/10
- PHILIPS 28W INCL.
- 2x G9 | max. 28W | 230V | ☺
- | T 137 | ↔ 360 | ↗ 107 |
- MEY I
- D CE



Hosta

- 55815/43/10
- PHILIPS 28W INCL.
- 5x G9 | max. 28W | 230V | ☺
- | T 165 | ↔ 560 | ↗ 560 |
- MEY I
- D CE



Hosta

- 55814/43/10
- PHILIPS 28W INCL.
- 4x G9 | max. 28W | 230V | ☺
- | T 145 | ↔ 850 | ↗ 103 |
- MEY I
- D CE



Petrol

■ 52134/43/10
 ⚡ 7W INCL.
 4x E14 | max. 8W | 230V | ☉
 | T 204 | → 894 | ↗ 98 |
 MET
 A E

Save energy



Nori

■ 55959/86/10
 ⚡ PHILIPS 28W INCL.
 4x G9 | max. 40W | 230V | ☉
 | T 155 | → 350 | ↗ 330 |
 MET
 D C E

Save energy



Petrol

■ 52130/43/10
 ⚡ 7W INCL.
 1x E14 | max. 8W | 230V | ☉
 | T 139 | → 97 | ↗ 97 |
 MET
 A E

Petrol

■ 52132/43/10
 ⚡ 7W INCL.
 2x E14 | max. 8W | 230V | ☉
 | T 209 | → 395 | ↗ 97 |
 MET
 A E



Nori

■ 55955/86/10
 ⚡ PHILIPS 28W INCL.
 1x G9 | max. 40W | 230V | ☉
 | T 135 | → 140 | ↗ 150 |
 MET
 D C E



Nori

■ 55957/86/10
 ⚡ PHILIPS 28W INCL.
 2x G9 | max. 40W | 230V | ☉
 | T 155 | → 330 | ↗ 130 |
 MET
 D C E







Recessed spots



 Save energy







Opal

■ 59803/17/10
 **PHILIPS 4W INCL.** | LED
 3x GU10 LED | max. 35W | 230V | □
 Y | ← 90 | ⊕ 74 | ⊥ 110 |
  **LED 3 set**
 IP23
 







Quartz

■ 59813/17/10
 **PHILIPS 4W INCL.** | LED
 3x GU10 LED | max. 35W | 230V | □
 Y | ← 84 | ⊕ 74 | ⊥ 110 |
  **LED 3 set**
 IP23
 






Quartz

■ 59323/17/10
 **PHILIPS 50W INCL.**
 3x GU10 | max. 50W | 230V | □
 Y | ← 84 | ⊕ 74 | ⊥ 110 |
 **3 set**
 







Quartz

■ 59323/11/10
 **PHILIPS 50W INCL.**
 3x GU10 | max. 50W | 230V | □
 Y | ← 84 | ⊕ 74 | ⊥ 110 |
 **3 set**
 






Quartz

■ 59323/06/10
 **PHILIPS 50W INCL.**
 3x GU10 | max. 50W | 230V | □
 Y | ← 84 | ⊕ 74 | ⊥ 110 |
 **3 set**
 



Quartz

□ 59323/31/10
 **PHILIPS 50W INCL.**
 3x GU10 | max. 50W | 230V | □
 Y | ← 84 | ⊕ 74 | ⊥ 110 |
 **3 set**
 



Opal

- 59330/17/10
- ⚡ PHILIPS 50W INCL.
- 1x GU10 | max. 50W | 230V | ☐
- ↵ | ← 90 | ⌀ 74 | ⊥ 110 |
- MEY
- IP23
- Ⓛ Ⓢ

Opal

- 59330/31/10
- ⚡ PHILIPS 50W INCL.
- 1x GU10 | max. 50W | 230V | ☐
- ↵ | ← 90 | ⌀ 74 | ⊥ 110 |
- MEY
- IP23
- Ⓛ Ⓢ



Opal

- 59333/01/10
- ⚡ PHILIPS 50W INCL.
- 3x GU10 | max. 50W | 230V | ☐
- ↵ | ← 90 | ⌀ 74 | ⊥ 110 |
- MEY 3 set
- IP23
- Ⓛ Ⓢ



Opal

- 59333/31/10
- ⚡ PHILIPS 50W INCL.
- 3x GU10 | max. 50W | 230V | ☐
- ↵ | ← 90 | ⌀ 74 | ⊥ 110 |
- MEY 3 set
- IP23
- Ⓛ Ⓢ



Opal

- 59333/11/10
- ⚡ PHILIPS 50W INCL.
- 3x GU10 | max. 50W | 230V | ☐
- ↵ | ← 90 | ⌀ 74 | ⊥ 110 |
- MEY 3 set
- IP23
- Ⓛ Ⓢ



Opal

- 59333/17/10
- ⚡ PHILIPS 50W INCL.
- 3x GU10 | max. 50W | 230V | ☐
- ↵ | ← 90 | ⌀ 74 | ⊥ 110 |
- MEY 3 set
- IP23
- Ⓛ Ⓢ

Opal

- 59333/06/10
- ⚡ PHILIPS 50W INCL.
- 3x GU10 | max. 50W | 230V | ☐
- ↵ | ← 90 | ⌀ 74 | ⊥ 110 |
- MEY 3 set
- IP23
- Ⓛ Ⓢ





Pedro

■ 72812/23/17

⚡ PHILIPS 50W INCL.

3x GU10 | max. 50W | 230V | ☐

Y | ← 100 | ⌀ 80 | ± 110 |

MEY 3 set

IP23



Mira

■ 72810/23/17

⚡ 20W INCL.

3x G4 | max. 20W | 12V |

Y | ← 77 | ⌀ 64 | ± 105 |

MEY 3 set

IP23



Save energy



Ronda

■ 59799/17/10

□

⚡ PHILIPS 14W INCL.

2x E27 | max. 14W | 230V | ☉

Y | ← 230 | ⌀ 200 | ± 120 |





Outdoor



Outdoor light for outside

The garden is an integral part of the home. Lighting in this area is used to accentuate garden paths, to illuminate doorstep and driveway, or to create a cosy ambience during a summer barbecue. Massive offers luminaires in a wide range of styles and applications: whether you are looking for modern, contemporary design or for that charming, romantic style, the outdoor luminaires of Massive match perfectly in the atmosphere of your choice.

Living under the open sky

The line between in- and outdoor life is fading. In many gardens true living rooms and summer kitchens are appearing. The garden and terrace are becoming an extra 'room' where people cook, eat, read, play, rest or work. Here, as in the rest of the home, the Massive creations help you create a pleasant, cosy ambience.

Enjoy the weather, even the rain

Every luminaire in the Massive Outdoor collection is carefully developed and constructed to be safe and long lasting in all weather conditions as well as easy to install and maintain. On top of that, most of Massive's outdoor luminaires include Philips light bulbs, ensuring the best light output, quality and energy efficiency.

Outdoor infrared motion sensors

					Typ D-E
					Typ J
					Typ K
					Typ F

P.I.R. 140°
The detection field angle of the movement sensor equals 140°. Some detectors (type F) can be directed within a horizontal field of 230° and 45° vertically.

When mounted at a height of 2,5m the infrared sensor will react to any movement within a range of 10m (type F) / 12m (type D-E) / 7m (type K) / 6 m (type J).

- ⊗ Light sensitivity setting, stepless adjustable from 5 up to 5.000 Lux (complete darkness, dusk or daylight)
- ⌚ Time setting, stepless adjustable from 5 sec. up to 5 min.

With the help of the enclosed guards, you can adjust the detection angle yourself (only for type F).



Graz

- 16185/87/10
- ☉ PHILIPS 7W INCL.
- 1x GX53 | max. 9W | 230V | ☉
- Y | 1 800 | ↔ 100 | ↗ 152 |
- ALU SYN
- IP44
-



Oslo

- 17014/47/10
- 1x E27 | max. 60W | 230V | ☐
- Y | 1 260 | ↔ 235 | ↗ 95 |
- INOX SYN
- IP44 | P.I.R. 140° Type J
-



Oslo

- 1726/01/93
- 1x E27 | max. 60W | 230V | ☐
- Y | 1 260 | ↔ 235 | ↗ 95 |
- INOX SYN ALU (2)
- IP44
-



Oslo

- 1726/01/47
- 1x E27 | max. 60W | 230V | ☐
- Y | 1 260 | ↔ 235 | ↗ 95 |
- INOX SYN ALU (2)
- IP44
-

Save energy



Graz

- 16184/87/10
- ☉ PHILIPS 7W INCL.
- 1x GX53 | max. 9W | 230V | ☉
- Y | 1 400 | ↔ 100 | ↗ 152 |
- ALU SYN
- IP44
-



Graz

- 16183/87/10
- ☉ PHILIPS 7W INCL.
- 1x GX53 | max. 9W | 230V | ☉
- Y | 1 50 | ↔ 100 | ↗ 151 |
- ALU SYN
- IP44
-



Caracas

- 17035/47/10
- 1x E14 | max. 11W | 230V | ☐
- Y | 1 110 | ↔ 265 | ↗ 105 |
- INOX SYN
- IP44
-



Oslo

- 1826/01/47
- 1x E27 | max. 60W | 230V | ☐
- Y | 1 260 | ↔ 235 | ↗ 95 |
- INOX SYN
- IP44 | day/night sensor
-



Save energy

Calgary

■ 16335/47/10

PHILIPS 14W INCL.

1x E27 | max. 14W | 230V | ☉

Y | 1 407 | ↔ 100 | ↗ 100 |

IP44



Astana

■ 17180/47/10

PHILIPS 15W INCL.

1x E27 | max. 15W | 230V | ☐

Y | 1 295 | ↔ 225 | ↗ 100 |

IP44



Calgary

■ 16336/47/10

PHILIPS 14W INCL.

1x E27 | max. 14W | 230V | ☉

Y | 1 810 | ↔ 100 | ↗ 100 |

IP44



Bristol

■ 17008/47/10

1x E27 | max. 60W | 230V | ☐

Y | 1 270 | ↔ 190 | ↗ 125 |

IP44



Vilnius

■ 17023/47/10

1x E27 | max. 60W | 230V | ☐

Y | 1 150 | ↔ 140 | ↗ 105 |

IP44



Vilnius

■ 17024/47/10

1x E27 | max. 60W | 230V | ☐

Y | 1 190 | ↔ 140 | ↗ 110 |

IP44 | P.I.R. 140° Type J



Calgary

■ 16333/47/10

PHILIPS 14W INCL.

1x E27 | max. 14W | 230V | ☉

Y | 1 225 | ↔ 100 | ↗ 145 |

IP44



Calgary

■ 16334/47/10

PHILIPS 14W INCL.





1x E27 | max. 14W | 230V | ☉

Y | 1 224 | ↔ 100 | ↗ 150 |

IP44 | P.I.R. 100° Type J







Birmingham

- 16191/47/10
- 1x E27 | max. 20W | 230V | Ⓢ
- Y | | 1 395 | ↔ 110 | ↗ 110 |
-   
- IP44
- 







Birmingham

- 16190/47/10
- 1x E27 | max. 20W | 230V | Ⓢ
- Y | | 1 380 | ↔ 110 | ↗ 230 |
-   
- IP44
- 



Birmingham

- 16192/47/10
- 1x E27 | max. 20W | 230V | Ⓢ
- Y | | 1 795 | ↔ 110 | ↗ 110 |
-   
- IP44
- 



Utrecht

■ 1909/01/47
 1x E27 | max. 20W | 230V | ⊕
 Y | | 1 785 | ↔ 110 | ↗ 110 |
 INOX SYN
 IP44
 A E

Save energy



Utrecht

■ 1910/01/47
 1x E27 | max. 20W | 230V | ⊕
 Y | | 1 1090 | ↔ 110 | ↗ 110 |
 INOX SYN
 IP44
 A E



Utrecht

■ 1911/01/47
 1x E27 | max. 20W | 230V | ⊕
 Y | | 1 415 | ↔ 76 | ↗ 100 |
 INOX SYN
 IP44 | P.I.R. 140° Type J
 A E



Utrecht

■ 1907/01/47
 1x E27 | max. 20W | 230V | ⊕
 Y | | 1 400 | ↔ 80 | ↗ 180 |
 INOX SYN
 IP44
 A E



Utrecht

■ 1908/01/47
 1x E27 | max. 20W | 230V | ⊕
 Y | | 1 440 | ↔ 110 | ↗ 110 |
 INOX SYN
 IP44
 A E



Utrecht

■ 1912/01/47
 1x E27 | max. 20W | 230V | ⊕
 Y | | 1 1090 | ↔ 111 | ↗ 111 |
 INOX SYN
 IP44 | P.I.R. 140° Type K
 A E



Beaumont

■ 16120/47/10
 1x E27 | max. 60W | 230V | ⊕
 Y | | 1 290 | ↔ 182 | ↗ 210 |
 INOX SYN
 IP44
 A E



Beaumont

■ 16121/47/10
 1x E27 | max. 60W | 230V | ⊕
 Y | | 1 455 | ↔ 182 | ↗ 182 |
 INOX SYN
 IP44
 A E



Catania

■ 17263/47/10

2x E14 | max. 40W | 230V | ☉

Y | 1 270 | ← 82 | ↘ 89 |



IP44



Bochum

■ 16157/47/10

PHILIPS 35W INCL.

2x GU10 | max. 35W | 230V | ☉

Y | 1 182 | ← 64 | ↘ 110 |



IP44



Vaduz

■ 17261/47/10

1x E27 | max. 23W | 230V | ☉

Y | 1 240 | ← 240 | ↘ 80 |



IP44



Radom

■ 17116/47/10

1x E27 | max. 60W | 230V | ☉

Y | 1 290 | ← 240 | ↘ 310 |



IP44





Galveston

■ 16076/47/10

1x E27 | max. 60W | 230V | ⊕

Y | 1 320 | ↔ 195 | ↗ 205 |



IP44



Galveston

■ 16077/47/10

1x E27 | max. 60W | 230V | ⊕

Y | 1 345 | ↔ 195 | ↗ 205 |



IP44



Houston

■ 71528/01/47

1x E27 | max. 60W | 230V | ⊕

Y | 1 310 | ↔ 170 | ↗ 215 |



IP44



Sliven

■ 17234/30/10

⚡ PHILIPS 50W INCL.

1x GU10 | max. 50W | 230V | ⊕

Y | 1 180 | ↔ 90 | ↗ 110 |



IP44



Sliven

■ 17234/87/10

⚡ PHILIPS 50W INCL.

1x GU10 | max. 50W | 230V | ⊕

Y | 1 180 | ↔ 90 | ↗ 110 |



IP44



Napels

■ 1304/01/30

1x E27 | max. 100W | 230V | ⊕

Y | 1 365 | ↔ 255 | ↗ 125 |



IP44



Napels

□ 1304/01/31

1x E27 | max. 100W | 230V | ⊕

Y | 1 365 | ↔ 255 | ↗ 125 |



IP44





Babylon

■ 15423/42/10
1x E27 | max. 60W | 230V | ☉
Y | | 1 1060 | ← 173 | ↗ 173 |
ALU I
IP44
A E



Babylon

■ 15425/42/10
3x E27 | max. 60W | 230V | ☉
Y | | 1 2090 | ← 590 | ↗ 515 |
ALU I
IP44
A E



Babylon

■ 15422/42/10
1x E27 | max. 60W | 230V | ☉
Y | | 1 355 | ← 173 | ↗ 173 |
ALU I
IP44
A E



Babylon

■ 15426/42/10
1x E27 | max. 60W | 230V | ☉
Y | | 1 777 | ← 173 | ↗ 173 |
ALU I
IP44
A E



Babylon

■ 15421/42/10
1x E27 | max. 60W | 230V | ☉
Y | | 1 326 | ← 173 | ↗ 215 |
ALU I
IP44
A E



Babylon

■ 15428/42/10
1x E27 | max. 60W | 230V | ☉
Y | | 1 325 | ← 173 | ↗ 263 |
ALU I
IP44 | P.I.R. 140° Type D
A E



Babylon

■ 15429/42/10
2x E27 | max. 23W | 230V | ☉
Y | | 1 100 | ← 230 | ↗ 230 |
ALU SYN
IP44
A E



Babylon

■ 15420/42/10
1x E27 | max. 60W | 230V | ☉
Y | | 1 325 | ← 172 | ↗ 263 |
ALU I
IP44
A E



Monastir

■ 15191/86/10
 1x E27 | max. 100W | 230V | ☉
 Y | 1 340 | ↔ 150 | ↗ 190 |
 ALU I
 IP43
 A E



Monastir

■ 15196/86/10
 1x E27 | max. 60W | 230V | ☉
 Y | 1 900 | ↔ 150 | ↗ 150 |
 ALU I
 IP43
 A E



Monastir

■ 15192/86/10
 1x E27 | max. 100W | 230V | ☉
 Y | 1 485 | ↔ 150 | ↗ 150 |
 ALU I
 IP43
 A E



Cambridge

■ 15258/42/10
 1x E27 | max. 60W | 230V | ☉
 Y | 1 339 | ↔ 170 | ↗ 204 |
 ALU I
 IP44 | P.I.R. 140° Type D
 A E



Salvador

■ 17156/42/10
 ⚡ 50W INCL.
 2x GU10 | max. 50W | 230V | ☉
 Y | 1 190 | ↔ 74 | ↗ 116 |
 ALU I
 IP44
 D C E



München

■ 15173/42/10

1x E27 | max. 100W | 230V | ☉

Y | | 1240 | ↔ 180 | ↗ 180 |



IP44



München

■ 15172/42/10

1x E27 | max. 100W | 230V | ☉

Y | | 450 | ↔ 180 | ↗ 180 |



IP44



München

■ 15176/42/10

1x E27 | max. 60W | 230V | ☉

Y | | 980 | ↔ 180 | ↗ 180 |



IP44



München

■ 15170/42/10

1x E27 | max. 100W | 230V | ☉

Y | | 450 | ↔ 180 | ↗ 260 |



IP44



München

■ 15171/42/10

1x E27 | max. 100W | 230V | ☉

Y | | 460 | ↔ 180 | ↗ 260 |



IP44



München

■ 15175/42/10

3x E27 | max. 100W | 230V | ☉

Y | | 2080 | ↔ 610 | ↗ 610 |



IP44





Murcia

■ 15221/86/10
 1x E27 | max. 100W | 230V | ☉
 Y | 1 340 | ↔ 160 | ↗ 195 |
 ALU I
 IP44
 A E



Bogota

■ 17236/54/10
 1x E27 | max. 60W | 230V | ☉
 Y | 1 290 | ↔ 130 | ↗ 175 |
 ALU I
 IP44
 A E



Varese

■ 15440/86/10
 1x E27 | max. 100W | 230V | ☉
 Y | 1 438 | ↔ 215 | ↗ 273 |
 ALU I
 IP44
 A E



Damascus

■ 17237/86/10
 1x E27 | max. 60W | 230V | ☉
 Y | 1 224 | ↔ 222 | ↗ 248 |
 ALU I
 IP44
 A E

Damascus

■ 17237/54/10
 1x E27 | max. 60W | 230V | ☉
 Y | 1 224 | ↔ 222 | ↗ 248 |
 ALU I
 IP44
 A E

Algiers

■ 16188/42/10
 1x E27 | max. 60W | 230V | ☉
 Y | 1 446 | ↔ 123 | ↗ 187 |
 ALU SYN
 IP44
 A E



Lima

■ 71425/01/30
1x E27 | max. 60W | 230V | ⊕
Y | | 1 330 | ↔ 150 | ↗ 205 |
ALU | I
IP44
A E



Lima

■ 71422/01/30
1x E27 | max. 60W | 230V | ⊕
Y | | 1 375 | ↔ 150 | ↗ 205 |
ALU | I
IP44 | P.I.R. 140° Type D
A E



Lima

■ 71426/01/30
1x E27 | max. 60W | 230V | ⊕
Y | | 1 355 | ↔ 150 | ↗ 205 |
ALU | I
IP44
A E



Lima

■ 71427/01/30
1x E27 | max. 60W | 230V | ⊕
Y | | 1 400 | ↔ 175 | ↗ 175 |
ALU | I
IP44
A E



Lima

■ 71427/03/30
3x E27 | max. 60W | 230V | ⊕
Y | | 1 2000 | ↔ 560 | ↗ 560 |
ALU | I
IP44
A E



Lima

■ 71421/01/30
1x E27 | max. 60W | 230V | ⊕
Y | | 1 810 | ↔ 150 | ↗ 150 |
ALU | I
IP44
A E



Lima

■ 71424/01/30
1x E27 | max. 60W | 230V | ⊕
Y | | 1 290 | ↔ 150 | ↗ 150 |
ALU | I
IP44
A E



Peking

■ 71525/01/42
1x E27 | max. 60W | 230V | ☉
Y | 1 346 | ↔ 175 | ↙ 235 |
ALU | I |
IP44
A E



Peking

□ 71526/01/31
1x E27 | max. 60W | 230V | ☉
Y | 1 346 | ↔ 175 | ↙ 235 |
ALU | I |
IP44
A E



Peking

■ 71525/01/30
1x E27 | max. 60W | 230V | ☉
Y | 1 346 | ↔ 175 | ↙ 235 |
ALU | I |
IP44
A E



Peking

□ 71525/01/31
1x E27 | max. 60W | 230V | ☉
Y | 1 346 | ↔ 175 | ↙ 235 |
ALU | I |
IP44
A E



Peking

■ 71526/01/42
1x E27 | max. 60W | 230V | ☉
Y | 1 346 | ↔ 175 | ↙ 235 |
ALU | I |
IP44
A E



Peking

■ 71526/01/30
1x E27 | max. 60W | 230V | ☉
Y | 1 346 | ↔ 175 | ↙ 235 |
ALU | I |
IP44
A E



Peking

■ **71524/01/30**
1x E27 | max. 60W | 230V | ⊕
Y | | 1 935 | ↔ 205 | ↗ 205 |
ALU | |
IP44



Peking

□ **71524/01/31**
1x E27 | max. 60W | 230V | ⊕
Y | | 1 935 | ↔ 205 | ↗ 205 |
ALU | |
IP44



Peking

■ **71527/03/30**
3x E27 | max. 60W | 230V | ⊕
Y | | 1 850 | ↔ 560 | ↗ 560 |
ALU | |
IP44



Peking

□ **71527/03/31**
3x E27 | max. 60W | 230V | ⊕
Y | | 1 850 | ↔ 560 | ↗ 560 |
ALU | |
IP44



Peking

■ **71527/03/42**
3x E27 | max. 60W | 230V | ⊕
Y | | 1 850 | ↔ 560 | ↗ 560 |
ALU | |
IP44



Peking

■ **71522/01/30**
1x E27 | max. 60W | 230V | ⊕
Y | | 1 370 | ↔ 175 | ↗ 220 |
ALU | |
IP44 | P.I.R. 140° Type D



Peking

■ **71522/01/42**
1x E27 | max. 60W | 230V | ⊕
Y | | 1 370 | ↔ 175 | ↗ 220 |
ALU | |
IP44 | P.I.R. 140° Type D



Peking

□ **71522/01/31**
1x E27 | max. 60W | 230V | ⊕
Y | | 1 370 | ↔ 175 | ↗ 220 |
ALU | |
IP44 | P.I.R. 140° Type D



Peking

■ **71521/01/30**
1x E27 | max. 60W | 230V | ⊕
Y | | 1 1000 | ↔ 175 | ↗ 175 |
ALU | |
IP44



Peking

□ **71521/01/31**
1x E27 | max. 60W | 230V | ⊕
Y | | 1 1000 | ↔ 175 | ↗ 175 |
ALU | |
IP44



Peking

■ **71521/01/42**
1x E27 | max. 60W | 230V | ⊕
Y | | 1 1000 | ↔ 175 | ↗ 175 |
ALU | |
IP44



Dubrovnik

□ 15030/31/10
1x E27 | max. 100W | 230V | ☉
Y | 1 500 | ← 170 | ↗ 245 |
ALU SYN
IP44
A E



Dubrovnik

■ 15030/45/10
1x E27 | max. 100W | 230V | ☉
Y | 1 500 | ← 170 | ↗ 245 |
ALU SYN
IP44
A E



Dubrovnik

□ 15031/31/10
1x E27 | max. 100W | 230V | ☉
Y | 1 500 | ← 170 | ↗ 250 |
ALU SYN
IP44
A E



Dubrovnik

■ 15038/45/10
1x E27 | max. 100W | 230V | ☉
Y | 1 550 | ← 170 | ↗ 275 |
ALU SYN
IP44 | P.I.R. 140° Type D
A E




Dubrovnik

□ 15038/31/10
1x E27 | max. 100W | 230V | ☉
Y | 1 550 | ← 170 | ↗ 275 |
ALU SYN
IP44 | P.I.R. 140° Type D
A E



Dubrovnik

■ 15031/45/10
1x E27 | max. 100W | 230V | ☉
Y | 1 500 | ← 170 | ↗ 250 |
ALU SYN
IP44
A E



Dubrovnik

□ 15035/31/10
3x E27 | max. 100W | 230V | ☉
Y | 1 2250 | ← 600 | ↗ 600 |
ALU SYN
IP44
A E



Dubrovnik

■ 15035/45/10
3x E27 | max. 100W | 230V | ☉
Y | 1 2250 | ← 600 | ↗ 600 |
ALU SYN
IP44
A E



Bali

□ 71825/01/31
 1x E27 | max. 60W | 230V | ☐
 Y | | 265 | ↔ 200 | ↗ 265 |
 ALU SYN
 IP44
 A E



Bali

□ 16007/31/10
 1x E27 | max. 60W | 230V | ☐
 Y | | 460 | ↔ 200 | ↗ 200 |
 ALU SYN
 IP44
 A E



Bali

■ 16007/65/10
 1x E27 | max. 60W | 230V | ☐
 Y | | 460 | ↔ 200 | ↗ 200 |
 ALU SYN
 IP44
 A E



Bali

■ 16008/65/10
 1x E27 | max. 60W | 230V | ☐
 Y | | 985 | ↔ 205 | ↗ 205 |
 ALU SYN
 IP44
 A E



Bali

■ 71825/01/65
 1x E27 | max. 60W | 230V | ☐
 Y | | 265 | ↔ 200 | ↗ 265 |
 ALU SYN
 IP44
 A E



Glasgow

■ 1643/81/30
 1x E27 | max. 60W | 230V | ☐
 Y | | 237 | ↔ 300 | ↗ 366 |
 ALU I
 IP44
 A E



Palermo

■ 1816/01/42
 1x E27 | max. 60W | 230V | ☐
 Y | | 290 | ↔ 300 | ↗ 350 |
 ALU I
 IP44
 A E



Vancouver

■ 17000/47/10
 1x E27 | max. 60W | 230V | ☐
 Y | | 320 | ↔ 245 | ↗ 275 |
 ALU I
 IP44
 A E



Boston

- 1300/01/31
1x E27 | max. 60W | 230V | ☐
- Y | 1 240 | ↔ 190 | ↗ 140 |
- ALU I
- IP44 | P.I.R. 140° Type D
- A E



Boston

- 1302/01/30
1x E27 | max. 60W | 230V | ☐
- Y | 1 200 | ↔ 200 | ↗ 140 |
- ALU I
- IP44
- A E



Casablanca

- 71416/01/31
1x E27 | max. 42W | 230V | ☐
- Y | 1 100 | ↔ 270 | ↗ 270 |
- ALU SYN
- IP44
- A E



Boston

- 1300/01/30
1x E27 | max. 60W | 230V | ☐
- Y | 1 240 | ↔ 190 | ↗ 140 |
- ALU I
- IP44 | P.I.R. 140° Type D
- A E



Boston

- 1302/01/31
1x E27 | max. 60W | 230V | ☐
- Y | 1 200 | ↔ 200 | ↗ 140 |
- ALU I
- IP44
- A E



Casablanca

- 71416/01/30
1x E27 | max. 42W | 230V | ☐
- Y | 1 100 | ↔ 270 | ↗ 270 |
- ALU SYN
- IP44
- A E



Cleveland

- 17090/31/10
1x E27 | max. 40W | 230V | ☉
- Y | 1 143 | ↔ 214 | ↗ 105 |
- ALU SYN
- IP44
- A E



Cleveland

- 17090/87/10
1x E27 | max. 40W | 230V | ☉
- Y | 1 143 | ↔ 214 | ↗ 105 |
- ALU SYN
- IP44
- A E



Pula

- 17112/30/10
- ⚡ PHILIPS 50W INCL.
- 1x GU10 | max. 50W | 230V | Ⓢ
- Y | 1105 | ← 97 | ↗ 97 |
- ALU SYN
- IP44
- Ⓧ Ⓞ



Pula

- 17223/87/10
- ⚡ PHILIPS 50W INCL.
- 3x GU10 | max. 50W | 230V | Ⓢ
- Y | 1105 | ← 97 | ↗ 97 |
- ALU SYN
- IP44
- Ⓧ Ⓞ

Acapulco

- 17020/47/10
- 1x E27 | max. 20W | 230V | Ⓢ
- Y | ← 175 | Ⓢ 175 | ⊥ 323 |
- INOX SYN 🌱 🚗
- IP67
- Ⓧ Ⓞ










Fes

17523/31/10

LED 9W INCL. | LED

LED | max. 9W | 230V | 

 | 1 207 | ↔ 265 | ↗ 132 |


IP44





Virginia

87098/12/87

 | 1 94 | ↔ 70 | ↗ 104 |


IP44 | P.I.R. 140° Type F







Fes

17521/30/10

LED 4,5W INCL. | LED

LED | max. 5W | 230V | 

 | 1 144 | ↔ 204 | ↗ 113 |

IP44









Fes

17521/31/10

LED 4,5W INCL. | LED

LED | max. 5W | 230V | 

 | 1 144 | ↔ 204 | ↗ 113 |

IP44









Fes

17523/30/10

LED 9W INCL. | LED

LED | max. 9W | 230V | 

 | 1 207 | ↔ 265 | ↗ 132 |


IP44





Virginia

87098/12/30

 | 1 94 | ↔ 70 | ↗ 104 |


 

IP44 | P.I.R. 140° Type F



Virginia

87098/12/31

 | 1 94 | ↔ 70 | ↗ 104 |

IP44 | P.I.R. 140° Type F



CREATE
LIGHT CONTROL
SHADOW

Lirio
by
PHILIPS



Light inspires, light creates...

With Lirio by Philips we continuously challenge ourselves to shape a light portfolio that brings both compelling designs as much as it intrigues with the light it creates.



LED is taking an important role in the portfolio, allowing the design team of LIRIO to craft new, unique designs and forms.

As the light bulb replaced candles, the LED will now replace the bulb; a paradigm shift, allowing light to gain a new meaning in the home. The role of design is to enable this shift from styling luminaires to designing light itself.

Keeping in mind the important role that light takes in your life, LIRIO by Philips wants to offer you a collection that inspires and adds personality. Offering a true match between imaginative design and a human approach to innovation, LIRIO by Philips is an invitation to all to express yourself in your interior.

Lirio by Philips is a beautiful story to share.

Lirio
by
PHILIPS



Content




Introduction	329
Decorative collection	335
Spots, wall & ceiling	363



PIEGA LUCE
page 355



NICK-KNACK
page 351



Red Dot Design Award

The Red Dot award is an internationally recognized seal of quality and for excellent design. A creation that is granted with this award shows it belongs to the world's design elite.

iF Product Design Award

iF International Forum Design has been recognizing outstanding achievements in design with iF awards and iF Gold awards. Today it is among the most important awards for innovative product design.



LA LENTE
page 342



Decorative collection



Eron makes heads spin.

All unnecessary details have been reduced to keep only the essential, bringing light very discretely in your home interior.

The flexible anti-glare light disk can be twisted in any direction to bring light into the darkest corners.

As like the 'Heron' bird, Eron suits to be elegant, slim and perfectly in balance only moving its head. All unnecessary details have been reduced to keep only the essential.

A winner of the IF Award 2013, a true design icon.



ERON
4326030LI
1x 13W, class II
H 574mm L 191mm W 317mm



ERON
4326048LI
1x 13W, class II
H 574mm L 191mm W 317mm



ERON
4225030LI
1x 13W, class II
H 1610mm L 469mm W 241mm



ERON
4225048LI
1x 13W, class II
H 1610mm L 469mm W 241mm





How balanced can design be?

Balanza shines in simplicity. A strong and powerful design that impresses. A standout in your interior, it offers a balanced approach to design. Balanza's timeless design combined with a diffused light output makes it an all-time favourite.

Or as the jury of the prestigious iF design award noted when granting the Golden iF award to Balanza: "Rather than merely appearing as a dime, this lamp makes a distinct impression as it shines with simple, clear and minimalist shapes. The design is so simple and unobtrusive that it contradicts the experimental trend."



reddot design award winner 2012



BALANZA
4324031LI
1x 105W, class II
H 304mm L 310mm W 341mm
D ⓘ



BALANZA
4324093LI
1x 105W, class II
H 304mm L 310mm W 341mm
D ⓘ



BALANZA
4224031LI
1x 105W, class II
H 1759mm L 500mm W 517mm
D ⓘ



BALANZA
4224093LI
1x 105W, class II
H 1759mm L 500mm W 517mm
D ⓘ



POSADA
3736230LI
1x 70W, class I
H 455mm L 313mm W 451mm



POSADA
3736330LI
2x 70W, class I
H 1838mm L 500mm W 911mm



POSADA
3736430LI
2x 70W, class I
H 611mm L 400mm W 447mm



POSADA
3736231LI
1x 70W, class I
H 455mm L 313mm W 451mm



POSADA
3736331LI
2x 70W, class I
H 1838mm L 500mm W 911mm



POSADA
3736431LI
2x 70W, class I
H 611mm L 400mm W 447mm





Lost and found again

Dressed up in its own trendy colors - white and soft blue abyss - this small and compact table lamp is your trustworthy companion to bring a light accent on your bedside table, in your living room or in your hallway.

Emitting a diffuse glow without using a light bulb, La Lente lights up only by touching the back-side.



LA LENTE
4330031LI
2x 2,5W, class II
H 235mm L 175mm W 180mm



LA LENTE
4330035LI
2x 2,5W, class II
H 235mm L 175mm W 180mm




LUCEBAR
4223048LI
2x 55W, class I
H 1796mm L 289mm W 289mm



LUCEBAR
4223031LI
2x 55W, class I
H 1796mm L 289mm W 289mm





What is it about light that we can't grasp?

Light is all around us, yet we can't put our finger on it. ECLIPTIC is just as mystifying as light. It's a body with a glowing cavity, mass and void, all in one. It looks like it's from outer space. ECLIPTIC appeals and amazes. It is a mysterious interpretation of light.



ECLIPTIC
4075531LI
16x 2,5W, class II
H 3000mm L 650mm W 650mm
A+ ©



ECLIPTIC
4075593LI
16x 2,5W, class II
H 3000mm L 650mm W 650mm
A+ ©



ECLIPTIC
4075631LI
12x 2,5W, class II
H 3000mm L 475mm W 475mm
A+ ©



ECLIPTIC
4075693LI
12x 2,5W, class II
H 3000mm L 475mm W 475mm
A+ ©



When technology becomes design.

Technology sets Trelome apart. This pendant matches the unique LED-antiglare disk in a smooth and gracious design. Trelome means "three hills" in Italian. These three domes on top of the Trelome accentuate its soft form and offer you a functional lighting solution. Dress up your table in light, with this 2012 IF Award winner.




TRELOME
3709531LI
3x 13W, class I
H 3000mm L 1000mm W 225mm



TRELOME
3709548LI
3x 13W, class I
H 3000mm L 1000mm W 225mm





TRELOME
3709731LI
2x 6,5W, class I
H 50mm L 250mm W 100mm




TRELOME
3709748LI
2x 6,5W, class I
H 50mm L 250mm W 100mm



MONETE
4076331LI
2x 6W, class I
H 67mm L 400mm W 162mm



MONETE
4076431LI
3x 6W, class I
H 67mm L 546mm W 162mm



MONETE
4076531LI
4x 6W, class I
H 67mm L 546mm W 162mm






WHAT CAN YOU DO WITH A STRAIGHT LINE?

One line, many possibilities: in the '70s cartoon La Linea, Osvaldo Cavandoli made a little man come alive from one line of his pen. Nick-Knack, the new floor lamp inspired by the same idea: starting from a straight line, Nick-Knack can be twisted into 16 different positions. Available in 5 vivid colors, this playful floor lamp brings direct and indirect lighting - to read a book or to create a nice atmosphere in your home.

Combining smart design with LED, Nick-Knack is the first line of a great story.



NICK-KNACK
4225131LI
2x 6,5W, class II
H 1664mm L 325mm W 325mm



NICK-KNACK
4225134LI
2x 6,5W, class II
H 1664mm L 325mm W 325mm



NICK-KNACK
4225130LI
2x 6,5W, class II
H 1664mm L 325mm W 325mm



NICK-KNACK
4225132LI
2x 6,5W, class II
H 1664mm L 325mm W 325mm



NICK-KNACK
4225135LI
2x 6,5W, class II
H 1664mm L 325mm W 325mm






Where is light coming from?

Cielo keeps a secret inside and makes the impossible possible: to emit light without a bulb. Bathing in eternal light, the shade lights up from the inside. See through Cielo – it is pure magic.

The combination of a classic shape and integrated LEDs, makes Cielo the essence of sophisticated lighting. A true Lirio by Philips classic 2012 iF and Red Dot Design award winner.



reddot design award winner 2012



CIELO
4055001LI
24x 2W, class II
H 3210mm L 593mm W 593mm



CIELO
4055030LI
24x 2W, class II
H 3210mm L 593mm W 593mm



CIELO
4055031LI
24x 2W, class II
H 3210mm L 593mm W 593mm





Envelop the essence of light

A love letter to the imagination. A single folded sheet of paper. So slender it slips into an envelope, So slight it appears to float on the air. Think of Piega Luce as a love letter to the imagination.

Piega Luce is a luminaire unlike any you have seen before. Inspired by a technology so advanced that it redefines the forms light can take, Its elegance and beauty have a purity like the essence of light itself.

Piega Luce is a folded pendant and wall-light luminaire finished in real wood. Light flows into the air from three of its edges, casting a diffuse warm white light suited for long tables or spaces.

The graceful materials and finishings are carefully selected and crafted to maintain harmony with its natural form. A fine layer of natural wood in warm American walnut or dark smoke ensures no two Piega Luce are the same.

For the purist, a minimalist variant in soft paper-white aluminum has an almost spectral beauty.



PIEGA LUCE
3700731LI
54x 0,5W, class I
H 1600mm L 1120mm W 16mm
A 



PIEGA LUCE
3700753LI
54x 0,5W, class I
H 1600mm L 1120mm W 16mm
A 



PIEGA LUCE
3700773LI
54x 0,5W, class I
H 1600mm L 1120mm W 16mm
A 



PIEGA LUCE
3700831LI
66x 0,5W, class I
H 1600mm L 1400mm W 16mm
A 



PIEGA LUCE
3700853LI
66x 0,5W, class I
H 1600mm L 1400mm W 16mm
A 



PIEGA LUCE
3700873LI
66x 0,5W, class I
H 1600mm L 1400mm W 16mm
A 



PIEGA LUCE
3700931LI
12x 0,5W, class II
H 120mm L 300mm W 48mm
A 





PIEGA LUCE
3700953LI
12x 0,5W, class II
H 120mm L 300mm W 48mm
A 



PIEGA LUCE
3700973LI
12x 0,5W, class II
H 120mm L 300mm W 48mm
A 



PORTIO
4025232LI
3x 12W, class I
H 2640mm L 610mm W 610mm





PORTIO
4025231LI
3x 12W, class I
H 2640mm L 610mm W 610mm



BUNCH
4105031LI
3x 20W, class I
H 2200mm L 650mm W 650mm



Black is the new white.
White is the new black.

Who says modern architecture cannot be complemented with warm white light? Accentuate your house with the pure black and white elegance of Dolinea. The textured black fabric adds a decorative touch and feeling to your interior. Looking for a more subtle presence, choose for the matt white.



DOLINEA
3683531LI
3x 6,5W, class I
H 3000mm L 1049mm W 87mm



DOLINEA
3683631LI
4x 6,5W, class I
H 3000mm L 1299mm W 87mm



DOLINEA
3683731LI
2x 6,5W, class I
H 418mm L 99mm W 71mm



DOLINEA
3683530LI
3x 6,5W, class I
H 3000mm L 1049mm W 87mm



DOLINEA
3683630LI
4x 6,5W, class I
H 3000mm L 1299mm W 87mm



DOLINEA
3683730LI
2x 6,5W, class I
H 418mm L 99mm W 71mm



TUBOUND
4071511LI
1x 6W, class I
H 2500mm L 170mm W 170mm

A    



TUBOUND
4071711LI
3x 6W, class I
H 2500mm L 1046mm W 120mm

A    







TUBOUND
406073116
1x 30W, class I
H 2500mm L 123mm W 123mm

B    



TUBOUND
406083116
3x 30W, class I
H 2500mm L 1090mm W 123mm

B    



Spots,
wall & ceiling



CIRCULIS
579363116
1x 13W, class I
H 50mm L 273mm W 197mm



CIRCULIS
579373116
2x 13W, class I
H 50mm L 460mm W 207mm



TORNO
5714011LI
1x 6W, class II
H 153mm L 179mm W 179mm




TORNO
5714211LI
2x 6W, class II
H 248mm L 256mm W 256mm



TORNO
5714311LI
3x 6W, class II
H 353mm L 258mm W 258mm





PONATO
5716013LI
1x 6,5W, class I
H 140mm L 210mm W 112mm



PONATO
5716213LI
2x 6,5W, class I
H 140mm L 322mm W 112mm



PONATO
5716413LI
4x 6,5W, class I
H 140mm L 622mm W 112mm




PONATO
5716031LI
1x 6,5W, class I
H 140mm L 210mm W 112mm



PONATO
5716231LI
2x 6,5W, class I
H 140mm L 322mm W 112mm



PONATO
5716431LI
4x 6,5W, class I
H 140mm L 622mm W 112mm



PALLO
5707231LI
2x 50W, class I
H 257mm L 298mm W 210mm



PALLO
5707331LI
3x 50W, class I
H 261mm L 302mm W 302mm



TUBIZ
3066531LI
1x 30W, class I
H 124mm L 122mm W 122mm



TUBIZ
3066548LI
1x 30W, class I
H 124mm L 122mm W 122mm





BLOQ
5700031LI
1x 50W, class I
H 122mm L 163mm W 163mm



BLOQ
5700231LI
2x 50W, class I
H 122mm L 313mm W 163mm



BLOQ
5700331LI
3x 50W, class I
H 122mm L 463mm W 163mm



BLOQ
5700030LI
1x 50W, class I
H 122mm L 163mm W 163mm



BLOQ
5700230LI
2x 50W, class I
H 122mm L 313mm W 163mm



BLOQ
5700330LI
3x 50W, class I
H 122mm L 463mm W 163mm



BLOQ
5700431LI
4x 50W, class I
H 122mm L 313mm W 313mm



BLOQ
5700430LI
4x 50W, class I
H 122mm L 313mm W 313mm



BONQ
579813116
1x 30W, class I
H 101mm L 141mm W 141mm
B C R E



BONQ
579823116
2x 30W, class I
H 101mm L 281mm W 141mm
B C R E



BONQ
579843116
4x 30W, class I
H 101mm L 881mm W 141mm
B C R E



BONQ
579814816
1x 30W, class I
H 101mm L 141mm W 141mm
B C R E



BONQ
579824816
2x 30W, class I
H 101mm L 281mm W 141mm
B C R E



BONQ
579844816
4x 30W, class I
H 101mm L 881mm W 141mm
B C R E



CONDO
306043116
1x 35W, class I
H 115mm L 144mm W 92mm





DOLIUM
579903116
1x 35W, class I
H 122mm L 124mm W 72mm



DOLIUM
579923116
2x 35W, class I
H 122mm L 210mm W 72mm



DOLIUM
579943116
4x 35W, class I
H 122mm L 580mm W 72mm



DOLIUM
579904816
1x 35W, class I
H 122mm L 124mm W 72mm



DOLIUM
579924816
2x 35W, class I
H 122mm L 210mm W 72mm



DOLIUM
579944816
4x 35W, class I
H 122mm L 580mm W 72mm





PLANET
5703048LI
1x 50W, class I
H 82mm L 80mm W 80mm



PLANET
5703648LI
6x 50W, class I
H 107mm L 1055mm W 82mm



PLANET
5703248LI
2x 50W, class I
H 95mm L 195mm W 80mm



PLANET
5703348LI
3x 50W, class I
H 240mm L 596mm W 132mm



PLANET
5703448LI
4x 50W, class I
H 95mm L 195mm W 195mm








PLANET
5703631LI
6x 50W, class I
H 107mm L 1055mm W 82mm









PLANET
5703031LI
1x 50W, class I
H 82mm L 80mm W 80mm









PLANET
5703231LI
2x 50W, class I
H 95mm L 195mm W 80mm












PLANET
5703331LI
3x 50W, class I
H 240mm L 596mm W 132mm



PLANET
5703431LI
4x 50W, class I
H 95mm L 195mm W 195mm



RIMA
336073116
1x 14W, class II
H 117mm L 827mm W 65mm





Index

Explanation of symbols



- On/off switch
- Two switches included
- Dimmer on article
- Touch dimmer included
- Compatible with wall dimmer
- Motion sensor
- Day and night sensor
- Integrated switch box
- Directional light
- Bi-Directional light
- Adjustable height
- Adjustable light source
- Rotates freely
- Suitable for horizontal and vertical mounting
- Suitable for wall and ceiling installation
- No wire needed
- Batteries included
- Energy class of the bulb (in this example A⁺)
- Bulb compatible with range of energy classes... (in this example A⁺-A-B-C-D-E)

- Dimensions
- Recessed size
- Cutout size
- Class I - II - III

Light sources

- G4
- G9
- GU10
- GU10
- E14
- E14
- E14
- E14
- E27
- E27
- E27
- GX53
- G53
- 2GX13
- G5
- T5
- 2G11
- 2G7
- G23
- G24Q1

Explanation of symbols



- switch
- dimmer
- touchdimmer
- adjustable height
- adjustable height
- rotates freely
- movable head
- easy installation with magnetic cover
- dimmable with wall dimmer
- suitable for wall & ceiling
- suitable for ceiling
- suitable for wall
- photometric data (available on www.lirio.eu)
- H height
- L length
- W width
- C cut-out size (recessed spots)
- R recessed distance (recessed spots)
- bulb of the energy class mentioned included
- compatible with bulbs for the range of the energy classes mentioned

40341/31/16 915000041001  8 727900 745993  23	40341/48/16 915000041101  8 727900 746006  23	40907/31/16 915005051601  8 718696 126875  23	40907/32/16 915005051901  8 718696 126905  23	40907/33/16 915005051801  8 718696 126899  23	40907/38/16 915005051701  8 718696 126882  23	40761/38/16 915003959201  8 717943 790784  39	40759/30/16 915003988801  8 718291 427964  41	40759/31/16 915003958701  8 717943 790739  41	40759/38/16 915003992501  8 718291 428862  41	40759/53/16 915003988901  8 718291 427971  41	40354/20/16 915000060202  8 718291 463436  42
37361/56/16 915004444701  8 718291 531432  24	37361/87/16 915004444601  8 718291 531425  24	40894/38/16 915004444901  8 718291 531456  24	40895/38/16 915004445501  8 718291 531517  25	40895/53/16 915004463801  8 718291 532477  25	40895/87/16 915004445401  8 718291 531500  25	40354/34/16 915000060302  8 718291 463443  42	40354/35/16 915000060402  8 718291 463450  42	40617/31/16 915002630302  8 718291 463573  43	40617/57/16 915002630402  8 718291 469100  43	40617/93/16 915002630502  8 718291 469018  43	40228/11/16 915001355202  8 718291 469131  44
40898/33/16 915004450801  8 718291 532019  25	40898/38/16 915004450901  8 718291 532026  25	40898/87/16 915004451001  8 718291 532033  25	37266/33/16 915004469401  8 718291 533931  26	37266/87/16 915004471901  8 718291 534037  26	40904/35/16 915004463701  8 718291 532460  27	41045/31/16 915003939602  8 718291 471226  44	41045/33/16 915003939702  8 718291 471028  44	41045/87/16 915003939902  8 718291 471035  44	40245/31/16 915001511902  8 718291 470960  45	40245/33/16 915001512002  8 718291 470977  45	40245/53/16 915001511903  8 718291 471141  45
40904/60/16 915004467301  8 718291 532804  27	40904/87/16 915004446001  8 718291 531562  27	40921/11/16 915004237901  8 718291 470731  29	40921/31/16 915004238001  8 718291 470748  29	53223/11/16 915004322001  8 718291 484936  29	40970/48/16 915004236401  8 718291 470564  30	42258/26/16 915004074401  8 718291 436980  46	42258/38/16 915004075901  8 718291 437581  46	42259/26/16 915004074201  8 718291 436966  47	42259/38/16 915004074301  8 718291 436973  47	36675/31/16 915001649702  8 718291 468578  48	36676/31/16 915001649802  8 718291 469919  48
40972/48/16 915004236301  8 718291 470557  30	37955/48/16 915002630602  8 718291 471196  31	43133/30/16 915001784602  8 718291 472629  31	43133/31/16 915001747602  8 718291 472636  31	43133/48/16 915001784502  8 718291 472643  31	40235/17/16 915000040401  8 727900 690279  32	36677/31/16 915001650003  8 718291 468608  48	36678/31/16 915001650102  8 718291 468622  48	36679/31/16 915001650202  8 718291 468646  48	36675/17/16 915001297402  8 718291 463382  49	36676/17/16 915001297702  8 718291 468585  49	36677/17/16 915001297508  8 718291 468592  49
40235/31/16 915000040501  8 727900 690286  32	40711/31/16 915003691501  8 717943 775781  32	40712/11/16 915003691601  8 717943 775798  32	40399/31/16 915002091901  8 717943 003624  33	40695/11/16 915003675802  8 718291 463580  33	40695/17/16 915003675902  8 718291 468868  33	36678/17/16 915001297302  8 718291 468615  49	36679/17/16 915001297102  8 718291 468639  49	36275/17/16 915000599502  8 718291 471165  50	36275/32/16 915000599602  8 718291 471172  50	36275/93/16 915000599703  8 718291 471189  50	42261/30/16 915004097801  8 718291 439752  51
40772/30/16 915003987901  8 718291 427940  33	40772/35/16 915003992301  8 718291 428848  33	40233/31/16 915000040201  8 727900 690255  35	40233/48/16 915000040301  8 727900 690262  35	40339/11/16 915000040601  8 727900 745900  37	40339/48/16 915000040701  8 727900 745917  37	42261/33/16 915004097901  8 718291 439769  51	42261/87/16 915004098001  8 718291 439776  51	37670/86/16 915002107102  8 718291 463559  52	40908/06/16 915005052101  8 718696 126929  52	40908/93/16 915005052201  8 718696 126936  52	37671/86/16 915002107202  8 718291 471004  53
40340/11/16 915000040801  8 727900 745979  37	40340/48/16 915000040901  8 727900 745986  37	40760/31/16 915003958901  8 717943 790753  39	40760/38/16 915003993101  8 718291 428923  39	40760/53/16 915003959001  8 717943 790760  39	40761/31/16 915003993201  8 718291 428930  39	37672/86/16 915002108502  8 718291 463566  53	37673/86/16 915002107302  8 718291 472568  53	30942/17/16 915004320701  8 718291 484806  56	30943/17/16 915004320801  8 718291 484813  56	31801/31/16 915004469001  8 718291 533085  56	31802/31/16 915004469101  8 718291 533092  56







31803/31/16 915004469201  8 718291 533108  56	31804/31/16 915004469301  8 718291 533115  56	33311/17/16 915004312101  8 718291 479833  57	33311/31/16 915004312001  8 718291 479826  57	32159/31/16 915004014101  8 718291 431060  58	32159/48/16 915004014201  8 718291 431077  58	77050/17/16 915001114110  8 718291 469629  71	77050/31/16 915001114503  8 718291 469636  71	33178/17/16 915001464403  8 718291 463351  73	33232/17/16 915002203905  8 718291 455684  73	34124/48/16 915001279602  8 718291 455875  73	33087/06/16 915000536004  8 718291 476382  75
31610/11/16 915003639201  8 717943 775026  59	31610/31/16 915003639401  8 717943 775040  59	45591/17/16 915004204601  8 718291 455479  59	45591/31/16 915004204701  8 718291 455486  59	30188/11/16 915000036401  8 727900 745955  60	69085/31/16 915002492301  8 717943 744770  60	33087/17/16 915000536105  8 718291 476399  75	33261/17/16 915002565102  8 718291 469599  75	30184/43/16 915001806703  8 718291 469650  76	30940/06/16 915004471501  8 718291 534013  76	30941/06/16 915004471401  8 718291 534006  76	33204/43/16 915001806602  8 718291 455844  77
69085/87/16 915002492401  8 717943 744787  60	30940/11/16 915004320301  8 718291 484769  61	30940/31/16 915004320401  8 718291 484776  61	30941/11/16 915004320501  8 718291 484783  61	30941/31/16 915004320601  8 718291 484790  61	32115/17/16 915000519902  8 718291 455882  61	33232/74/16 915002203805  8 718291 455622  77	53300/30/16 915004934901  8 718696 125175  80	53300/31/16 915004934801  8 718696 125168  80	53302/30/16 915004935101  8 718696 125199  80	53302/31/16 915004935001  8 718696 125182  80	53170/31/16 915004330801  8 718291 488132  81
32116/17/16 915000520102  8 718291 469704  61	33006/17/16 915000529705  8 718291 469728  61	30187/31/16 915000036301  8 727900 745948  62	32614/31/16 915000037301  8 727900 751413  62	32615/31/16 915000037401  8 727900 751420  62	32146/48/16 915004024701  8 718291 432067  63	53170/48/16 915004330901  8 718291 488149  81	53172/31/16 915004331001  8 718291 488156  81	53172/48/16 915004331101  8 718291 488163  81	53174/31/16 915004333801  8 718291 488439  81	53174/48/16 915004333901  8 718291 488446  81	56490/48/16 915003908301  8 718291 430414  82
34103/48/16 915004023901  8 718291 431985  63	30185/11/16 915000036101  8 727900 745924  64	30185/31/16 915000036201  8 727900 745931  65	30422/11/16 915003691301  8 717943 775767  65	30422/31/16 915003762801  8 717943 780167  65	30423/11/16 915003762901  8 717943 780174  65	56492/48/16 915003908501  8 718291 430445  82	56494/48/16 915003911101  8 718291 430483  82	56490/31/16 915003908201  8 718291 430391  83	56492/31/16 915003908401  8 718291 430438  83	56493/31/16 915003908601  8 718291 430452  83	56494/31/16 915003911001  8 718291 430476  83
30423/31/16 915003763001  8 717943 780181  65	33422/31/16 915003763201  8 717943 780204  65	30822/17/16 915001007602  8 718291 469896  66	32613/48/16 915000037201  8 727900 690019  66	34613/48/16 915000038201  8 727900 690057  66	33012/17/16 915000530404  8 718291 455899  67	53069/48/16 915004068501  8 718291 434030  84	53060/48/16 915004068001  8 718291 433989  85	53062/48/16 915004068201  8 718291 434009  85	53063/48/16 915004068301  8 718291 434016  85	53064/48/16 915004068401  8 718291 434023  85	53090/31/16 915004062501  8 718291 433408  86
33206/31/16 915001955502  8 718291 455721  67	33206/93/16 915001955602  8 718291 455738  67	33246/31/16 915002563702  8 718291 455714  67	34101/17/16 915000558102  8 718291 455769  67	34616/17/16 915000038801  8 727900 690118  67	32610/48/16 915000036501  8 727900 690002  68	53090/48/16 915004062601  8 718291 433415  86	53092/31/16 915004062901  8 718291 433446  87	53092/48/16 915004063001  8 718291 433453  87	53093/31/16 915004063101  8 718291 433460  87	53093/48/16 915004063201  8 718291 433477  87	53094/31/16 915004063301  8 718291 433484  87
33100/31/16 915003695501  8 717943 775897  68	30175/30/16 915001815403  8 718291 469667  70	30175/87/16 915001800103  8 718291 469674  70	33200/30/16 915001815303  8 718291 455868  70	33200/87/16 915001798203  8 718291 469681  70	30050/17/16 915000503609  8 718291 463320  71	53094/48/16 915004063401  8 718291 433491  87	53130/48/16 915004063901  8 718291 433545  88	53132/48/16 915004064001  8 718291 433552  88	53134/48/16 915004064101  8 718291 433569  88	56440/11/16 915004064501  8 718291 433606  88	56442/11/16 915004064801  8 718291 433637  88

56444/11/16 915004065001  8 718291 433651  88	56230/48/16 915000914802  8 718291 432111  89	56232/48/16 915000914902  8 718291 432128  89	56233/48/16 915000915002  8 718291 432135  89	56234/48/16 915000915102  8 718291 432142  89	53220/11/16 915004322101  8 718291 484943  90	53279/31/16 915004335001  8 718291 488552  101	53230/31/16 915004339201  8 718291 488644  102	53231/31/16 915004341101  8 718291 488835  102	53232/31/16 915004436501  8 718291 529521  102	53233/31/16 915004436901  8 718291 529668  102	53234/31/16 915004437101  8 718291 529682  102
53222/11/16 915004322201  8 718291 484950  90	53224/11/16 915004321401  8 718291 484875  90	53229/11/16 915004321301  8 718291 484868  90	53240/17/16 915004329101  8 718291 487968  91	53242/17/16 915004329401  8 718291 487999  91	53244/17/16 915004330001  8 718291 488057  91	67413/31/16 915004341601  8 718291 488880  102	53230/30/16 915004437501  8 718291 529729  103	53231/30/16 915004438001  8 718291 529774  103	53232/30/16 915004436801  8 718291 529651  103	53233/30/16 915004437001  8 718291 529675  103	53234/30/16 915004437201  8 718291 529699  103
53249/17/16 915004329701  8 718291 488026  91	53260/67/16 915004345201  8 718291 489184  92	53262/67/16 915004345301  8 718291 489191  92	53264/67/16 915004345401  8 718291 489207  92	53269/67/16 915004345501  8 718291 489214  92	57170/17/16 915004146701  8 718291 444923  93	67413/30/16 915004437901  8 718291 529767  103	53231/32/16 915004341401  8 718291 488866  104	53231/33/16 915004341501  8 718291 488873  104	53231/35/16 915004341301  8 718291 488859  104	53231/99/16 915004341201  8 718291 488842  104	67413/30/16 915004437901  8 718291 529767  105
57172/17/16 915004147001  8 718291 444954  93	57174/17/16 915004147601  8 718291 445012  93	57179/17/16 915004147301  8 718291 444985  93	57170/31/16 915004146801  8 718291 444930  94	57172/31/16 915004147101  8 718291 444961  94	57174/31/16 915004147701  8 718291 445029  94	67413/31/16 915004341601  8 718291 488880  105	67413/32/16 915004341901  8 718291 488910  105	67413/33/16 915004342001  8 718291 488927  105	67413/35/16 915004341801  8 718291 488903  105	67413/99/16 915004341701  8 718291 488897  105	69225/28/16 915003542701  8 717943 771134  106
57170/44/16 915004146901  8 718291 444947  95	57172/44/16 915004147201  8 718291 444978  95	57174/44/16 915004147801  8 718291 445036  95	57179/31/16 915004147401  8 718291 444992  95	57179/44/16 915004147501  8 718291 445005  95	53200/31/16 915004330601  8 718291 488118  96	69225/31/16 915003542801  8 717943 771141  106	69225/35/16 915003542901  8 717943 771158  106	69225/87/16 915003543001  8 717943 771165  106	70023/30/16 915004934701  8 718696 125151  106	70023/31/16 915004934601  8 718696 125144  106	57950/31/16 915002089801  8 717943 003501  107
53200/48/16 915004330701  8 718291 488125  96	53202/31/16 915004333701  8 718291 488422  97	53202/48/16 915004333601  8 718291 488415  97	56240/48/16 915004146001  8 718291 444855  98	56242/48/16 915004146201  8 718291 444879  98	56243/48/16 915004146401  8 718291 444893  98	57952/31/16 915002090001  8 717943 003525  107	56330/30/16 915001807702  8 718291 429647  108	56330/31/16 915001808002  8 718291 429654  108	56332/30/16 915001807802  8 718291 429661  108	56332/31/16 915001807902  8 718291 429678  108	56333/30/16 915001790202  8 718291 429685  108
56244/48/16 915004146601  8 718291 444916  98	56240/31/16 915004145901  8 718291 444848  99	56242/31/16 915004146101  8 718291 444862  99	56243/31/16 915004146301  8 718291 444886  99	56244/31/16 915004146501  8 718291 444909  99	53270/48/16 915004331401  8 718291 488194  100	56333/31/16 915001800402  8 718291 430049  108	56320/31/16 915004043101  8 718291 432876  109	56322/31/16 915004043301  8 718291 432890  109	56323/31/16 915004043401  8 718291 432906  109	56324/31/16 915004043501  8 718291 432913  109	56484/43/16 915003909401  8 718291 430384  110
53272/48/16 915004334901  8 718291 488545  100	53274/48/16 915004335201  8 718291 488576  100	53279/48/16 915004335101  8 718291 488569  100	53270/31/16 915004331301  8 718291 488187  101	53272/31/16 915004334801  8 718291 488538  101	53274/31/16 915004335301  8 718291 488583  101	56480/31/16 915003814801  8 718291 430292  111	56480/43/16 915003909101  8 718291 430315  111	56482/31/16 915003814901  8 718291 430339  111	56482/43/16 915003909201  8 718291 430346  111	56483/31/16 915003815001  8 718291 430353  111	56483/43/16 915003909301  8 718291 430360  111


56484/31/16 91500381501  8 718291 430377 111	53240/06/16 915004329301  8 718291 487982 112	53242/06/16 915004329601  8 718291 488019 112	53249/06/16 915004329901  8 718291 488040 112	53244/06/16 915004330201  8 718291 488071 113	53250/26/16 915004330301  8 718291 488088 113	67421/87/16 915004350701  8 718291 489658 132	67426/31/16 915004351401  8 718291 489726 132	67426/87/16 915004351501  8 718291 489733 132	67422/87/16 915004350801  8 718291 489665 133	67423/30/16 915004350901  8 718291 489672 133	67423/31/16 915004351001  8 718291 489689 133
53250/29/16 915004330401  8 718291 488095 113	44503/35/16 915003783002  8 718291 489153 119	44504/19/16 915003939002  8 718291 489160 119	44505/33/16 915003939102  8 718291 489177 119	41070/35/16 915004202201  8 718291 455189 120	45630/35/16 915004202001  8 718291 455165 120	67424/30/16 915004351101  8 718291 489696 133	67424/31/16 915004351201  8 718291 489702 133	34024/11/16 915004570001  8 718696 122761 139	34046/11/16 915004203201  8 718291 455332 139	34047/11/16 915004204001  8 718291 455417 139	34049/11/16 915004203101  8 718291 455325 139
45631/19/16 915004201901  8 718291 455158 120	30841/31/16 915004201801  8 718291 455141 121	41069/48/16 915004202401  8 718291 455202 121	41072/35/16 915004201701  8 718291 455134 121	41074/34/16 915004202301  8 718291 455196 121	44510/35/16 915004215401  8 718291 456544 122	34050/11/16 915004204301  8 718291 455448 139	32015/11/16 915000517804  8 718291 475866 140	34020/11/16 915000553504  8 718291 475873 140	34021/11/16 915000553705  8 718291 475880 140	34022/11/16 915000553903  8 718291 475897 140	34081/11/16 915001285203  8 718291 474425 141
44511/19/16 915004215301  8 718291 456537 122	44512/33/16 915004215501  8 718291 456551 122	30110/55/16 915000508006  8 718291 468554 123	30112/55/16 915001292003  8 718291 468561 123	30268/55/16 915004246501  8 718291 471134 123	40092/34/16 915000133202  8 718291 468387 123	34082/11/16 915001285303  8 718291 474432 141	34083/11/16 915001285403  8 718291 474449 141	34131/11/16 915002288105  8 718291 462460 141	34312/11/16 915002292803  8 718291 462477 141	34053/11/16 915004202801  8 718291 455295 142	34054/11/16 915004202901  8 718291 455301 142
40153/55/16 915000707403  8 718291 468257 123	30500/31/16 915003964502  8 718291 468479 124	40204/55/16 915001344602  8 718291 468400 124	45502/55/16 915000134602  8 718291 468448 124	40590/55/16 915002448702  8 718291 468318 125	40591/55/16 915002449602  8 718291 468325 125	34055/11/16 915004203001  8 718291 455318 142	34086/11/16 915001285804  8 718291 474272 143	34110/11/16 915002564702  8 718291 462453 143	34143/11/16 915003961802  8 718291 474302 143	34144/11/16 915003961902  8 718291 474319 143	34144/31/16 915003858402  8 718291 474326 143
40594/55/16 915002449702  8 718291 468462 125	56310/55/16 915004223901  8 718291 468431 126	56313/55/16 915001449402  8 718291 468950 126	56314/55/16 915001449502  8 718291 468394 126	40093/55/16 915000133303  8 718291 468455 127	40229/55/16 915001507902  8 718291 468363 127	34145/11/16 915003858502  8 718291 474333 143	34058/11/16 915004203301  8 718291 455349 144	34059/11/16 915004204101  8 718291 455424 144	34084/11/16 915001285605  8 718291 474265 144	34093/11/16 915001794802  8 718291 475910 144	34094/11/16 915001794902  8 718291 475927 144
40281/34/16 915001641402  8 718291 468288 127	41017/32/16 915003982102  8 718291 468349 127	43274/32/16 915004301801  8 718291 476412 127	40096/28/16 915000700003  8 718291 468264 128	40096/34/16 915000700102  8 718291 468271 128	40427/34/16 915002110405  8 718291 468233 128	32065/31/16 915004203701  8 718291 455387 145	32053/31/16 915004203501  8 718291 455363 146	32063/31/16 915004203601  8 718291 455370 146	34018/31/16 915004204201  8 718291 455431 146	32005/31/16 915000517004  8 718291 475804 147	32017/31/16 915002575702  8 718291 475422 147
40178/55/16 915000133802  8 718291 468370 129	40279/55/16 915001640902  8 718291 468424 129	40426/35/16 915002110102  8 718291 468240 129	41594/28/16 915001907702  8 718291 468547 129	67420/30/16 915004350501  8 718291 489634 132	67420/31/16 915004350601  8 718291 489641 132	32020/67/16 915000056603  8 718291 455608 147	32054/11/16 915004203401  8 718291 455356 147	32066/31/16 915000518904  8 718291 475828 147	32067/31/16 915000519003  8 718291 475835 147	32070/17/16 915001830303  8 718291 474371 147	32081/31/16 915002288504  8 718291 474388 147

32010/17/16 915000173105  8 718291 475088	32009/11/16 915000517403  8 718291 456001	32009/17/16 915000517505  8 718291 474258	32010/11/16 915000173004  8 718291 475071	59902/31/16 915000944902  8 718291 462507	59902/11/16 915000944702  8 718291 462484	69133/60/PH 92560001301  8 711500 800428	16253/87/16 915004122701  8 718291 442226	16253/93/16 915004122801  8 718291 442233	16254/87/16 915004122901  8 718291 442240	16254/93/16 915004123001  8 718291 442257	16320/93/16 915002532102  8 718291 444190	148	149	149	149	150	151	187	192	192	192	192	193
59905/11/16 915000945004  8 718291 470625	59905/17/16 915000945104  8 718291 470632	59910/11/16 915000945302  8 718291 470700	59910/17/16 915000945403  8 718291 470717	59925/17/16 915003920802  8 718291 474357	57996/31/16 915002627401  8 717943 749751	16321/93/16 915002532202  8 718291 444213	16820/93/16 915002631001  8 717943 749867	17254/47/16 915004125601  8 718291 442448	17254/93/16 915004126201  8 718291 442509	17247/06/16 915004135301  8 718291 443070	17247/47/16 915004111801  8 718291 441588	151	151	151	151	151	164	193	194	194	194	195	195
57965/31/16 915002188701  8 717943 002863	57993/31/16 915002619501  8 717943 749379	57993/48/16 915002619601  8 717943 749386	57971/31/16 915002183901  8 717943 002450	57971/48/16 915002184001  8 717943 002467	59190/17/16 915004935601  8 718696 125243	17247/93/16 915004112501  8 718291 441656	16353/93/16 915003761501  5 413987 120275	16354/93/16 915003761601  5 413987 120282	16902/47/16 915002190101  8 717943 003150	16903/47/16 915002189301  8 717943 002993	17185/47/16 915002148002  8 718291 445098	165	165	165	167	167	167	195	196	196	197	197	197
59193/17/16 915004935701  8 718696 125250	59030/11/16 915004147901  8 718291 445043	59030/31/16 915004148101  8 718291 445067	59031/11/16 915004344501  8 718291 489092	59031/31/16 915004344701  8 718291 489115	59080/11/16 915004148501  8 718291 445159	17183/87/16 915002148302  8 718291 444367	17183/93/16 915002148402  8 718291 444374	17184/87/16 915002148102  8 718291 444343	17184/93/16 915002147302  8 718291 444350	16245/87/16 915002145705  8 718291 444473	16245/93/16 915002145802  8 718291 444480	167	168	168	168	168	168	198	198	198	198	199	199
59080/31/16 915004148701  8 718291 445173	59711/17/16 915004135701  8 718291 443087	59711/31/16 915004135801  8 718291 443094	59712/17/16 915004135901  8 718291 443100	59712/31/16 915004136001  8 718291 443117	59100/31/16 915004339001  8 718291 488620	16937/93/16 915003816101  8 717943 782567	16411/47/16 915004126301  8 718291 442516	16412/47/16 915004125801  8 718291 442462	16413/47/16 915004125901  8 718291 442479	16414/47/16 915004140901  8 718291 443445	17130/87/16 915001449303  8 718291 444572	168	169	169	169	169	170	199	200	200	200	200	201
59100/11/16 915004437701  8 718291 529743	59100/17/16 915004437801  8 718291 529750	59100/87/16 915004339101  8 718291 488637	59300/17/16 915004039001  8 718291 432463	59463/17/16 915004039401  8 718291 432500	59515/60/16 915001452802  8 718291 431169	17130/93/16 915001465802  8 718291 444589	17278/47/16 915004356601  8 718291 490111	17279/47/16 915004356501  8 718291 490104	17283/47/16 915004309601  8 718291 479550	17102/47/16 915000131102  8 718291 444107	17102/86/16 915000131202  8 718291 444138	171	171	171	173	173	173	201	201	201	201	202	202
59515/67/16 915001452902  8 718291 431176	70999/60/PH 915004099001  8 718291 439820	70999/30/PH 915004098901  8 718291 439813	70998/30/PH 915004099301  8 718291 439851	70998/60/PH 915004099401  8 718291 439868	70997/60/PH 915004099801  8 718291 439905	17166/47/16 915001906902  8 718291 443384	17226/31/16 915003816801  5 413987 123146	17226/47/16 915003816901  5 413987 123153	17226/93/16 915003817001  5 413987 123160	16270/86/16 915002301502  8 718291 443742	16271/86/16 915002301602  8 718291 443759	173	178	179	180	181	182	202	203	203	203	205	205
70997/30/PH 915004099701  8 718291 439899	70018/30/PH 915004070601  8 718291 435020	70018/31/PH 915004070701  8 718291 435037	70019/30/PH 915004201301  8 718291 455103	70019/31/PH 915004201201  8 718291 455097	69108/60/PH 925600000114  8 711500 799005	17210/42/16 915002531002  8 718291 444145	17211/86/16 915002531202  8 718291 444169	15470/30/16 915004565701  8 718696 122433	15471/30/16 915004565901  8 718696 122457	15479/30/16 915004565501  8 718696 122419	15472/30/16 915004566101  8 718696 122471	183	184	184	185	185	187	205	205	206	206	206	207

15473/30/16 915004566201  8 718696 122488	15475/30/16 915004566901  8 718696 122556	15476/30/16 915004566801  8 718696 122549	15475/31/16 915004576301  8 718696 123058	15476/31/16 915004576501  8 718696 123072	15470/31/16 915004565801  8 718696 122440
 207	 207	 207	 208	 208	 209

17515/87/16 915001682702  8 718291 444596	38051/11/10 915002786001  5 413987 100581	38052/11/10 915002786201  5 413987 100604	38053/11/10 915002787101  5 413987 100673	36230/17/10 915000593301  5 412253 822097	36231/17/10 915000593401  5 412253 822110
 225	 235	 235	 235	 236	 236











15471/31/16 915004566001  8 718696 122464	15472/31/16 915004576401  8 718696 123065	15473/31/16 915004576601  8 718696 123089	15479/31/16 915004565601  8 718696 122426	15380/30/16 915002789502  8 718291 443469	15381/30/16 915002789902  8 718291 443483
 209	 209	 209	 209	 210	 210

40194/17/10 915001311201  5 412253 944171	36235/17/10 915000594001  5 412253 822462	40842/17/10 915004227901  5 413987 147173	38280/30/10 915004226501  5 413987 147036	38280/31/10 915004226601  5 413987 147043	38281/31/10 915004229601  5 413987 147340
 236	 237	 237	 238	 238	 238

15382/30/16 915002790502  8 718291 443544	15383/30/16 915002790702  8 718291 443940	15385/30/16 915002790902  8 718291 443582	15386/30/16 915002790102  8 718291 443506	15387/30/16 915002790302  8 718291 443520	15388/30/16 915002791102  8 718291 443605
 210	 211	 211	 211	 211	 211

41766/30/10 915001346801  5 412253 960119	41814/31/10 915001312601  5 412253 944331	41766/31/10 915001428301  5 412253 960126	41633/11/10 915001881801  5 413987 020230	41816/60/10 915001314601  5 412253 944591	36975/30/10 915001734901  5 413987 004094
 239	 239	 239	 240	 241	 242








15380/31/16 915002789602  8 718291 443476	15381/31/16 915002790002  8 718291 443490	15382/31/16 915002790602  8 718291 443551	15383/31/16 915002790802  8 718291 443575	15385/31/16 915002791002  8 718291 443599	15386/31/16 915002790202  8 718291 443513
 212	 212	 212	 212	 212	 213

36976/30/10 915001740901  5 413987 004117	37315/11/10 915001864901  5 413987 019913	37317/11/10 915001865001  5 413987 020322	40271/43/10 915001709701  5 413987 000188	41047/48/10 915003943201  5 413987 134098	41788/18/10 915001432901  5 412253 955504
 242	 243	 243	 243	 244	 244

15387/31/16 915002790402  8 718291 443537	15388/31/16 915002791202  8 718291 443612	15211/42/16 915001318702  8 718291 443704	15213/42/16 915001330102  8 718291 443728	15215/42/16 915001330202  8 718291 443735	15216/42/16 915001330002  8 718291 443711
 213	 213	 214	 214	 214	 214

41788/43/10 915001433001  5 412253 954729	40097/06/10 915000700401  5 412253 853817	40097/17/10 915000700801  5 412253 853831	36995/17/10 915001827401  5 413987 009280	36995/43/10 915001812501  5 413987 009297	36996/17/10 915001827501  5 413987 009266
 244	 245	 245	 246	 246	 246



15401/86/16 915002737202  8 718291 443636	15402/86/16 915002737502  8 718291 443650	15403/86/16 915002737602  8 718291 443667	15406/86/16 915002737402  8 718291 443643	17207/87/16 915002730002  8 718291 443766	17207/93/16 915002730102  8 718291 443773
 215	 215	 215	 215	 216	 216

















































36996/43/10 915001812401  5 413987 009273	36500/06/10 915000621901  5 412253 885467	36500/17/10 915000622001  5 412253 885481	36502/06/10 915000622301  5 412253 885498	36504/06/10 915000622801  5 412253 885528	36376/43/10 915000611301  5 412253 853725
 246	 247	 247	 247	 247	 248

17258/42/16 915004126001  8 718291 442486	17258/45/16 915004144201  8 718291 444749	17259/06/16 915004144301  8 718291 444756	17259/42/16 915004126101  8 718291 442493	17249/06/16 915004135101  8 718291 443056	17249/42/16 915004135201  8 718291 443063
 216	 216	 216	 216	 217	 217




















36377/43/10 915000611601  5 412253 853640	36379/43/10 915000612001  5 412253 853671	39010/29/10 915000654601  5 412253 880967	40859/18/10 915004248201  5 413987 147784	40859/87/10 915004226701  5 413987 147050	40860/14/10 915004226301  5 413987 147012
 248	 248	 248	 249	 249	 249


15388/30/16 915002791102  8 718291 443605	15388/31/16 915002791202  8 718291 443612	16411/47/16 915004126301  8 718291 442516	17074/47/16 915002078302  8 718291 453185	17108/47/16 915004203801  8 718291 455394	17265/47/16 915004138901  8 718291 443216
 221	 221	 221	 224	 224	 224

40860/31/10 915004226401  5 413987 147029	37411/43/10 915001914801  5 413987 030628	37665/86/10 915001980301  5 413987 051920	37666/86/10 915001981001  5 413987 051944	41757/43/10 915001347601  5 412253 960225	41783/86/10 915001434101  5 412253 954835
 249	 250	 250	 250	 251	 251

36412/06/10 915000615301  5 4 12253 854081	36412/17/10 915000615401  5 4 12253 854067	42003/43/10 915000728001  5 4 12253 783749	79097/22/06 915001129701  5 4 12253 749837	79097/22/17 915001130201  5 4 12253 686330	30010/67/10 915000499801  5 4 12253 803935	55815/43/10 915003930801  5 4 13987 133428	52130/43/10 915001954301  5 4 13987 037740	52132/43/10 915001946201  5 4 13987 037672	52134/43/10 915001954401  5 4 13987 037771	55955/86/10 915001865501  5 4 13987 019340	55957/86/10 915001865601  5 4 13987 019357
 252	 252	 253	 253	 253	 256	 277	 278	 278	 278	 279	 279
30012/17/10 915000500301  5 4 12253 803928	30081/17/10 915000506801  5 4 12253 890782	70670/01/11 915000193901  5 4 12253 662433	30023/31/10 915000502301  5 4 12253 804819	33132/17/10 915000538601  5 4 12253 890744	30495/86/10 915003862901  5 4 13987 126734	55959/86/10 915001865801  5 4 13987 019364	59803/17/10 915000190404  5 4 13987 140501	59813/17/10 915000190005  5 4 13987 140532	59323/06/10 915000189901  5 4 12253 842248	59323/11/10 915000935001  5 4 12253 842255	59323/17/10 915000190001  5 4 12253 842279
 256	 257	 257	 258	 258	 259	 279	 282	 282	 283	 283	 283
33286/86/10 915003862301  5 4 13987 126673	30200/86/10 915001999501  5 4 13987 038235	70368/01/53 915000193201  5 4 12253 415299	81531/01/70 915001164401  5 4 12253 387237	70708/02/06 915001006201  5 4 12253 641841	30279/67/10 915002620801  5 4 13987 093579	59323/31/10 915000190101  5 4 12253 842286	59330/17/10 915000190201  5 4 12253 842217	59330/31/10 915000935901  5 4 12253 842224	59333/01/10 915000936201  5 4 12253 842095	59333/06/10 915000190301  5 4 12253 842118	59333/11/10 915000936301  5 4 12253 842125
 259	 261	 261	 261	 262	 263	 283	 284	 284	 285	 285	 285
30280/67/10 915002620901  5 4 13987 093586	31914/31/10 915001897901  5 4 13987 017582	30193/14/10 915001956601  5 4 13987 037894	31991/62/10 915000515601  5 4 12253 872795	31992/62/10 915000515801  5 4 12253 872825	70748/01/47 915001011101  5 4 12253 769026	59333/17/10 915000190401  5 4 12253 842149	59333/31/10 915000190501  5 4 12253 842156	72810/23/17 915000203801  5 4 12253 660088	72812/23/17 915000204201  5 4 12253 660231	59799/17/10 915000943901  5 4 12253 898344	16183/87/10 915001292701  5 4 12253 961673
 263	 263	 264	 265	 265	 265	 285	 285	 286	 286	 287	 292
33065/06/10 915000534101  5 4 12253 849629	33065/17/10 915000534401  5 4 12253 849612	33080/48/10 915002181001  5 4 13987 060656	33081/48/10 915002181201  5 4 13987 060670	33084/06/10 915000535701  5 4 12253 850656	33084/17/10 915000535801  5 4 12253 850663	16184/87/10 915001293201  5 4 12253 961680	16185/87/10 915001330601  5 4 12253 961697	17014/47/10 915000129801  5 4 12253 800934	17035/47/10 915000480101  5 4 12253 826712	1726/01/47 915000126401  5 4 12253 684480	1726/01/93 915000126601  5 4 12253 665991
 266	 266	 267	 267	 267	 267	 292	 292	 293	 293	 293	 293
55820/17/10 915003910301  5 4 13987 127533	55822/17/10 915003910401  5 4 13987 127540	55829/17/10 915003910501  5 4 13987 127557	55824/17/10 915003910601  5 4 13987 127564	55825/17/10 915003910701  5 4 13987 127571	55810/11/10 915003929901  5 4 13987 133336	1826/01/47 915000128001  5 4 12253 766308	16333/47/10 915003767001  5 4 13987 120626	16334/47/10 915003767201  5 4 13987 120640	16336/47/10 915003763901  5 4 13987 120466	17008/47/10 915000129501  5 4 12253 801344	17023/47/10 915000164301  5 4 12253 825548
 270	 270	 270	 271	 271	 272	 293	 294	 294	 294	 295	 295
55812/11/10 915003980901  5 4 13987 137969	55819/11/10 915003930101  5 4 13987 133350	55814/11/10 915003930301  5 4 13987 133374	55815/11/10 915003930701  5 4 13987 133411	52030/17/10 915000804301  5 4 12253 800026	52031/17/10 915000804601  5 4 12253 800057	17024/47/10 915000164401  5 4 12253 825555	16190/47/10 915001540301  5 4 12253 984160	16191/47/10 915001521501  5 4 12253 984139	16192/47/10 915001521601  5 4 12253 984146	1907/01/47 915000143001  5 4 12253 814962	1908/01/47 915000143101  5 4 12253 814986
 272	 272	 273	 273	 275	 275	 295	 296	 296	 297	 298	 298
52033/17/10 915000805201  5 4 12253 818236	52038/17/10 915000805701  5 4 12253 800132	55810/43/10 915003930001  5 4 13987 133343	55812/43/10 915003981001  5 4 13987 137976	55819/43/10 915003930201  5 4 13987 133367	55814/43/10 915003930401  5 4 13987 133381	1909/01/47 915000143201  5 4 12253 814993	1910/01/47 915000270401  5 4 12253 815006	16120/47/10 915000056401  5 4 12253 880097	16121/47/10 915000463801  5 4 12253 880080	1911/01/47 915000270501  5 4 12253 900825	1912/01/47 915001633601  5 4 12253 984214
 275	 275	 276	 276	 276	 277	 298	 298	 299	 299	 299	 299

16157/47/10 915000467605  5 4 13987 144639  300	17263/47/10 915004127301  5 4 13987 144004  300	17116/47/10 915001436802  5 4 13987 144615  301	17261/47/10 915004127401  5 4 13987 144011  301	16076/47/10 915000163501  5 4 12253 846963  302	16077/47/10 915000163601  5 4 12253 846987  302	71526/01/42 915000202001  5 4 12253 773559  315	71522/01/31 915000200901  5 4 12253 348870  316	71522/01/30 915000200801  5 4 12253 348863  316	71522/01/42 915001041001  5 4 12253 813712  316	71524/01/30 915000201001  5 4 12253 678717  316	71524/01/31 915000201101  5 4 12253 678724  316
71528/01/47 915000202501  5 4 12253 749769  302	1304/01/30 915000252601  5 4 12253 556305  303	1304/01/31 915000252701  5 4 12253 556404  303	17234/30/10 915003767901  5 4 13987 120718  303	17234/87/10 915003768001  5 4 13987 120725  303	15422/42/10 915003764601  5 4 13987 120534  304	71521/01/30 915000200601  5 4 12253 776185  317	71521/01/31 915000200701  5 4 12253 776192  317	71521/01/42 915001040601  5 4 12253 786061  317	71527/03/30 915000202301  5 4 12253 776147  317	71527/03/31 915000202401  5 4 12253 776154  317	71527/03/42 915001043901  5 4 12253 786085  317
15423/42/10 915003764701  5 4 13987 120541  304	15425/42/10 915003764801  5 4 13987 120558  304	15426/42/10 915003764901  5 4 13987 120565  304	15420/42/10 915003764301  5 4 13987 120503  305	15421/42/10 915003764501  5 4 13987 120527  305	15428/42/10 915003764401  5 4 13987 120510  305	15030/31/10 915000160701  5 4 12253 806882  318	15030/45/10 915000160801  5 4 12253 806899  318	15038/31/10 915000161901  5 4 12253 806851  318	15038/45/10 915000162001  5 4 12253 806868  318	15031/31/10 915000160901  5 4 12253 806714  319	15031/45/10 915000161001  5 4 12253 806721  319
15429/42/10 915003765001  5 4 13987 120572  305	15191/86/10 915001318501  5 4 12253 945062  306	15192/86/10 915001318801  5 4 12253 945086  306	15196/86/10 915001319401  5 4 12253 945154  306	15258/42/10 915001695101  5 4 13987 001925  307	17156/42/10 915001683001  5 4 13987 002458  307	15035/31/10 915000161501  5 4 12253 806820  319	15035/45/10 915000161601  5 4 12253 806837  319	1643/81/30 915000125301  5 4 12253 572770  320	17000/47/10 915000129401  5 4 12253 777168  320	1816/01/42 915000127701  5 4 12253 741886  320	16007/65/10 915000451301  5 4 12253 790532  321
15173/42/10 915000447401  5 4 12253 923442  308	15170/42/10 915000056201  5 4 12253 923398  309	15171/42/10 915000447201  5 4 12253 923428  309	15172/42/10 915000447301  5 4 12253 923435  309	15175/42/10 915000447501  5 4 12253 923466  309	15176/42/10 915000447601  5 4 12253 923459  309	16008/65/10 915000451701  5 4 12253 790570  321	71825/01/31 915000203001  5 4 12253 555742  321	71825/01/65 915000203301  5 4 12253 555766  321	1300/01/30 915000252101  5 4 12253 511465  322	1300/01/31 915000451301  5 4 12253 790532  322	1302/01/30 915000121501  5 4 12253 068730  322
15221/86/10 915001373001  5 4 12253 972693  310	15440/86/10 915004134601  5 4 13987 144233  310	16188/42/10 915001322801  5 4 12253 963080  310	17236/54/10 915003764101  5 4 13987 120480  311	17237/54/10 915003767401  5 4 13987 120664  311	17237/86/10 915003767301  5 4 13987 120657  311	1302/01/31 915000121601  5 4 12253 271666  322	71416/01/30 915001037001  5 4 12253 502395  323	17090/31/10 915000486101  5 4 12253 882022  323	17090/87/10 915000486201  5 4 12253 882039  323	71416/01/31 915001037101  5 4 12253 502418  323	17112/30/10 915001403402  5 4 13987 144608  324
71422/01/30 915000198201  5 4 12253 578802  312	71425/01/30 915000198701  5 4 12253 614869  312	71426/01/30 915000199201  5 4 12253 614876  312	71427/01/30 915000199501  5 4 12253 616436  312	71421/01/30 915000198001  5 4 12253 567929  313	71424/01/30 915000198401  5 4 12253 661733  313	17020/47/10 915000164201  5 4 12253 791478  325	17523/30/10 915004398201  5 4 13987 150395  326	17521/30/10 915004397801  5 4 13987 150357  326	17521/31/10 915004397901  5 4 13987 150364  326	17523/31/10 915004398301  5 4 13987 150401  326	87098/12/30 915001211801  5 4 12253 529927  327
71427/03/30 915000199701  5 4 12253 776116  313	71525/01/30 915000201301  5 4 12253 678656  314	71525/01/31 915000201401  5 4 12253 678663  314	71525/01/42 915000201501  5 4 12253 773535  314	71526/01/30 915000201801  5 4 12253 678670  315	71526/01/31 915000201901  5 4 12253 678687  315	87098/12/31 915001211901  5 4 12253 529934  327	87098/12/87 915001212001  5 4 12253 782902  327	4326030LI 915003930501  5 4 13987 133398  337	4225030LI 915003927801  5 4 13987 133275  337	4225048LI 915003927901  5 4 13987 133282  337	4326048LI 915003930601  5 4 13987 133404  337

4224031LI 915002315901  5 4 13987 071409  339	4224093LI 915002512901  5 4 13987 085888  339	4324031LI 915002316101  5 4 13987 071423  339	4324093LI 915002513001  5 4 13987 085895  339	3736230LI 915001919401  5 4 13987 032622  341	3736231LI 915001919501  5 4 13987 032639  341	3683631LI 915002826401  5 4 13987 101298  359	3683730LI 915002826501  5 4 13987 101304  359	3683731LI 915002826601  5 4 13987 101311  359	406073116 915002380701  8 7 17943 035229  361	406083116 915002381701  8 7 17943 035328  361	4071511LI 915002792101  5 4 13987 101038  361
3736330LI 915001869701  5 4 13987 027635  341	3736331LI 915001837301  5 4 13987 027642  341	3736430LI 915001838001  5 4 13987 027659  341	3736431LI 915001869801  5 4 13987 027666  341	4330031LI 915004284801  5 4 13987 148873  342	4330035LI 915004284901  5 4 13987 148880  342	4071711LI 915002792201  5 4 13987 101045  361	579363116 915002575501  8 7 17943 748587  364	579373116 915002575401  8 7 17943 748570  364	5714011LI 915002414601  5 4 13987 077920  365	5714211LI 915002414801  5 4 13987 077944  365	5714311LI 915002414001  5 4 13987 077869  365
4223031LI 915002317101  5 4 13987 071522  343	4223048LI 915002389201  5 4 13987 075926  343	4075531LI 915003927201  5 4 13987 133213  345	4075593LI 915003927301  5 4 13987 133220  345	4075631LI 915003927401  5 4 13987 133237  345	4075693LI 915003927501  5 4 13987 133244  345	5716013LI 915002784701  5 4 13987 100451  367	5716031LI 915002784801  5 4 13987 100468  367	5716213LI 915002784901  5 4 13987 100475  367	5716231LI 915002785001  5 4 13987 100482  367	5716413LI 915002785101  5 4 13987 100499  367	5716431LI 915002785201  5 4 13987 100505  367
3709531LI 915003002001  5 4 13987 103216  347	3709548LI 915003002101  5 4 13987 103223  347	3709731LI 915002791401  5 4 13987 100963  348	3709748LI 915002827301  5 4 13987 101342  348	4076331LI 915003957701  8 7 17943 790630  349	4076431LI 915003957901  8 7 17943 790654  349	5707231LI 915001832901  5 4 13987 025723  368	5707331LI 915001915301  5 4 13987 026027  368	3066531LI 915003991501  8 7 18291 428763  369	3066548LI 915003991601  8 7 18291 428770  369	5700430LI 915001842401  5 4 13987 004476  370	5700431LI 915001384501  5 4 12253 950578  370
4076531LI 915003958101  8 7 17943 790678  349	4225130LI 915003928001  5 4 13987 133299  351	4225131LI 915003928101  5 4 13987 133305  351	4225132LI 915003960301  5 4 13987 135033  351	4225134LI 915003928201  5 4 13987 133312  351	4225135LI 915003928301  5 4 13987 133329  351	5700030LI 915001842101  5 4 13987 004445  371	5700031LI 915001384201  5 4 12253 950547  371	5700230LI 915001842201  5 4 13987 004452  371	5700231LI 915001384301  5 4 12253 950554  371	5700330LI 915001842301  5 4 13987 004469  371	5700331LI 915001384401  5 4 12253 950561  371
4055001LI 915002364201  5 4 13987 074790  353	4055030LI 915002364301  5 4 13987 074806  353	4055031LI 915002364401  5 4 13987 074813  353	3700731LI 915004322501  5 4 13987 149825  355	3700753LI 915004322601  5 4 13987 149832  355	3700773LI 915004322701  5 4 13987 149849  355	579813116 915002381101  8 7 17943 035267  373	579814816 915002381201  8 7 17943 035274  373	579823116 915002381301  8 7 17943 035281  373	579824816 915002381401  8 7 17943 035298  373	579843116 915002381501  8 7 17943 035304  373	579844816 915002381601  8 7 17943 035311  373
3700831LI 915004323101  5 4 13987 149887  355	3700853LI 915004323201  5 4 13987 149894  355	3700873LI 915004323301  5 4 13987 149900  355	3700931LI 915004322801  5 4 13987 149856  355	3700953LI 915004322901  5 4 13987 149863  355	3700973LI 915004323001  5 4 13987 149870  355	306043116 915002380501  8 7 17943 035205  375	579903116 915002382201  8 7 17943 035373  377	579904816 915002457101  8 7 17943 741304  377	579923116 915002383101  8 7 17943 035465  377	579924816 915002457201  8 7 17943 741311  377	579943116 915002383201  8 7 17943 035472  377
4025231LI 915001704101  5 4 12253 994800  356	4025232LI 915001580801  5 4 12253 988342  356	4105031LI 915002313001  5 4 13987 071225  357	3683530LI 915002826101  5 4 13987 101267  359	3683531LI 915002826201  5 4 13987 101274  359	3683630LI 915002826301  5 4 13987 101281  359	579944816 915002457301  8 7 17943 741328  377	5703048LI 915001380501  5 4 12253 950332  379	5703248LI 915001382801  5 4 12253 950387  379	5703348LI 915001383401  5 4 12253 950448  379	5703448LI 915001383001  5 4 12253 950400  379	5703648LI 915001383201  5 4 12253 950424  379

5703031LI 915001380701  5 4 12253 950356  380	5703231LI 915001382901  5 4 12253 950394  380	5703331LI 915001383501  5 4 12253 950455  380	5703431LI 915001383101  5 4 12253 950417  380	5703631LI 915001383301  5 4 12253 950431  380	336073116 915002381901  8 7 17943 035342  381
40085/17/10 915000699201  5 4 12253 853459  237	36999/17/10 915001836901  5 4 13987 009556  246	33210/86/10 915001956201  5 4 13987 038006  260	34951/47/10 915000559101  5 4 12253 845744  265	33065/17/17 915000534402  5 4 12253 899983  266	51156/17/10 915001913101  5 4 13987 024719  274
51158/17/10 915001913701  5 4 13987 023248  274	51158/17/10 915001912901  5 4 13987 023217  274	17180/47/10 915001976501  5 4 13987 051265  295	17223/87/10 915002828102  5 4 13987 148576  324	597701/17 915000369201  5 4 12253 760924  237	16335/47/10 915003767101  5 4 13987 120633  294
16007/31/10 915000451301  5 4 12253 790532  321					

Notes

Notes
