



Unit 7 Speedwell Road,  
Whitwood, Castleford,  
West Yorkshire  
WF10 5PY

tel: +44 (0)845 6195 139  
fax: +44 (0)845 0340 781  
email: [info@sensio.co.uk](mailto:info@sensio.co.uk)  
web: [www.sensio.co.uk](http://www.sensio.co.uk)



# Developing a solution...

Our objective was to create an innovative and unique solution focused on bedroom lighting.

When we started the project, our research showed that today's bedroom lighting options were limited and designed based on kitchen application. Having identified the challenges, we designed and engineered modern LED lighting solutions such as the lithium-ion rechargeable battery operated lights to increase the convenience and practicality for our customers.

Our exclusive bedroom catalogue is comprised of high quality, unique ideas and innovative creations designed and developed in the UK. Our aim is to illustrate the importance of bedroom lighting, transform your choice, and inspire you to think differently.



Michael Linsky  
Managing Director



## Why Sensio?

### Quality

We pride ourselves on offering superior quality products, using the best components and materials to guarantee long-life performance, high light output and enhanced durability. All of our products are certified by UK laboratories, are in line with our Quality Assurance Policy and come with a 5 Year Guarantee.

### Innovation

Design and development has always been at the heart of what we do. We don't just follow the trends - we help set them. We design products in the UK, allowing us to put our expertise and industry knowledge to use to ensure every detail is designed with sheer excellence and to the highest standard.

### Support

We offer comprehensive training, specialist marketing resources and an experienced support structure to offer guidance to all our customers. With over 13 years in the industry, we believe we have the knowledge and understanding to exceed your expectations.

## Award winning product design:



# Contents


innovate.  
create.  
illuminate.™

## Support...

- 4 The importance of bedroom lighting
- 6 Product design
- 7 Lithium-ion battery
- 8 Lighting a sliding door wardrobe
- 9 Lighting a hinged door wardrobe
- 10 Creating a relaxing atmosphere
- 45 Connecting by colour

## Products...

- 11 Lithium-ion Battery Operated Lighting
- 16 Low Voltage Lighting
- 26 Drawer Lighting
- 28 Flexible Strip Lighting
- 35 Reading Lights
- 39 SensioPod
- 41 Sensors/Controllers
- 46 Drivers



# The importance of bedroom lighting

A great lighting scheme can really make a difference to the functionality & atmosphere of the bedroom. Consider wardrobe lights and reading lights for practicality, and flexible strip lighting to create a relaxing atmosphere. Here's an example of how Sensio LED lighting can truly transform the bedroom.



Before **sensio** lighting


innovate.  
create.  
illuminate.™



After **sensio**® lighting

# Product design

We pride ourselves on offering exclusive, high quality products with superior design and functionality to create the perfect LED lighting solutions. Designing our products in the UK allows us to put our expertise and industry knowledge to use.



We design products at our head office in West Yorkshire to ensure we have the highest degree of control and continually deliver new and innovative ideas to excite our customers.

Helping you bring your customers visions to life is our inspiration which is why we will continue to listen and grow our own unique product offering.

We don't just think lighting, we think furniture; to ensure our unique product offering enhances your designs.



**sensio**<sup>®</sup>  
furniture lighting solutions

# Innovative Lithium-ion Battery

Our bedroom lighting range consists of both rechargeable battery and low voltage LED products, so there is always a product to meet your requirements This page tells you all about the features of the rechargeable battery.

## Advantages of our rechargeable battery lighting range

- **No wiring.** No electrical installation required. Anyone can fit.
- **Simple to maintain.** The battery within these fittings is to be recharged as required using a pluggable USB charger.
- **Low running cost.** The battery only needs to be recharged 2-3 times a year (based on an average usage figure).
- **Flexibility.** The fitting can be placed as required in the wardrobe or cabinet without worrying about holes for cable.




Image shows the rechargeable lithium-ion battery inside the Solus LED fitting.



Image shows the Solus on charge using the USB outlet on the charger.

## About the battery

- Lithium-ion battery
- Rechargeable
- High energy density
- Slow loss of charge when not in use
- Self-discharge rate of approximately 5-10% per month
- The lifespan of all products in the battery range is 30,000 hours
- Pluggable charger with 1m or 5m USB charging cable
- Charging time 5-6 hours on average
- The running time of battery operated products between charging is 8 months on average (based on 2.5 minutes usage per day)



# Lighting a sliding door wardrobe

This page shows a sliding door design with a full internal lighting scheme created using LED rechargeable battery lighting only. There is absolutely no wiring required. Add an element of convenience to your bedroom with this design.



## Featured products

1



**SE20061C0**  
3 x Solus Rechargeable Wardrobe Light  
See page 14

2



**SE20051C0**  
1 x Mimas Rechargeable Wardrobe Light  
See page 15

3



**03.2002.0610**  
1 x Alto Rechargeable Wardrobe Rail Light  
See page 12

4



**SE9030HD**  
2 x HD LED Battery Operated Drawer Light  
See page 23

# Lighting a hinged door wardrobe

Here we've created a full lighting scheme with hidden wiring for this hinged wardrobe using some of our low voltage LED fittings. This design adds an element of convenience to the bedroom, as well as mood lighting with the uplighting above the wardrobe.



## Featured products

1



**SE20111C0**  
2 x Operio Wardrobe Light with 2 x PIR Sensors  
See page 21

2



**SE20081C0**  
2 x Operio Wardrobe Light with PIR Sensor  
See page 20

3



**SE7300HDCW**  
2 x HD LED Drawer Light with IR Sensor  
See page 22

4



**SE10310CW & SE10311CW**  
4 x Viva LED Flexible Strip Lights  
See page 32

5



**SE40516**  
1 x Cabinet Sensor  
See page 44

# Create a relaxing atmosphere

Here, flexible strip lighting is used to create a perfect balance of ambient mood lighting. Really relax in the evening with this subtle lighting scheme. We have also added reading lights for practicality. No harsh overhead lighting required to read your favourite book in bed.



## Featured products



**SE10011D0**  
3 x DuoFlex Flexible Strip Light  
See page 30



**SE1003000 & SE1004100**  
1 x DuoFlex Remote Control & Receiver  
See page 31



**SE20121C0**  
2 x Opus LED Reading Light  
See page 38

# Lithium-ion Battery Wardrobe Lighting



# Alto LED Wardrobe Rail Light

FINISH:  
aluminium

LED COLOUR:  
cool

COLOUR TEMPERATURE:  
4500K

RECHARGEABLE:

BEAM ANGLE:  
100°

## 'speed up your morning routine'

- > Aluminium wardrobe rail light with anti-slip design.
- > Features an integrated PIR sensor which automatically switches the light on when the wardrobe door is opened.
- > The PIR will remain on for 30 seconds and then automatically switch off to ensure there is no power wastage
- > The rail is available in 10 lengths, most of which can be cut down if required. (The cut lengths stated below are the maximums from the left side of the unit)
- > No electrical installation required. Contains a Lithium-ion rechargeable battery
- > The run time of the product is 6.5 months based on 2.5 minutes of use per day. The charging time is 5.5 hours on average
- > Recharge the unit using the 03.2005.0800 pluggable USB charger
- > The maximum weight load of the rail is 20kg



Code	Wattage	Length	LED Qty	LED Colour	Cut Length	Lumens	RRP
SE20182C0	0.35W	312mm	6pcs	Cool White	N/A	30Lm	£53.64
SE20192C0	0.4W	362mm	7pcs	Cool White	50mm	35Lm	£50.52
SE20202C0	0.45W	412mm	8pcs	Cool White	N/A	40Lm	£70.92
SE20212C0	0.5W	462mm	9pcs	Cool White	50mm	45Lm	£70.92
03.2001.0610	0.6W	562mm	11pcs	Cool White	100mm	55Lm	£67.68
SE20222C0	0.7W	662mm	13pcs	Cool White	200mm	65Lm	£86.04
03.2002.0610	0.8W	762mm	15pcs	Cool White	300mm	75Lm	£82.80
SE20232C0	0.9W	862mm	17pcs	Cool White	400mm	85Lm	£94.68
03.2003.0610	1W	962mm	19pcs	Cool White	500mm	95Lm	£91.56
03.2004.0610	1.2W	1162mm	23pcs	Cool White	600mm	115Lm	£96.60
03.2005.0800	Pluggable USB Charger with 5m USB charging cable						£9.72
03.2006.0603	Top mounting brackets with centre support						£5.88



Wardrobe Rail Light & USB Charger

Pluggable USB Charger (purchase seperately) 03.2005.0800

Side mounting bracket set included



Top mounting brackets with additional centre support (sold seperately)



562/762/962/1162mm



PIR sensor switch

# Incline LED Wardrobe Strip Light

FINISH:



aluminium

LED COLOUR:



cool

COLOUR TEMPERATURE:



RECHARGEABLE:



BEAM ANGLE:



## 'light angled to prevent glare'

- > Features an integrated PIR sensor which automatically switches the light on when the wardrobe door is opened
- > The PIR will remain on for 30 seconds and then automatically switch off to ensure there is no power wastage
- > This fitting is available in 5 standard lengths, however can be cut down if required
- > No electrical installation required. Contains a Lithium-ion rechargeable battery
- > The run time of the product is 6.5 months based on 2.5 minutes of use per day. The charging time is 4.5 hours on average
- > Recharge the unit using the 03.2005.0800 pluggable USB charger
- > Cool white LED for optimum light output



Code	Length	Wattage	LED Qty	LED Colour	Cut Length	Lumens	RRP
SE20242C0	350mm	0.5W	6pcs	Cool White	N/A	27Lm	£78.24
SE20252C0	550mm	0.6W	10pcs	Cool White	100mm*	48Lm	£80.28
SE20262C0	750mm	0.8W	14pcs	Cool White	300mm*	70Lm	£94.56
SE20272C0	850mm	0.9W	16pcs	Cool White	400mm*	80Lm	£96.60
SE20282C0	950mm	1W	18pcs	Cool White	400mm*	95Lm	£99.84

### Accessories


03.2005.0800	Pluggable USB Charger with 5m USB charging cable	£9.72
--------------	--	-------

\* Maximum cut length (an amount has to be cut from each end of the fitting).


### Incline Wardrobe Light & USB Charger



Pluggable USB Charger  
(purchase separately)  
03.2005.0800



350/550/750/850/950mm





PIR sensor switch

# Solus LED Wardrobe Light

FINISH:  
  
aluminium

LED COLOUR:  
  
cool

COLOUR TEMPERATURE:  
  
4500K

RECHARGEABLE:  


BEAM ANGLE:  
  
120°

## 'so simple to install and maintain'

- > Contains a rechargeable Lithium-ion battery. No electrical installation required
- > The product is cable free for ease of installation
- > Rechargeable via a pluggable USB charger
- > Angled surface light to reduce glare
- > Features an integrated PIR sensor which automatically switches the light on when the wardrobe or cabinet door is opened
- > The detection range of the PIR is 2m, meaning the fitting can be positioned as required inside the wardrobe
- > The run time of the product is 8 months based on 2.5 minutes of use per day. The charging time is 6.5 hours on average
- > The perfect fitting for use inside wardrobes with several storage compartments
- > The product has an additional on/off switch for optional use



Code	Wattage	LED Qty	LED Colour	Quantity	Lumens	RRP
SE20061C0	0.7W	14pcs	Cool White	1	52Lm	£41.88
SE20061C3	2.1W	14pcs (PF)	Cool White	3	52Lm (PF)	£133.92

Accessories		
SE2007000	Pluggable USB Charger with 5m cable	£8.04

PF - per fitting

Pack includes 3 fittings and a USB charger.

Surface mounted with integrated PIR




Charging point & on/off switch




Rechargeable battery via USB Charger.  
Charge using the plug provided or via the USB cable (using a laptop for example).

Red indicator light shows that the unit is charging.



Mounting bracket included for installation



Lithium-ion Battery Wardrobe Lighting >

# Mimas LED Wardrobe Light

FINISH:  
aluminium

LED COLOUR:  
cool

COLOUR TEMPERATURE:  
4500K

RECHARGEABLE:

BEAM ANGLE:  
120°

## 'lighting just where you need it'

- > Contains a rechargeable Lithium-ion battery. No electrical installation required
- > The product is cable free for ease of installation
- > An ideal product for bedroom wardrobes or cabinets
- > Features an integrated PIR sensor which automatically switches the light on when the wardrobe/cabinet door is opened
- > The PIR will remain on for 30 seconds and then automatically switch off to ensure there is no power wastage
- > The PIR has a detection range of 2m, allowing you to place the fitting where you require in the wardrobe/cabinet
- > The run time of the product is 8 months based on 2.5 minutes of use per day. The charging time is 6.5 hours on average
- > Recharge the unit using the pluggable USB charger
- > The product has an additional on/off switch for optional use



Code	Wattage	LED Qty	LED Colour	Qty	Lumens	RRP
SE20051C0	0.7W	14pcs	Cool White	1	37Lm	£51.36
SE20051C3	2.1W	14pcs (PF)	Cool White	3	37Lm (PF)	£162.48

### Accessories

SE2007000	Pluggable USB Charger with 5m cable	£8.04
-----------	-------------------------------------	-------

PF - per fitting

Pack includes 3 fittings and a USB charger.



Integrated PIR



Charging point & on/off switch



Pluggable USB Charger  
(purchase seperately)  
SE2007000



Mounting bracket included for installation



# Prisma Tiltable LED Wardrobe Light

FINISH:  
aluminium

LED COLOUR:  
cool


COLOUR TEMPERATURE:  
4500K

RECHARGEABLE:

BEAM ANGLE:  
80°

## 'angle the light as you need it'

- > Contains a rechargeable Lithium-ion battery. No electrical installation required
- > Cable free for simple installation. Anyone can install
- > Rechargeable via a pluggable USB charger
- > Contains a tiltable LED centre. Angle the light to the position you require
- > Has an integrated PIR sensor which automatically switches the light on when the wardrobe or cabinet door is opened
- > The charging time of this product is only 3 hours



Code	Wattage	LED Qty	LED Colour	Quantity	Lumens	RRP
SE20230W0	0.5W	8pcs	Cool White	1	57Lm	£33.84

#### Accessories

SE2007000	Pluggable USB Charger with 5m cable					£8.04
-----------	-------------------------------------	--	--	--	--	-------



Surface mounted with integrated PIR



Charging point & on/off switch



Rechargeable battery via USB Charger.  
Charge using the plug provided or via the USB cable  
(using a laptop for example).



Mounting bracket included for installation

Lithium-ion Battery Lighting >

# Orion LED Under Bed Light

FINISH:  
aluminium

LED COLOUR:  
cool

COLOUR TEMPERATURE:  
4500K

RECHARGEABLE:

BEAM ANGLE:  
120°

'illuminates the floor as motion is detected'

- > Comes with a rechargeable Lithium-ion battery pack
- > No electrical installation required. Anyone can install
- > Recharge the battery pack using the pluggable USB charger (see below)
- > The product has a hinge for simple screw fixed installation
- > PIR sensor integrated. When the product is mounted on the edge of the bed the sensor will detect movement from a 2m range and will project a beam of light across the floor
- > This product is also suitable to be mounted in wardrobes or kitchen cabinets



Code	Wattage	LED Qty	LED Colour	Finish	Lumens	RRP
SE20292W0	0.4W	6pcs	CoolWhite	Aluminium	32Lm	£42.60

#### Accessories

SE2007000	Pluggable USB Charger with 5m cable					£8.04
-----------	-------------------------------------	--	--	--	--	-------


Integrated PIR & Rechargeable Battery Pack



Pluggable USB Charger (purchase seperately) SE2007000



Rechargeable Battery Pack



# Low Voltage Wardrobe Lighting



# Elara LED Wardrobe Rail Light

FINISH:



aluminium

LED COLOUR:



cool

COLOUR TEMPERATURE:



CABLE LENGTH:



2 metres


BEAM ANGLE:



100°

## 'lighting truly integrated into your wardrobe'

- > Aluminium wardrobe rail light
- > Features an integrated PIR sensor which automatically switches the light on when the wardrobe door is opened
- > The PIR will remain on for 30 seconds and then automatically switch off to ensure there is no power wastage
- > The rail is available in 4 standard lengths, however can be cut down from the left side if required. Ensure you leave 70mm from the left side of the sensor and the remaining length can then be cut as required
- > Contains a soft rubber strip to prevent items from slipping on the rail
- > The maximum weight load of the rail is 20kg
- > Side/top mounted fixing bracket provided
- > The advantages of the Elara over the Alto are; the higher light output and no maintenance is required (no requirement to recharge)



Code	Wattage	Length	LED Qty	Cut Length	Lumens	Driver	RRP
SE20011C0	1.9W	562mm	24pcs	100mm*	110Lm	■	£42.60
SE20021C0	2.6W	762mm	36pcs	300mm*	132Lm	■	£47.40
SE20031C0	3.2W	962mm	45pcs	300mm*	152Lm	■	£55.92
SE20041C0	3.9W	1162mm	54pcs	400mm*	170Lm	■	£60.84

\* Keep 100mm from the left side of the PIR sensor switch, the remaining length on the left side can be cut.

### Accessories

03.2006.0603	Top mounting brackets with centre support	£5.88
SE9009	2.5m extension cable	£2.04

### Driver

(for more drivers see page 47)

SE40625	6W LED Driver with 4 Port JB4 Distributor	£15.00
---------	---	--------


### Built-in PIR




### Side mounting bracket set included




### Top mounting brackets with additional centre support sold separately



10mm hole required to feed the cable & JB4 plug



562/762/962/1162mm



PIR sensor switch

Low Voltage Wardrobe Lighting >

# Operio Mini LED Wardrobe Light

FINISH:



aluminium

LED COLOUR:



cool

COLOUR TEMPERATURE:



CABLE LENGTH:



2 metres

BEAM ANGLE:




45°

## 'small and discreet, side or top mount'

- > Surface mounted product for simple installation
- > Fit at the top of a wardrobe/cabinet or at the side as pictured to throw light across the width of the wardrobe
- > Compact design for a discreet lighting solution
- > Contains an integrated PIR sensor switch, so the light will switch on when the wardrobe/cabinet door is opened
- > The PIR has a detection range of 2m so the fitting can be positioned in the wardrobe as required
- > The LEDs in this fitting are concealed
- > The curved aspect of the fitting means the light is dispersed evenly and is directed back into the wardrobe/cabinet as required
- > High light output, low energy consumption
- > Each 120mm fitting runs at only 1.2W



Code	Wattage	LED Qty	LED Colour	Qty	Lumens	Driver	RRP
SE20081C0	1.2W	3pcs	Cool White	1	28Lm		£29.04
SE20081C2	2.4W	3pcs (PF)	Cool White	2	28Lm (PF)	Included	£73.32

PF - per fitting

Pack includes 2 fittings and one 6W driver.

### Accessories

SE9009	2.5m extension cable	£2.04
--------	----------------------	-------


Driver (for more drivers see page 47)

SE40625	6W LED Driver with 4 Port JB4 Distributor	£15.00
---------	---	--------


### Integrated PIR




### Concealed LED's



10mm hole required to feed the cable and JB4 plug



120mm



35mm



PIR sensor switch

# Operio Wardrobe Light

FINISH:



aluminium

LED COLOUR:



cool

COLOUR TEMPERATURE:



CABLE LENGTH:



2 metres

BEAM ANGLE:



45°

## 'two sensors for left & right doors'

- > Contains 2 integrated PIR sensor switches, so the light will switch on no matter which side of the wardrobe is opened
- > The PIR has a detection range of 2m so the fitting can be placed in the centre of the wardrobe and will still detect the door opening
- > Surface mounted product for simple installation
- > The LEDs in this fitting are concealed
- > The curved aspect of the fitting means the light is dispersed evenly and is directed back into the wardrobe/cabinet as required
- > High light output, low energy consumption
- > Each 400mm fitting runs at only 2.2W



Code	Wattage	LED Qty	LED Colour	Finish	Lumens	Driver	RRP
SE20111C0	2.2W	30pcs	Cool White	Aluminium	100Lm		£47.40

### Accessories

SE9009	2.5m extension cable						£2.04
--------	----------------------	--	--	--	--	--	-------


### Driver (for more drivers see page 47)

SE40625	6W LED Driver with 4 Port JB4 Distributor						£15.00
---------	---	--	--	--	--	--	--------


Surface mounted with 2 x PIR switches




Concealed LED's



10mm hole required to feed the cable & JB4 plug



400mm



35mm



PIR sensor switch

# Verso

## LED Drawer Light

FINISH:



aluminium

LED COLOUR:



cool

COLOUR TEMPERATURE:



CABLE LENGTH:



BEAM ANGLE:




## 'functional lighting to fit all bedroom drawers'

- > Various lengths available to illuminate the full length of the drawer
- > Cool white high definition LED to provide optimum light output
- > High definition LED's integrated
- > IR sensor integrated on the front edge of the fitting, as soon as the drawer is opened the light will illuminate. Once the drawer is closed the fitting will switch off immediately to ensure no energy wastage
- > The ideal solution to illuminate drawers built into wardrobes
- > Low wattage, meaning several drawers can be illuminated using only one LED driver if required
- > Brackets and cable tidy supplied





Code	Wattage	Length	LED Qty	Lumens	Driver	RRP
SE7300HDCW	2.6W	462mm	33	140Lm	■	£36.12
SE7305HDCW	3.3W	562mm	42	188Lm	■	£42.24
SE7310HDCW	4.5W	762mm	60	248Lm	■	£48.24
SE7315HDCW	5.4W	862mm	72	302Lm	■	£54.24
SE7320HDCW	6W	962mm	81	312Lm	■	£62.04
SE7325HDCW	7.3W	1162mm	99	387Lm	■	£68.16
<b>Driver</b>	(for more drivers see page 47)					
SE4062S	6W LED Driver with 4 Port JB4 Distributor					£15.00
SE4052S	15W LED Driver with 6 Port JB4 Distributor					£19.92

HD LED Drawer Light




# Vista

## LED Battery Drawer Light



### 'no wiring - anyone can install'

- > No wiring necessary so anyone can install this fitting
- > 4 x AAA batteries required. (Not included)
- > IR Sensor in-built (located in the centre of the fitting)
- > Two functions of this fitting:
  - Use as a drawer/in-cabinet light (the light switches on with the opening of a drawer/door)
  - Use as an under unit light (the light switches on/off when a hand passes the sensor)
- > When used for 3 minutes per day the batteries in the fitting will last approximately 1.5 years
- > 5cm detection range of the IR Sensor
- > Screws and adhesive pad included to install





Code	Wattage	LED Colour	Cable	Power Source	RRP
SE9030HD	0.3W	Cool White	n/a	4 x AAA Batteries	£26.16

HD LED Battery Operated Drawer Light with integrated IR sensor



4 x AAA batteries required. (Not included).



Screws & fixing pads included for installation



# Argo Shelf Light Pack with Sensor

FINISH:



aluminium

LED COLOUR:



cool warm

CABLE LENGTH:



2.5 metres

DIMMABLE:



BEAM ANGLE:



60°

## 'illuminate internal light shelves'

- > The fitting is supplied with the collar, can be either surface mounted or recessed
- > Die cast metal exterior with an aluminium effect finish
- > High definition LED – each diode has a lens over it to intensify the light output
- > Available in both cool white and warm white LED. Choose the LED colour which best suits your furniture
- > Over 90% less energy used when comparing to halogen. Save money on electricity bills when switching from halogen to HD LED
- > The SE2015000 recessed PIR sensor switch is included in the packs. (See pages 43-45 for alternative sensors/controllers)
- > One additional Argo light can be added to each pack to be run from the driver supplied
- > Use to illuminate internal wardrobe shelves, recess in above dresser units or wardrobe flyovers



Code	Wattage	LED Colour	Light Qty	Colour Temp.	Lumens	RRP
SE20176C2	3.3W	Cool White	2	5000K	85Lm (PF)	£92.16
SE20166W2	3.3W	Warm White	2	3200K	80Lm (PF)	£92.16

\* 1 x 6W driver & 1 x SE2015000 sensor switch is included in the above packs.

Code	Wattage	LED Colour	Light Qty	Colour Temp.	Lumens	Driver	RRP
SE9005HDCW	1.65W	Cool White	1	5000K	85Lm	■	£21.00
SE9005HDWW	1.65W	Warm White	1	3200K	80Lm	■	£21.00

### Accessories

SE9009	2.5m extension cable	£2.04
--------	----------------------	-------





### Surface Mounted



### Recessed



### PIR motion sensor switch SE2015000



Cut-out size: Ø57mm

If surface mounted, a 10mm hole is required to feed the cable & JB4 plug


# Fino

## Surface Mounted Profile



'integrated functionality,  
great behind accessories'

- > Choose from our range of flexible strip lighting to create the perfect solution for your customer
- > The profile is extremely slim to create the ultimate discreet lighting solution
- > Aluminium profile with a frosted cover
- > The profile protects the flexible strip light, protecting from dust and ultimately giving a more professional finish
- > A versatile solution as both the profile and flexible strip can be cut to length. Perfect when you have bespoke sizes to meet
- > Butt lengths of the profile together if a longer run is required
- > See our range of sensors on pages 43-44 to switch the profile when mounted in a wardrobe
- > End caps and mounting brackets included



Code	Length	LED Strip	Cable	Driver	RRP
10.1000.0600	1m	Profile only	N/A	N/A	£11.40
10.1004.0600	2m	Profile only	N/A	N/A	£21.72

Flexible Strip Lighting sold seperately - see pages 30-35 for options.


#### Accessories

10.1016.0602	2 x End Caps	£1.10
10.1018.0602	2 x Mounting Brackets	£1.10

Surface Mounted  
Aluminium Profile



End caps and mounting  
brackets included



# Ripple Angled Profile


FINISH:



aluminium

## 'angled projection for optimum illumination'

- > Choose from our range of flexible strip lighting to create the perfect solution for your customer
- > Angled fitting for optimum illumination of the wardrobe. This fitting will direct the light back and down through the wardrobe for optimum illumination of the contents
- > See our range of sensors on pages 43-44 to switch the profile when mounted in a wardrobe
- > Slim, aluminium profile with a frosted cover
- > The profile protects the flexible strip light, protecting from dust and ultimately giving a more professional finish
- > A versatile solution as both the profile and flexible strip can be cut to length
- > Butt lengths together for longer runs



Code	Length	LED Strip	Cable	Driver	RRP
10.1020.0600	1m	Profile only	N/A	N/A	£10.92
10.1024.0600	2m	Profile only	N/A	N/A	£21.12

Flexible Strip Lighting sold separately - see pages 30-35 for options.

#### Accessories

10.1029.0602	2 x End Caps	£1.10
--------------	--------------	-------

Angled Aluminium Profile



End caps included



Cut-out  
width: 18 - 18.2mm  
Depth: 6.7 - 7mm

# Linia Recessed Profile

FINISH:



'the ultimate in discreet interior lighting'

- > An ideal fitting to install vertically along the inner panel of the wardrobe to illuminate across the wardrobe when the door is opened. Alternatively fit at the top of a wardrobe
- > Use with one of our external sensor switches (pages 43-44) so the light comes on as the door is opened and switches off as the door is closed
- > The profile is extremely slim to create the ultimate discreet lighting solution
- > Aluminium profile with a frosted cover
- > The perfect way to create discreet convenience lighting in the wardrobe. Choose from our range of flexible strip lighting depending on the brightness level required
- > A versatile solution as both the profile and flexible strip can be cut to length
- > Butt lengths together for longer runs



Code	Length	LED Strip	Cable	Driver	RRP
10.1008.0600	1m	Profile only	N/A	N/A	£11.88
10.1012.0600	2m	Profile only	N/A	N/A	£22.92



Flexible Strip Lighting sold seperately - see pages 30-35 for options.

Accessories		
10.1017.0602	2 x End Caps	£1.10
10.1019.0602	2 x Mounting Brackets	£1.10

Recessed Aluminium Profile



End caps and mounting brackets included



Cut-out  
width: 18.5 - 19mm  
Depth: 6 - 6.2mm

# Continuum Profile

FINISH:



aluminium

## 'illuminate interiors in walk-in wardrobes'

- > The Continuum diffuses the diodes of the flexible strip range to create a sleek design feature in wardrobes or walk-in wardrobes
- > Create stunning effects with this product
- > Select the flexible strip option which will best suit your requirements. HD provides the brightest light output and RGB provides stunning colour changing mood lighting
- > Frosted plastic profile on an aluminium base
- > Butt lengths together for longer runs
- > Versatile product, perfect for bespoke designs
- > See our range of sensors on pages 43-44 for switching options



Code	Length	LED Strip	Cable	Driver	RRP
10.1032.0600	1m	Profile only	N/A	N/A	£13.92
10.1036.0600	2m	Profile only	N/A	N/A	£27.12

Flexible Strip Lighting sold seperately - see pages 30-35 for options.


#### Accessories

10.1040.0602	2 x End Caps				£1.10
--------------	--------------	--	--	--	-------

Continuum Profile





End caps included



# Flexible Strip Lighting




# DuoFlex Flexible Strip



## 'seamlessly mix colour to create the perfect mood'

- > The DuoFlex brings real flexibility to the flexible strip light range. With only one flexible strip the LED colour can be set from warm white through the full spectrum to cool white
- > Self-adhesive 3M backing allows for quick and simple installation
- > Male and female ends on the strip allow you to create the length required
- > The strip can be cut to length, scissor marks on the product mark where it is suitable to cut (every 165mm)
- > Operate using a remote control or inline switch. One remote control can be synced to up to 11 receivers
- > A maximum length of 6m of the DuoFlex can be run from each receiver
- > Ten brightness levels of the LED, dim or brighten by 10%
- > Use this product for a variety of applications such as on the underside of the bed, around the headboard or above wardrobes to uplight



DuoFlex - cool white

Main image shows the DuoFlex set to warm white

Code	Wattage	Length	LED No.	Colour Temp.	Lumens	Driver	RRP
SE10011D0	3.75W	1000mm	72	2700-5000K	282-300lm	■	£45.48
SE10021D0	7.5W	2000mm	144	2700-5000K	282-300lm	■	£85.08

### Packs

Code	Wattage	Length	Cable	Controller	Driver	RRP
SE10053D1	7.5W	2000mm	2 x 2.5m	Inline switch	included in pack	£141.48
SE10073D1	7.5W	2000mm	2 x 2.5m	Remote & Receiver	Included in pack	£181.20

SE1003000 - DuoFlex Remote Control (see page 30 for details)

SE1004100 - DuoFlex Receiver (see page 30 for details)


Cool white & warm white diodes side by side. The strip is marked at intervals where it can be cut.



From top to bottom: warm white LED, natural white LED and cool white LED.



DuoFlex dimensions:



The Inline Switch - included in the SE10053D1 Starter Pack (not sold separately)

### Cable/accessories

Driver Connection Lead - 2500mm - (SE10325) - £2.28  
**One driver lead is required for each run of the DuoFlex.**

DuoFlex Inter-Connecting Lead - 500mm (SE10328) - £2.40  
 DuoFlex Corner Connection Lead - 50mm (SE10327) - £1.44

# DuoFlex Remote Control

FINISH:



## 'control both LED colour and brightness'




- > The DuoFlex remote control allows you to choose from both cool white and warm white LED, or to create a natural white tone by mixing the two colours
- > Functions of the DuoFlex remote control:
  - Rotate the colour temperature wheel to select the desired colour temperature
  - Decrease the brightness level of the DuoFlex strips (in 10% increments)
  - Increase the brightness level of the DuoFlex strips (in 10% increments)
  - On/off - switch the connected fittings on/off
  - Memory function of the last setting before switched off
  - Radio Signal - the maximum range of the remote control is 15m



Code	Max Wattage	Product description	Driver	RRP
SE1003000	n/a	DuoFlex Remote Control	■	£23.28
SE1004100	22.5W per receiver	DuoFlex Receiver	■	£33.36


The SE40555 15W driver will run a maximum of 4m of the DuoFlex.  
 The SE40556 30W driver will run a maximum of 6m of the DuoFlex.

The maximum length of the DuoFlex which can be run from one DuoFlex receiver is 6m.






# Viva Flexible Strip



## 'one product, a multitude of uses'

- > Self-adhesive 3M tape backing allows for quick and simple installation
- > Male and female ends on the strip allow you to create the length required
- > The strip can be cut to length, scissor marks on the product mark where suitable to cut
- > No wastage. Re-use a cut section of the strip ONCE using the mini-cut connector (SE10318MCC)
- > Extremely low energy consumption, only 5W per 2000mm
- > Use this product for a variety of applications. Examples are; above the wardrobe to uplight the ceiling, on the underside of the bed, around a headboard or beneath internal shelves in the wardrobe (as pictured)
- > All you need to install is an adequate amount of flexible strips, driver connection lead(s) – one per run of strips and a LED driver
- > Run a maximum length of 12m from one driver (based on using the 30W driver)



Flexible strip used beneath a shelf in a walk-in wardrobe

Code	Wattage	Length	LED No.	LED Colour	Lumens	Driver	RRP
SE10310CW	0.8W	300mm	12	Cool White (5000K)	36	■	£11.88
SE10310WW	0.8W	300mm	12	Warm White (3200K)	36	■	£11.76
SE10312CW	2.5W	1000mm	36	Cool White (5000K)	107.5	■	£32.76
SE10312WW	2.5W	1000mm	36	Warm White (3200K)	107.5	■	£32.76
SE10311CW	5W	2000mm	72	Cool White (5000K)	215	■	£56.64
SE10311WW	5W	2000mm	72	Warm White (3200K)	215	■	£56.64


**Packs**

SE10312CWK1	2.5W	1000mm	36	Cool White (5000K)	107.5	included	£57.96
SE10312WWK1	2.5W	1000mm	36	Warm White (3200K)	107.5	included	£57.96
SE10311CWK1	5W	2000mm	72	Cool White (5000K)	215	included	£81.72
SE10311WWK1	5W	2000mm	72	Warm White (3200K)	215	included	£81.72

2m Flexible LED Strip Light



SE10318MCC Cut Joining Connector



**Cable**

LED Flexible Strip Driver Connection Lead – 2500mm - (SE10314) - £1.92  
**Required for each run of the Viva Flexible Strip.**


LED Flexible Strip Corner Connection Lead – 50mm (SE10316) - £0.84  
 LED Flexible Strip Inter-Connecting Lead – 1500mm (SE10317) - £1.56  
 LED Flexible Strip Cut Joining Connector (SE10318MCC) - £0.60

**Accessories**

For our range of sensors and LED dimmers please see pages 43-45.

# Vega

## HD LED Flexible Strip



### '3.5 times brighter than the standard'

- > Self-adhesive 3M tape backing allows for quick and simple installation
- > High light output, 3.5 times brighter than the standard flexible LED strip light
- > Male and female ends on the strip allow you to create the length required
- > The strip can be cut to length, scissor marks on the product mark where suitable to cut
- > No wastage. Re-use a cut section of the strip ONCE using the mini-cut connector (SE90317HD)
- > Use this product for a variety of applications (on the underside of the bed, behind the headboard, above wardrobes or in a profile)
- > All you need to install is an adequate amount of flexible strips, driver connection lead(s) – one per run of strips and a LED driver
- > Run a maximum length of 6.66m from one driver (based on the 50W driver)




Warm White HD LED Flexible Strip beneath the bed

Code	Wattage	Length	LED's	LED Colour	Lumens	Driver	RRP
SE90310HDCW	2.5W	330mm	12	Cool White (5000K)	168Lm	■	£22.68
SE90310HDWW	2.5W	330mm	12	Warm White (3000K)	155Lm	■	£22.68
SE90311HDCW	7.5W	1000mm	36	Cool White (5000K)	503Lm	■	£63.48
SE90311HDWW	7.5W	1000mm	36	Warm White (3000K)	465Lm	■	£63.48
SE90312HDCW	15W	2000mm	72	Cool White (5000K)	1005Lm	■	£127.20
SE90312HDWW	15W	2000mm	72	Warm White (3000K)	930Lm	■	£127.20

#### Packs

SE90311HDCWK1	7.5W	1000mm	36	Cool White (5000K)	503Lm	included	£79.32
SE90311HDWWK1	7.5W	1000mm	36	Warm White (3000K)	465Lm	included	£79.32
SE90312HDCWK1	15W	2000mm	72	Cool White (5000K)	1005Lm	included	£150.00
SE90312HDWWK1	15W	2000mm	72	Warm White (3000K)	930Lm	included	£150.84

#### HD LED flexible strip light



#### Cable

HD LED Flexible Strip Driver Connection Lead – 2500mm - (SE90314HD) - £2.64  
**Required for each run of the Vega Flexible Strip.**

HD LED Flexible Strip Inter-Connecting Lead – 500mm (SE90315HD) - £3.00  
 HD LED Flexible Strip Corner Connection Lead – 50mm (SE90316HD) - £2.52  
 HD/RGB LED Flexible Strip Cut Joining Connector (SE90317HD) - £0.96

#### Accessories

For our range of sensors and LED dimmers please see pages 43-45.

Flexible Strip Lighting >

# RGB Colour Changing Flexible Strip

FINISH:



LED COLOUR:



DIMMABLE:




BEAM ANGLE:



## 'change the colour to suit your mood'

- > Self-adhesive 3M tape backing allows for quick and simple installation
- > 7 pre-set colours of the RGB (cool white, violet, yellow, cyan, green, red and blue)
- > The perfect product to create mood lighting, either set to one of the 7 colours, or select the slow or rapid colour change option
- > Use this product for in a variety of applications (on the underside of the bed, behind the headboard, above wardrobes) to create stunning accent lighting in contemporary styled bedrooms
- > Male and female ends on the strip allow you to create the length required
- > The strip can be cut to length, scissor marks indicate where suitable to cut
- > No wastage. Re-use a cut section of the strip ONCE using the mini-cut connector
- > Use the SE40570/1 remote control to wirelessly create the effect or choose the colour that is perfect for you at the touch of a dial
- > Run a maximum length of 6m from one driver



Code	Wattage	Length	LED Colour	Driver	RRP
SE10320	1.8W	300mm	7 Pre-set Colours	■	£20.64
SE10322	10W	2000mm	7 Pre-set Colours	■	£101.64

### Packs

Code	Wattage	Length	Cable	Other items included	RRP
SE10160R1	10W	2000mm	2 x 2.5m	1 x SE40571	£206.52



### Accessories

SE10325	2500mm Driver Connection Lead (required to run the RGB strip)			£2.33
SE10327	50mm Corner Connection Lead			£1.47
SE10328	500mm Inter-Connecting Lead			£2.45

For RGB drivers/controllers please see page 47


### LED RGB Colour Changing Flexible Strip Light

SE10322




### RGB Push Button Remote Control

SE40522



# RGB Colour Changing Remote Control



## 'convenient colour'

> Create the effect or choose the colour that is perfect for you at the touch of a dial

> Functions of the RGB remote control:

- Single colour mode – select one colour by rotating the wheel
- Gradual colour change – light colour gradually changes
- Colour change speed – change the speed at which the colours change
  
- Flashing colour change mode – light colour rapidly changes
- Brightness level – change through the 5 brightness levels of the RGB
- On/off – switch the connected fittings on/off

> Memory function of the performance before last switched off

> Radio Signal - Maximum range of controller is 10m

> A maximum of 6m of the RGB Flexible Strip can be run from one 30W RGB remote control




Code	Max Wattage	Use with	Driver	RRP
SE40570	15W	12V RGB products only (page 34)		£90.12
SE40571	30W	12V RGB products only (page 34)		£101.40



### RGB Remote Control

Single colour; gradual colour change; rapid colour change; change colour change speed; dim; on/off



# LED Reading Lights



# Tactus LED Reading Light

FINISH:



aluminium

LED COLOUR:



cool

COLOUR TEMPERATURE:



CABLE LENGTH:



1.5 metres

BEAM ANGLE:



80°

## 'touch on/off functionality built-in'

- > Touch on/off & dimming function. Touch the fitting to switch the light on/off and touch again to dim the light level from 100% to 50%
- > The 25cm flexible arm allows the fitting to be positioned as required
- > The bracket on the fitting is adjustable, meaning the reading light can be positioned on either side of the bed
- > 19 cool white LEDs integrated for optimum light output
- > Low energy consumption, each fitting runs at only 1.4W
- > The 25,000 hour lifespan of the fitting means if used for 2 hours every day it would last 34 years before a replacement fitting was needed
- > 12V fitting
- > Includes screws for installation




Code	Wattage	LED Qty	Qty	Lumens	Driver	RRP
SE30155AL	1.4W	19pcs	1	40Lm	■	£36.48
SE30155ALK2	1.4W (PF)	19pcs (PF)	2	40Lm (PF)	Included	£88.08

Driver	(for more drivers see page 47)	
SE40625	6W LED Driver with 4 Port JB4 Distributor	£15.00

PF - Per Fitting

Touch on/off function.  
Touch the fitting to switch the light on/off.



Touch on/off  
& dimming function



LED Reading Lights >

# Opus LED Reading Light

FINISH:



aluminium

LED COLOUR:



cool

COLOUR TEMPERATURE:



CABLE LENGTH:



1.5 metres

BEAM ANGLE:



10°

## 'one high power LED for the brightest output'

- > This fitting contains one high power LED, the brightest of the Sensio reading light range
- > Built-in driver for ultimate ease of installation
- > The 350mm flexible arm makes it simple to adjust the position of the light
- > The fitting has a small push switch on the top of the light head, making it simple to switch the light on/off as required
- > Low energy consumption. Each fitting runs at only 1.7W
- > The 10 degree beam angle means the light source is very direct
- > The small size of the light head makes for a discreet but powerful task light
- > Quick and simple to install




Code	Wattage	LED Qty	Qty per pack	Lumens	RRP
SE20121C0	1.7W	1pc	1 light	66Lm	£45.96
SE20121C2	1.7W (PF)	1pc (PF)	2 lights	66Lm (PF)	£91.92

PF - Per Fitting

On/off switch integrated



Built-in driver



# Flecto LED Reading Light

FINISH:



aluminium

LED COLOUR:



cool

COLOUR TEMPERATURE:



CABLE LENGTH:



1.5 metres

BEAM ANGLE:



140°


## 'in-built driver for ease of installation'

- > The long head of the lamp and 140 degree beam angle allows for greater dispersion of the light
- > Built-in driver for ultimate ease of installation
- > The 350mm flexible arm makes it simple to adjust the position of the light
- > The fitting has a small push switch on the end of the light head, making it simple to switch the light on/off as required
- > Extremely low energy consumption. Each fitting runs at only 1.6W
- > Quick and simple to install



Code	Wattage	LED Qty	Qty per pack	Lumens	RRP
SE20131C0	1.6W	9pcs	1 light	32Lm	£40.92
SE20131C2	1.6W (PF)	9pcs (PF)	2 lights	32Lm (PF)	£81.84

### Built-in driver





# SensioPod >



SensioPod >

# SensioPod Pull up Socket

FINISH:



CABLE LENGTH:



## 'ideal for charging the Lithium-ion range'


- > Die cast metal top in a choice of three finishes, Chrome, Black Nickel and Stainless Steel. Or select a plastic top with an aluminium or black finish and chrome handle
- > Choose the SensioPod which best suits your requirements. The options are; power only, power with 2 x USB ports and power with 2 x RJ45 ports
- > Aluminium casing and slim profile design
- > A great addition to a home office
- > IP54 rated
- > Quick release catch to guarantee the unit will always close securely
- > Neon green control switch provides a simple means of checking appliances have been turned off when not in use to save on energy bills
- > Visible plugs and unsightly cables will no longer be seen as the SensioPod+ can be retracted fully whilst products are still plugged in



Code	Finish	Sockets	RRP
SE80050AL	Aluminium	3 x power, 2 x USB	£79.20
SE80050BK	Black	3 x power	£58.68
SE80050CH	Chrome	3 x power, 2 x USB	£124.56
SE80050GM	Black Nickel	3 x power, 2 x USB	£124.56
SE80050SS	Stainless Steel	3 x power, 2 x USB	£124.92
SE80060AL	Aluminium	3 x power, 2 x RJ45	£90.12




Our SensioPod with USB ports



SE80050AL/CH/GM/SS

SE80050BK

SE80060AL



# Sensors & Controllers >

If additional information is required on lighting control, please call 0845 0340 780.

PIR sensors are built-in to many of the fittings in the bedroom lighting range. These sensors have a detection range of 2m and between 90° and 120°.



## What is PIR?

Passive Infrared. The sensor detects motion via infrared beams up to 2.5 metres away. When movement interrupts the infrared beams the connected lighting is switched on. If no movement is detected for 30 seconds the lighting will switch off.




Image shows the Mimas which has a PIR integrated.

## The alternative to PIR

We also have IR sensor switches. For example, the SE40516 (pg 44).

An IR sensor sits at the front of the wardrobe/cabinet to detect the opening and closing of the door at close range. The SE40518 (pg 43) is a more discreet IR sensor which is to be recessed into an internal wardrobe shelf.



## LED Dimming

Do you have mood lighting above your wardrobes or around the bed? Then consider a dimming remote control. This will allow you to dim and switch your lighting. Or if you have colour changing or DuoFlex strip lighting a remote control can be used to change the LED colour or the lighting effect.





Image shows the SE2015000 PIR Sensor fit inside a wardrobe with the Continuum.

# Recessed sensors

## 'activate lights with motion'

### SE2015000 - 30/60W Motion Sensor Switch


- > Suitable to be used with 12V or 24V products without an integrated sensor
- > Works as an on/off switch for lights mounted inside a wardrobe or cabinet
- > Mount at the back of a wardrobe as the detection range is 2.5m
- > If motion is not detected for 30 seconds or more the sensor will deactivate
- > An attractive and effective lighting control option.
- > Small and discreet product
- > Aluminium finish





## 'activate lights with motion'

### SE40518 - 250W Cabinet Sensor Switch


- > Detection range of 5cm. Recess into internal shelves in wardrobes or wall units. When the door is opened all connected lighting will be switched on and switched off when the door closes
- > Can be used with; 12V, 24V or 240V fittings which do not have an integrated switch or sensor
- > High wattage of 250W means the sensor will run a large number fittings
- > Can be used in kitchens or bedrooms
- > Very discreet switching option, especially in darker furniture



Code	Max Wattage	Use with	Cable length	Detection range	Driver	RRP
SE2015000	30/60W	12V, 24V products	1.5m with 6 port JB4 connector attached	0.5-2.5cm		£25.08



Code	Max Wattage	Use with	Cut out	Cable length	Detection range	Driver	RRP
SE40518	250W	12V, 24V or 240V products	13mm	2m	5-10cm		£24.60



# Dual function IR sensors

## 'activate lights with motion'

### SE40516 15/30W Cabinet/Swipe Sensor Switch

- > Can be used with 12V & 24V products (without an integrated sensor)
- > Works as an on/off switch for these fittings
- > Mount inside a wardrobe/cabinet
  - open door to activate connected light(s)
  - close door to deactivate connected light(s)
- > 5-10cm detection range, so unwanted detection is not a problem
- > Can be surface mounted or recessed
- > Plug and play, no additional wiring is required
- > Aluminium finish to match the majority of our bedroom lighting range



## '3 functions, including dimming'

### SE40520 250W Dimming Sensor Switch

- > Multi-functional product. The SE40520 has 3 functions, use as a dimmer, on/off switch or in-cabinet on/off switch for 12V & 24V LED products
- > IR Sensor, meaning the unit would need to be fit at the front of a wardrobe. The connected lights will switch on/off as the door opens and closes
- > Aluminium finish to match the majority of the bedroom lighting range
- > Use with any 12V or 24V Sensio product (without an integrated sensor)
- > Plug and play, no additional wiring is required





Recess into the wardrobe/cabinet.  
Cut out required: 14mm



Surface mount on the front edge of the wardrobe/cabinet.

Code	Max Wattage	Use with	Cut out	Cable length	Detection range	Driver	RRP
SE40516	15/30W	12V or 24V LED products	14mm	1.5m with 6 port JB4 connector	5-10cm		£17.64




### Operation

The SE40520 sensor has different functions.



of the sensor the dim the lights. The longer you hold the more the lights dim.

**Swipe** - The lights are activated by a hand swipe across the sensor and deactivated the same way. In this mode, hold your hand in front

**In Cabinet** - The lights are activated by the opening of a door and deactivated once the door closes.




Code	Max Wattage	Use with	Cable length	Detection range	Driver	RRP
SE40520	30W	12V or 24V products	2 x 1.5m with 6 port JB4 connector	5-10cm		£15.60



# Dimming Remote Control


## 'dimming and switching for all areas of lighting'

- > Create or choose the lighting level that is perfect for you at the touch of a button
- > Multiple functions of the RF Dimmer:
  - Dim to the lowest light level
  - Set to full brightness
  - Select the desired light level
  - On/off switching
- > Memory function of the performance before last switched off
- > One remote can control up to 8 receivers
- > Each button on the remote control can be programmed to control one area of lighting (for example one button to control the over wardrobe lighting and the other to control the flexible strip lighting around the bed). Alternatively, control multiple areas of lighting from a single button
- > Radio Signal - Maximum range of controller is 20m



SE40684

SE40682



### LED RF 30W/50W Wireless Dimming Receiver with 12 JB4 Distributor




Code	Max Wattage	Use with	Driver	RRP
SE40670	30W	12V products	Orange	£57.60
SE40675	50W	24V products	Green	£57.60



### LED RF Remote Control 2 or 4 Channel Transmitter



Code	Max Wattage	Buttons	Driver	RRP
SE40682	50W	2	Orange/Green	£36.00
SE40684	50W	4	Orange/Green	£86.40



# Connecting by colour

Sensio's colour coding system makes ordering everything required for your lighting design just that little bit simpler.


To simplify the process of selecting the appropriate driver for your lighting requirements, Sensio has introduced an easy-to-use colour coding system. The cable on the light fitting, the distributor block on the driver and the outer packaging for each product all carry a colour-coded label.

- > All components are colour coded.
- > The packaging is colour coded.
- > The cable on the product (above the connection plug) is colour coded, this ensures that all products are connected to a driver for the required voltage.
- > The wattage of the driver is also indicated on the block so when connecting fittings you can be sure not to exceed the wattage allowance of the driver.

All components and even the packaging is colour coded.



All drivers featured in this brochure are coded with a small coloured square. Simply refer to the product table opposite to find the colour that is correct for your lights.



# Drivers

Choose the appropriate driver(s) for your design from our premium range of drivers.

How to select the right driver for your lights:












1. All drivers in this brochure are colour coded. Refer to the product table to find the colour that is correct for your lights.
2. Each driver can run a number of lights. Simply divide the wattage of the driver by the wattage of a single light and this will tell you exactly how many lights can be run by the driver.

Example:

15W driver with 3W lights  
 $15 \div 3 = 5$  lights

3. Some drivers are available in more than one rating e.g. 15W and 30W. Simply work out the best option dependent on the number of lights you have.

*Note: Drivers have a limited number of ports where lights are connected. A driver with 4 ports is therefore limited to a maximum of 4 lights. See the table for the number of ports.*

Code	Description	Colour Coding	RRP
SE40522	15W Driver with 4 RGB LED Port & Switch		£37.08
SE40625	6W Driver with 4 Port JB4 Distributor		£15.00
SE40525	15W Driver with 6 Port JB4 Distributor		£19.92
SE40526	30W Driver with 12 Port JB4 Distributor		£35.04
SE40553	6W Driver with 4 Port JB4 Distributor		£16.68
SE40554	6W Driver with 4 Port JB4 Distributor & 13A Plug		£18.48
SE40555	15W Driver with 6 Port JB4 Distributor		£20.28
SE40556	30W Driver with 12 Port JB4 Distributor		£33.12
SE40557	50W Driver with 12 Port JB4 Distributor		£52.32
SE40570	15W Driver with 4 RGB Port, Remote, Receiver & Controller		£90.12
SE40571	30W Driver with 8 RGB Port, Remote, Receiver & Controller		£101.40